Work Plan Supplement

EPA Region 5 Records Ctr.

Remedial Investigation/ Feasibility Study

Crab Orchard National Wildlife Refuge

U.S. Fish and Wildlife Service U.S. Department of Interior Marion, Illinois and Sangamo-Weston, Inc. Atlanta, Georgia

December 1985



REPORT

WORK PLAN SUPPLEMENT

REMEDIAL INVESTIGATION/FEASIBILITY STUDY

CRAB ORCHARD NATIONAL WILDLIFE REFUGE

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND
SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221

DECEMBER, 1985

TABLE OF CONTENTS

WORK PLAN SUPPLEMENT

REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

		Page
INTRODUCTION		1
TASK 1 - DESCRIPTION C	F CURRENT SITUATION	1
Plans for Each Rationale for Sl	Impling and Analysis Site ections of Control Sites esign of Analysis Sets I Plan	2 3 5 6 7 7
TASK 5 - SITE INVESTIG	ATION ANALYSIS	8
ATTACHMENT S-1 ATTACHMENT S-2 ATTACHMENT S-3	Locations of Sampling Sites Refuge Boundaries and Site Groups Specific Rationale Factors for Selecting Samples and Analyses for Phase I	
ATTACHMENT S-4 ATTACHMENT S-5 ATTACHMENT S-6 ATTACHMENT S-7 ATTACHMENT S-8	Sampling and Analysis Rationale Site Operations Plan Data Management Plan Review of Available Information Field Reconnaissance Sketches	

WORK PLAN SUPPLEMENT

REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

This Supplement to the Work Plan has been prepared to provide additional explanation for various aspects of the Work Plan prepared for the Remedial Investigation/Feasibility Study (RI/FS) for the Crab Orchard National Wildlife Refuge. Several minor corrections to the Work Plan also are included. Additions and other changes are discussed under the relevant headings of the original Work Plan.

SUPPLEMENT TO WORK PLAN - INTRODUCTION

Figure 1 of the Original Work Plan is amended by substituting Attachment S-1. Sampling Site 8 was omitted from the earlier figure and has now been added. In addition, the new Site 35 (see page 5 of the July 31, 1985 Status Report) has been added to Attachment S-1.

A new Attachment S-2 has also been incorporated into this Supplement to the Work Plan. Attachment S-2 shows the boundaries of the entire Refuge and the locations of the study Site Groups within the overall Refuge.

SUPPLEMENT TO WORK PLAN TASK 1 - DESCRIPTION OF CURRENT SITUATION

A review of available background information and data was conducted in March 1985 prior to development of the original Work Plan. This review covered many of the references which are cited in Attachment 2 of the original Work Plan as well as letters and memoranda which

are part of the public records. This document, titled "Review of Available Information, Crab Orchard National Wildlife Refuge", is included in this Work Plan Supplement as Attachment S-7. It covers geographic, historic and hydrogeologic summary information, summaries of previous analytical data, and discussions of the proposed sampling programs. (Much of this information also will be included within the Remedial Investigation Report (Task 6)).

SUPPLEMENT TO WORK PLAN TASK 3 - SITE INVESTIGATIONS Rationale for Sampling and Analysis Plans for Each Site

The specific sampling and analysis rationale which was used for selection of each sample taken at the Refuge (including depth, location and compositing details) and the rationale for the analytical parameters selected for those samples is itemized on Attachment S-4. The specific Rationale Factors cited in Attachment S-4 are defined and discussed in detail in Attachment S-3. Similar logic was employed in selecting sampling details for many of the sites; therefore, this logic is presented as "rationale factors" defined in Attachment S-3 to avoid restating the same rationale for a multitude of sites. Additional discussion of the general sampling rationale is presented below.

Historic background information on each study site has been provided by the Refuge Manager and is summarized for each study site in Attachment 1 to Appendix B of the original Work Plan. This brief background formed the basis for selection of sites by the Refuge Manager for inclusion in the RI/FS program. This background information in some cases suggested the types of

contaminants which might be present at the site, based on the knowledge of operations which may have contributed to the contamination. In other cases, the background information available is insufficient to narrow down the potential contaminants of concern. For example, at Site 19 it was reported that "chemicals were poured out...in the field." In these cases it is necessary to develop an analytical strategy to screen for a broad range of compounds to determine those of concern.

Field observations generally formed the basis for selecting specific sampling locations and compositing intervals. These relevant field observations included the general topography and drainage patterns, geologic features, areas of unusual soil or sediment discoloration, stressed vegetative features, or evidence of scattered, mounded or buried debris. The most significant field observations were discussed in the text for each sampling site in Attachment 1 of Appendix B of the original Work Plan. That information is supplemented herein by field sketches prepared during the initial site visits during the period of March 26 through 28, 1985 (see Attachment S-8, Field Reconnaissance Sketches), to illustrate other minor features which also played a role in the selection of specific sampling locations.

Rationale for Selection of Control Sites

Three control sites are established in the Work Plan. Two of these, Sites 30 and 31, are control sites for soil and groundwater analyses. The third control site is a "lake control" incorporated into the Site 34 (Crab Orchard Lake) sampling program.

The Refuge Control, Site 31 (see original Work Plan, Appendix B, page III-35), is established in an area remote from any past industrial activities and adjacent to the Refuge Headquarters. According to the Refuge Manager, previous analyses of groundwater near the Refuge Headquarters did not show the presence of substances of concern. Sites 22 and 29, which are located north of the Refuge control, are expected to drain west and east, respectively, of the Refuge Control.

The Munition Control, Site 30 (see original Work Plan, Appendix B, page 111-34), was established for several reasons:

- (1) Previous experience of O'Brien & Gere at Department of Defense munitions handling facilities showed slight background levels of explosives residuals near bunker storage facilities remote from other handling activities. This control site was established to determine if there is a similar dispersed presence of explosives residuals at this facility.
- (2) The geology south of Crab Orchard Lake is significantly different from that north of the Lake. The area now occupied by Crab Orchard Lake represents the approximate boundary of glacial advancement during the glacial epoch.

The Lake Control as a part of Site 34 (see original Work Plan, Appendix B, page III-45) is located within the western end of the Lake. Previous samplings of biota and sediments have indicated contaminant concentrations very low to undetectable in this region of the Lake.

Rationale for Design of Analysis Sets

The rationale for selection of Analysis Sets is further clarified on Attachment S-3. In addition, the following summary table illustrates the major purpose of each Analysis set and lists the sites where each is applies.

Anal. Set	Sites Applied	Purpose
Α	All	Screens for presence of toxic organics and quant- ities all other parameters but PCDF/PCDD.
В	Area 9	Quantifies only PCB concentrations.
С	Area 9 LF Cores	Determine spatial distribution of PCB's and PCDF/PCDD in landfill in addition to other soil Characteristics.
D	All	Screens for presence of toxic organics and PCDF/PCDD in landfill in addition to other soil parameters.
E	Lake	Quantifies constituents subject to primary and secondary drinking water standards.
F	AII	Verifies and quantifies toxic organics in samples screened by Set A.
G	All	Verifies and quantifies toxic organics and PCDF/PCDD in samples screened by Set A or set D.
Н	Area 9	Quantifies toxic organics and PCDF/PCDD in samples which were not previously screened; other soil characteristics as defined for Set D.

Because of the high costs associated with U.S. EPA Contract Laboratory Procedure (CLP) organic analyses, the Phase I sampling program relies on a program of screening to determine those samples which should be subsequently analyzed by the full CLP protocol. See page 11 of Appendix A (Quality Assurance Project Plan) to the Work Plan. This allows sites to be screened

over a wide area for locations of concern and allows a broad chemical characterization in a cost-effective manner. A different rationale is applied to Phase II as discussed below.

PCBs have previously been determined to be present at a number of sites on the Refuge. PCDFs and PCDDs have also been analyzed for at a number of locations, although it is not known whether they are elevated due to burning of PCB articles. has requested that PCDF/PCDD analyses be included at a number of sampling sites. Because of the expense associated with this analysis, the analytical program attempts to limit the number of samples for PCDF/PCDD analysis. The sampling matrix in the Work Plan includes at least one PCDF/PCDD analysis at each site where organics or PCBs are anticipated to be present. The final selection of sites for PCDF/PCDD analyses during Phase I (see discussion of Phase I and Phase II, below) is to be determined prior to the Phase I (d) effort, after the screening analyses have The final selection of sites for PCDF/PCDD been completed. analyses has now been completed and is indicated on Attachment This table thus represents a modification to the original Work Plan. Analysis sets C and D include PCDF/PCDD screening. Analysis sets G and H include the full protocol analytical procepost to the serving dure for PCDF/PCDD.

Phase I/Phase II

The Phase I/Phase II sampling and analytical rationale was explained in the Work Plan. See pages 7 through 13 and Table 3 of the Work Plan. In short, the purpose of Phase I is to deter-

mine if potential problems exist on a given site and to define the range of chemical compounds which contribute to the problem. The purpose of Phase II is to define the extent of contamination (both laterally and vertically) so that remedial options may be evaluated. For many of the sites on the Refuge, the Phase I effort is analogous to an EPA FIT (Field Investigation Team) evaluation, which normally precedes an RI/FS.

The Site Sampling Plan for water, sediments and biota in Crab Orchard Lake, Site 34 (see Appendix B, page III-46), states that Phase II analyses will include only those parameters found at concentrations of significance at any other site. U.S. EPA has objected to this rationale. Therefore, it was agreed that one or two samples of each matrix from Site 34 will be subjected to the full suite of Set G parameters. The Work Plan is therefore amended by Attachment S-4 to include this change.

In addition, U.S. EPA had requested a copy of the Site Operations Plan for Phase II activities including specifications and rationale for sampling locations, types, depths and analyses. The Work Plan is therefore amended to clarify that this will be provided.

Site Operations Plan

A site Operations Plan is provided in this Work Plan Supplement as Attachment S-5.

Data Management Plan

A Data Management Plan is provided in this Work Plan Supplement as Attachment S-6.

TASK 5 - SITE INVESTIGATION ANALYSIS


The wording of the final paragraph under Task 5, page 15 of the original Work Plan should be revised to read as follows:


"A technical memorandum will be prepared by O'Brien & Gere summarizing the hazard evaluation process and presenting the results of the hazard assessment.


FIGURE 1

CRAB ORCHARD NATIONAL WILDLIFE REFUGE

Revised Project Schedule







ATTACHMENT S-2

STUDY SITE GROUPS

HIGHWAYS:

4 LAME PAVED
2 LAME PAVED
GRAVEL ROAD
RAILROAD
LAKE
CITY or TOWN
COUNTY LINE
REFUGE BOUNDARY

1 - 14

!((((RATIONALE FACTORS))))!
(See ATTACHMENT S-3)

I.E). 	! MATRIX!	NAME	!	TYPE		DEPTH	! ANAL ! SET	DEPTH	! LOCA- TION	!INTERVAL & NO.	! =
***		#1	3:AREA 11 SOUTH	(LANDF)	ILL							
3-	1	SOIL	NORTH BANK	COMP.	6 GRA	BS	0-1 FT	A	I	р	Y	
3-	3	SOIL	South Bank	COMP.	6 GRA	B 5	0-1 FT	A	I	р	Y	
3-	2	SOIL	SOUTH BANK	COMP.	6 GRA	8S	0-1 FT	F	I	₽	γ∽	17
3-	3	SOIL	EAST MOUND	COMP.	4 GRA	BS	0-1 FT	A	I	₽	₩.	À 17
3-	4	SEDIMENT	MARSH	COMP.	10 GRA	BS	0-1 FT	Đ	K	R,S	Y	di
3-	5	SEDIMENT	LOWER STREAM	COMP.	10 GRA	6 S	0-1 FT 0-1 FT 0-1 FT 0-1 FT	A	K	P, R, S	Y	
***			4:AREA 11 NORTH	LANDF1	ILL							
4-	1	SOIL	BARE PATCHES	COMP.	6 GRA	BS	0-1 FT	D	I	P,U	Y	
4-	5	SEDIMENT	SWAMPY SED.	COMP.	6 GRA	B S	0-1 FT	A	K	R	X	
4-	5	SEDIMENT	SHAMPY SED.	COMP.	6 GRA	8S	0-1 FT	F	К	R	X	
***			5:AREA 11 ACID	POND								
5-	i	WATER	POND WATER	COMP.	4 GRA	BS	SURFACE		N	R	Y	
5-	2	SOIL	DEAD TREE AREA	COMP.	4 GRA	B S	0-1 FT		K	P, R, U	Y	
5-	3	SEDIMENT	POND SED.	COMP.	4 GRA	BS	0-1 FT	A	K	R	Y	
5-	3	SEDIMENT	POND SED.	COMP.	4 GRA	BS	0-1 FT	F	K	R	Y	
***		#2	7A:D AREA NORTH	LAHN					7	•		
7 A-	i	SOIL.	LOW SPOTS-SURF	COMP.	8 GRA	BS	SURFACE	A+OVA)	I	U	X	
7 A-	2	SOIL	LOW SPOTS-1 FT	COMP.	8 GRA	BS	6-12 INCHES	ALOVA	Ħ	U	X	
7 A -	3	SOIL	LOW SPOTS-2 FT	COMP.	8 GRA	BS	1-2 FEET	A+OVA	Ħ	U	X	
7A-	4	SOIL	LOW SPOTS-3 FT	COMP.	8 GRA	BS	2-3 FEET	A+OVA	M	U	X	
7A-	5	SOIL	TRANSECT A-SURF	COMP.	3 GRA	BS	SURFACE	A+OVA	J	Q	X	
7 A-	6	SOIL	TRANSECT A-1FT	COMP.	3 GRA	BS	6-12 INCHES	A+OVA	M	Q	X	
7 A -		SOIL	TRANSECT A-2FT	COMP.	3 GRA	BS	1-2 FEET	A+OVA	Ħ	Q	X	
7A-		SOIL	TRANSECT A-3FT		3 GRA		2-3 FEET		M	Q	X	
7 A -	9	SOIL	TRANSECT B-SURF	COMP.	3 GRA	BS	SURFACE	A+BVA	J	Q	X	
7A-	9	SOIL	TRANSECT B-SURF		3 GRA		SURFACE	F	M	Q	X	
7 A -	10	SOIL	TRANSECT B-1FT		3 GRA		6-12 INCHES		M	Q	X	
7 A-		SOIL	TRANSECT B-2FT		. 3 GRA		1-2 FEET	A+OVA	M	Q	X	
7 A-		SOIL	TRANSECT B-3FT		3 GRA		2-3 FEET	A+OVA	M	Q	X	
7A-		SOIL	TRANSECT C-SURF		3 GRA		SURFACE	A+OVA	J	Q	X	
7 A -		SOIL	TRANSECT C-1FT		3 GRA		6-12 INCHES		Ħ	Q	X	
7A-			TRANSECT C-2FT		3 GRA		1-2 FEET	A+OVA	Ħ	Q	X	
7 A -	16	SOIL	TRANSECT C-3FT	COMP.	3 6RA	BS	2-3 FEET	A+OVA	M	Q	X	
***		:	11A:P AREA NORTH									
		SEDIMENT	WEST SWALE		3 GRA		0-1 FT	A	J,K	Q, R	X	
1A-	5	SEDIMENT	EAST SWALE	COMP	. 7 GRA	BS	0-1 FT	A	J,K	Q, R	X	

ok U

1.

7 ()**j**

7 | ||

!((((RATIONALE FACTORS))))!
(See ATTACHMENT S-3)

! I.D). ! W	ATRIX:	! NAME	!	TYF	E	!	DEPTH	!	anal Set	!	DEPTH	! LOCA- TION	!INTERVAL! & NO.
								•						
11A-	3 SED1		NORTH SHALE 1			GRABS		0-1 FT		A		J,K	•	X
11A-	3 SED		NORTH SHALE 1			GRABS		0-1 FT		F		J,K	•	X
	4 SEDI		NORTH SWALE 2			GRABS		0-1 FT		A		•	Q, R	
		DIL	LOADING DOCK		_	6RABS		0-1 FT		A		J	Q	₩
11A-			NORTH DOOR			GRABS		0-1 FT		A		J	Q	W
			EAST LOAD AREA		-	GRABS		0-1 FT		A		j	Q	¥
11#-	8 50	11F	STEAMHOUSE DOOR	CUMP.	2	GRABS		0-1 FT		A		J	G	W
***			7:0 AREA SOUTHER	ist dra	IN	KGE								
7-	1 146	ATER	D-SE WATER	COMP.	4	GRABS		SURFACE		A		N	R	W
7-	2 SEDI	IMENT	D-SE SEDIMENT	COMP.	4	GRABS		0-1 FT		A		К	Ř	W
***			8:D AREA SOUTHWE	ST DRA	INA	GE								
8 -	1 146	ATER	D-SW WATER	COMP.	2	GRABS		SURFACE		A		N	R	H
8-	2 SEDI		D-SW SEDIMENT	COMP.	4	GRABS		0-1 FT		A		K	R	₩
***			9:D AREA NORTHWE	ST DRA	IN	XGE								
9-	1 144	ATER	P-NH WATER	COMP.	4	GRABS		SURFACE		A		N	R	H
9-	2 SED	IMENT	P-NW SEDIMENT			GRABS		0-1 FT		A		K	R	i.
***			10:WATERWORKS NOR	ITH DRA	IN	NGË								
10-	1 146	ATER	WW-N WATER	COMP.	4	GRABS		SURFACE		A		N	R. 5	W
10-	2 SEDI	MENT	HH-N SEDIMENT	COMP.	4	GRABS		0-1 FT		D		K	R,S	W
10-	2 SEDI	IMENT	WW-N SEDIMENT	COMP.	4	GRABS		0-1 FT		6		K	R, 5	W
***			11:P AREA SOUTHER	IST DRA	INF)GE								
11-	1 W	ATER	P-SE WATER	COMP.	4	GRABS		SURFACE		А		N	R	W
11-			P-SE SEDIMENT	COMP.	4	GRABS		0-1 FT				К	R	₩
11-	2 SEDI	IMENT	P-SE SEDIMENT	COMP.	4	GRAB5		0-1 FT		F		ĸ	R	W
***			20:D AREA SOUTH											
20-	1 166	ATER	D SOUTH	COMP.	4	GRABS		SURFACE		A		N	R	X
								0-1 FT		A		K	R	X
	2 SEDI											ĸ	R	X
***	4	# 3	12:AREA 14 LANDF	ILL										
12-	1 111	ATER	DRAINAGE CHANNEL	COMP.	4	GRABS		SURFACE		A		N	P.R	W
			DRAINAGE CHANNEL					0-1 FT		A		I.K	P,R	W
			DRAINAGE CHANNEL							G		I.K	P,R	W
					•			• •		_		4		•

!((((RATIONALE FACTORS))))!
(See ATTACHMENT S-3)

! I.D.	! MATRIX	! NAME	! TYPE	! DEPTH	! ANAL ! SET	DEPTH	LOCA- TION	!INTERVAL!
12-	3 SOIL	BLACK RESIDUE	COMP. 4 GRABS	0-1 FT	D	1	P,U	u
***		13:AREA 14 CHANGE	E HOUSE SITE					
13-	1 SOIL	TRANSECT 1	COMP. 10 GRABS	0-1 FT	A	J	Q	γ
13-	2 SOIL	TRANSECT 2	COMP. 10 GRABS	0-1 FT	A	J	Q	¥
13-	3 SOIL	TRANSECT 3	COMP. 10 GRABS	0-1 FT		J	Q	Y
13-	4 SOIL	TRANSECT 4	COMP. 10 GRABS	0-1 FT	A	J	Q	γ
13-	5 S01L	TRANSECT 5	COMP. 10 GRABS	0-1 FT	A	J	Q	Y
13-	6 SOIL	TRANSECT 6	COMP. 10 GRABS	0-1 FT	A	J	Q	Y
***		14:AREA 14 SOLVE	NT STORAGE					
14-	1 WATER	DITCH NORTH	COMP. 6 GRABS	SURFACE	A	N	Q, R	Y
14-	2 SEDIMENT	DITCH NORTH	COMP. 6 GRABS	0-1 FT	Α	K	Q,R	Y
14-	3 WATER	DITCH SOUTH	COMP. 6 GRABS	SURFACE	A	N	Q, R	Y
14-	4 SEDIMENT	DITCH SOUTH	COMP. 6 GRABS	0-1 FT	A	K	Q, R	Y
14-	4 SEDIMENT	DITCH SOUTH	COMP. 6 GRABS	0-1 FT	F	K	Q, R	γ
***	#4	15:AREA 7 PLATIN	5 POND					
15-	1 WATER	PLATING POND	COMP. 4 GRABS	SURFACE	A	N	Q	Y
15-	2 SEDIMENT		COMP. 4 GRABS	0-1 FT	A	K	Q	Y
15-	3 WATER	MONITOR WELL	SINGLE SAMPLE	BAILER	I	-	ū	-
***		16:AREA 7 INDUST	RIAL SITE					
16-	1 WATER	DITCH NO. 1	COMP. 2 GRABS	SURFACE	A	N	R,S	W
16-	2 SEDIMENT	DITCH NO.1	COMP. 2 GRABS	0-1 FT	A	K	R, S	₩
16-	3 WATER	DITCH NO.2	COMP. 2 GRABS	SURFACE	A	N	R	W
16-	4 SEDIMENT	DITCH NO.2	COMP. 2 GRABS	0-1 FT	A	K	R	W
16-	4 SEDIMENT	DITCH NO. 2	COMP. 2 GRABS	0-1 FT	F	K	R	Ħ
	5 WATER	DITCH NO.3	COMP. 2 GRABS		A	N	R	W
	6 SEDIMENT		COMP. 2 GRABS		A	К	R	W
16-		DITCH NO.4	COMP. 2 GRABS		A	N	R	¥
	8 SEDIMENT		COMP. 2 GRABS		A	K	R	W
16-		BLDG 3-4 FRONT			D	I	.p	y
16- 1			COMP. 6 GRABS	0-1 FT	A	J	Q.	X
16- 1			COMP. 6 GRABS		6	J	Ω	X
16- 1		BLDG 3-5 FRONT			A	j	Q	X
16- 1		BLDG 3-5 BACK			A	I	P	Y
16- 1		BLDG 4-4 FRONT		0-1 FT	A	j	Ð	χ.
16- 1		BLDG 4-4 BACK	COMP. 6 GRABS		A	J •	Q	X
16- 1		BLDG 5-243 FRONT			Đ	I	P D	Y
16- 1		BLDG 5-283 FRONT			F	I	Þ	Y
16- 1	6 SDIL	BLD6 5-283 BACK	כשאאם ס יאייענט	0-1 FT	A	J	Q	X

--

!((((RATIONALE FACTORS))))! (See ATTACHMENT S-3)

! I.D.	MATRI)	(! NAME	! TYPE	! DEPTH	! ANAL SET	! DEPTH	! LOCA- TION	!INTERVAL!
16- 17	SOIL	BLDG 6-1 CONTROL	COMP. 6 GRABS	0-1 FT	A	J	Q	X
***	#5	17:JOB CORPS LAN	DFILL					
17- 1	SOIL	SOIL GRID 1	COMP. 5 GRABS	0-1 FT	A	I	р	X
17- 2	SOIL	SOIL GRID 2	COMP. 5 GRABS	0-1 FT	A	I	P	X
17- 2	SOIL	SOIL GRID 2	COMP. 5 GRABS	0-1 FT	G	I	p	X
17- 3	SOIL	SOIL GRID 3	COMP. 5 GRABS	0-1 FT	ũ	I	p	X
17- 4	SOIL	SOIL GRID 4	COMP. 5 GRABS	0-1 FT	A	I	ρ	X
17- 5	SOIL	SOIL GRID 5	COMP. 5 GRABS	0-1 FT	A	I	ρ	X
17- 6	SOIL	BARE PATCH 1	COMP. 2 GRABS	0-i FT	D	I	Ρ, U	¥
17- 6	SOIL	BARE PATCH 1	COMP. 2 GRABS	0-1 FT	6	I	P,U	¥
17- 7	SOIL	BARE PATCH 2	COMP. 2 GRABS	SURFACE	Ā	ī	P,U	W
17- 8	HATER	WELL 17-1	SINGLE SAMPLE	BAILER	I	_	-	_
17- 9	WATER	WELL 17-2	SINGLE SAMPLE	BAILER	Ī	~	_	-
17- 10	WATER	WELL 17-3	SINGLE SAMPLE	BAILER	Ī	-	_	-
17- 11	WATER	WELL 17-4	SINGLE SAMPLE	BAILER	Ī	_		_
17- 12	WATER	POND NO.1	SINGLE SAMPLE	SURFACE	Ā	K,N	R	W
17- 13	WATER	POND NO.2	SINGLE SAMPLE	SURFACE	A	K, N	R	ii
• • • • • • • • • • • • • • • • • • • •	******	100	DINCEL GIII EE	JOM THE	••	,		••
***	#6	18:AREA 13 LOADI	NG PLATFORM					
18- 1	SOIL	LOADING DOCK N	COMP. 20 GRABS	0-1 FT	A	J	Q	Y
18- 3	SOIL	LOADING DOCK 5	COMP. 20 GRABS	0-1 FT	A	J	Q	Y
18- 3	SOIL	LOADING DOCK E	COMP. 2 GRABS	0-1 FT	A	J	Q	₩
18- 4	SOIL	LOADING DOCK W	COMP. 2 GRABS	0-1 FT	А	1	P,Q	i.i.
1 8- 4	SOIL	LOADING DOCK W	COMP. 2 GRABS	0-1 FT	F	I	Ρ, Q	W
***		19:AREA 13 BUNKE	R 1-3					
19- 1	SOIL	SOIL GRID NE	COMP. 14 GRABS	0-1 FT	A	J	Q	γ
15- 2	SOIL	SOIL GRID SE	COMP. 14 GRABS	0-1 FT	A	J	Q	γ
19- 3	SOIL	SOIL GRID NW	COMP. 14 GRABS	0-1 FT	A	J	Q	Y
19- 3	SOIL	SOIL GRID NW	COMP. 14 GRABS	0-1 FT	F	J	Q	Y
19- 4	SOIL	SOIL GRID FRONT	COMP. 10 GRABS	0-1 FT	A	J	Q	γ
19- 5	SOIL	BR. PATCH TRANSEC	T COMP. 3 GRABS	0-1 FT	A	J	Q, U	X
***		30:MUNITIONS CON	TROL SITE					
30- 1	SOIL				D	-	T	W
30- 1	SOIL	MUNITION CONTROL	SINGLE SAMPLE	SURFACE	6	-	Ţ	¥
30- 2	WATER	MUNITION CONTROL	SINGLE SAMPLE	BAILER	I	-	T	W
***	#7	21:SOUTHEAST COR	NER FIELD					
21- 1	SOIL	TRANSECT 1	COMP. 6 GRABS	0-1 FT	A	J	Q	Y

11.1

!((((RATIONALE FACTORS))))! (See ATTACHMENT S-3)

! I.D.	! MATRIX	! NAME	!	TYPE	!	DEPTH	!	ANAL SET	! DEPTH	! LOCA- TION	!INTERVAL!
											
21-		TRANSECT 1		6 GRABS		0-1 FT		F	J	Q	Ą
	e soil	TRANSECT 2		6 GRABS	_	0-1 FT		A	J	G	Υ .
21- :		TRANSECT 3	COMP.	6 GRABS	5	0-1 FT		A	J	Q	Y
21- 4	4 SDIL	TRANSECT 4	COMP.	6 GRABS	5	0-1 FT		A	J	Q	Y
***	#8	22:OLD REFUGE SHO	Þ								
22-	1 WATER	POOL WATER	SINE	LE GRAB		SURFACE		A	K, N	P	¥
55- 1	2 SEDIMENT	STREAM SEDIMENTS	COMP.	. 2 GRABS	5	0-1 FT		A	K	Q, R	W
22- 7	2 SEDIMENT	STREAM SEDIMENTS	COMP.	2 GRABS	ŝ	0-1 FT		F	К	Q, R	Ħ
***		24:PEPSI-WEST									
24-	1 WATER	PEPSI-WEST	COMP.	3 GRABS	;	SURFACE		A	K, N	R	W
24-	1 WATER	PEPSI-WEST	COMP.	3 GRABS	3	SURFACE		F	K, N	R	W
24- (2 SEDIMENT	PEPSI-WEST	COMP.	3 GRABS	3	0-1 FT		A	K	Æ	₩
24- 1	2 SEDIMENT	PEPSI-WEST	COMP.	3 GRABS	5	0-1 FT		F	K	R	id
***		25:C.O. CREEK AT	MARION	l LF							
25-	1 WATER	COC DOWNSTREAM	COMP.	3 GRABS	3	SURFACE		A	K, N	R	W
25- 1	2 SEDIMENT	COC DOWNSTREAM	COMP.	. 3 GRABS	3	0-1 FT		D	K	ĸ	W
25	3 SEDIMENT	COC DOWNSTREAM	COMP.	3 GRABS	3	0-1 FT		G	К	R	¥
25-	3 WATER	COC UPSTREAM	COMP.	3 GRABS	3	SURFACE		A	-	T	¥
25-	4 SEDIMENT	COC UPSTREAM	COMP.	3 GRABS	3	0-1 FT		A	-	T	H
25-	5 WATER	LF POND	COMP.	3 GRABS	3	SURFACE		A	K, N	R	¥
25- (6 SEDIMENT	LF POND	COMP.	3 GRABS	3	0-1 FT		A	ĸ	R	¥
***		26:C.O. CREEK BEL	.OH MAI	RION STP							
26-	1 WATER	COC AT S. CARBON	COMP.	3 GRABS	3	SURFACE		A	K, N	R	W
26-	2 SEDIMENT	COC AT S. CARBON	COMP.	3 GRABS	3	0-1 FT		A	ĸ	R	W
26-	3 SEDIMENT	COC AT S. CARBON	COMP.	3 GRABS	3	0-1 FT		6	К	R	W
26-		COC AT COURT ST.						A	K, N	R	W
26-		COC AT COURT ST.							•	R	W
***		27:C.O. CREEK BEI	. 0₩ 157	7 DREDGE							
27-	1 WATER	COC AT CHAMMNESS	COMP.	. 3 GRARS	3	SURFACE		A	K. N	R,S	lii
	=	COC AT CHAMMNESS							K	R, S	
***	#9	28:WATER TOWER LA	NOFILI	_							
28-	1 SOIL	MAIN GULLY	COMP.	. 8 GRARS	5	0-1 FT		D	К	R, S	X
28-		TRANS. GULLY								P,R	
28-		TRANS. GULLY									
					-			-	- 1	. 1	.*

11-1

1.9

!((((RATIONALE FACTORS))))! (See ATTACHMENT S-3)

! I.D.	! MATRI	X! NAME	! TYPE !	DEPTH	! ANAL SET	! DEPTH	! LOCA- TION	!INTERVAL!
28- 3		SOIL GRID 1	COMP. 6 GRABS	0-1 FT	A	J	Q	X
28- 4		SOIL GRID 2	COMP. 6 GRABS	0-1 FT	A	J	Ø	X
28- 5		SOIL GRID 3	COMP. 6 GRABS	0-1 FT	A	J	Q	X
28- 6		SOIL GRID 4	COMP. 6 GRABS	0-1 FT	A	J	Q	X
28- 7			SINGLE GRAB	BAILER	I	-	V	₩
28- 8			SINGLE GRAB	BAILER	I	-	٧	W
28- 9		SOUTH END OF DITC		0-1 FT	A	I,K	P, R	₩
28- 10		NORTH END OF DITE		0-1 FT	A	I,K	P,R	₩
28- 11	SOIL	NORTH OF 28-4	GRAB	0-1 FT	A	I	₽	¥
28- 12	SOIL	NORTHWEST OF 28-	3 GRAB	0-1 FT	A	I	P	₩
28- 13	SOIL	N. FIELD-OLD 28-9	grab	0-1 FT	A	I	₽	₩
26- 14	SOIL	GULLY	GRAB	0-1 FT	A	I,K	P,R	₩
***	#10	29:FIRE STATION	LANDFILL					
29- 1	SOIL	EAST FACE 1	COMP. 12 GRABS	081 FT	A	I	р	X
29 - 2		EAST FACE 2	COMP. 12 GRASS	0&1 FT	A	I	P	X
29- 2		EAST FACE 2	COMP. 12 GRABS	0&1 FT	6	Ī	ρ	X
29- 3		EAST FACE 3	COMP. 12 GRABS	0#1 FT	a	Ī	p P	X
29- 4		EAST FACE 4	COMP. 12 GRABS	041 FT	Ā	ī	P	X
29- 5		NORTH FACE 1	COMP. 12 GRABS	0&1 FT	A	Ī	P	χ
29- 6		NORTH FACE 2	COMP. 12 GRABS	0&1 FT	D.	Ī	p P	χ
29- 7		NORTH FACE 3	COMP. 12 GRABS	0&1 FT	A	1	, p	x
29- 8			SINGLE GRAB	BAILER	ĭ	-	ī	¥
29- 9			SINGLE GRAB	BAILER	Ī	_	Ÿ	¥
29- 10			SINGLE GRAB	BAILER	Ī	_	v	¥
29- 11			SINGLE GRAB	BAILER	Ī	-	V	¥
***	#11	32:AREA 9 LANDF	ILL					
32- 1	50IL	SOIL GRID 1	COMP. 01' DEPTHS	0-12 FT	Н	L,M	ρ	Z
32- 2		SOIL GRID 1-0	TOP CORE COMP.	0-6 INCH	C	I.	ŗ p	Z
32- 3		SOIL GRID 1-1	MID CORE COMP.	6-6.5 FT	ε	L,M	Ę.	Z
32- 4		SOIL GRID 1-2	BOT CORE COMP.	11.5-121	c C	L,M	p	Z
32- 5		SOIL GRID 2	COMP. @1' DEPTHS	0-12 FT		-	p	Z
32- 6		SOIL GRID 2-0	TOP CORE COMP.	0-12 F1	H	l,m I	P	I
32- 8 32- 7		SOIL GRID 2-1	MID CORE COMP.	6-6.5 FT	C		p	7
32- 8		SOIL GRID 2-2	BOT CORE COMP.	11.5-12'	C	L,M		Z
						L,M	P	
32- 9		SOIL GRID 3	COMP. 01' DEPTHS	0-12 FT	H	L,M	P	Z
32- 10		SOIL GRID 3-0	TOP CORE COMP.	0-6 INCH	C	I	P	Z
32- 11		SOIL GRID 3-1	MID CORE COMP.	6-6.3 FT	0	L, M	þ	Z
32- 12		SOIL GRID 3-2 SOIL GRID 4	BOT CORE COMP.	11.5-12' 0-12 FT	3	L.M	P P	Z Z
32- 13			COMP. 01 DEPTHS		H	L,M I	P	7
32- 14		SOIL GRID 4-0	TOP CORE COMP.	0-6 INCH	0			7
32- 15		SOIL GRID 4-1	MID CORE COMP.	6-6.5 FT	C	L,M	P	
32- 16	SOIL	SOIL GRID 4-2	BOT CORE COMP.	11.5-121	C	L.M	Þ	Z

. .

z., **B**

10 8

40

.

s **(k**

18-11

- 144

!((((RATIONALE FACTORS))))! (See ATTACHMENT 5-3)

! I.D.	! MATRIX!	NAME	! TYPE !	DEPTH	! ANGL SET	! DEPTH	! LOCA- TION	!INTERVAL
32- 17	SOIL	SOIL GRID 5	COMP. @1' DEPTHS	0-12 FT	H	L,M	ρ	Z
32- 16	SOIL	SOIL GRID 5-0	TOP CORE COMP.	0-6 INCH	ε	I	P	1
32- 19	SOIL	SOIL GRID 5-1	MID CORE COMP.	6-6.5 FT	C	L, M	p	Z
32- 20	SOIL	SOIL GRID 5-2	BOT CORE COMP.	11.5-121	c	L,M	p	ī
32- 21	SOIL	SOIL GRID 6	COMP. 01' DEPTHS	0-12 FT	н	L,M	P	Z
32- 22	SOIL	SDIL GRID 6-0	TOP CORE COMP.	0-6 INCH	C	I	P	Z
32~ 23	SOIL	SOIL GRID 6-1	MID CORE COMP.	6-6.5 FT	ε	L, M	P	1
32- 24	SOIL	SOIL GRID 6-2	BOT CORE COMP.	11.5-12	£	L.M	Р	Z
32- 25	SOIL	SOIL GRID 7	COMP. 81' DEPTHS	0-12 FT	H	L,M	Р	Z
32- 26	SOIL	SDIL GRID 7-0	TOP CORE COMP.	0-6 INCH	C	İ	p	I
32- 27	SOIL	SOIL GRID 7-1	MID CORE COMP.	6-6.5 FT	C	L, A	P	Z
32- 28	SOIL	SOIL GRID 7-2	BOT CORE COMP.	11.5-121	ε	L,M	٥	Z
32- 29	SOIL	SOIL GRID 8	COMP. 01' DEPTHS	0-12 FT	H	L.H	P	I
32- 30	SOIL	SDIL GRID 8-0	TOP CORE COMP.	0-6 INCH	С	I	P	Z
32- 31	SOIL	SOIL GRID 8-1	MID CORE COMP.	6-6.5 FT	£	L, Ħ	P	Z
32- 32	SOIL	SOIL GRID 8-2	BOT CORE COMP.	11.5-12'	C	L, M	Þ	Z
32- 33	SOIL	SOIL GRID 9	COMP. 01' DEPTHS	0-12 FT	H	L.M	Þ	Z
32- 34	SOIL	SDIL GRID 9-0	TOP CORE COMP.	0-6 INCH	C	I	p	Z
32- 35	SOIL	SOIL GRID 9-1	MID CORE COMP.	6-6.5 FT	C	L,M	ρ	7
32- 36	SOIL	SOIL GRID 9-2	BOT CORE COMP.	11.5-12'	C	L.M	₽	2
32- 37	SOIL	NORTH TRANSECT 1	COMP. 63' INTRVL	SURFACE	В	K	R or T	Y
38- 38	SOIL	NORTH TRANSECT 1		SURFACE	B	ĸ	R or T	γ
32- 39	SOIL	EAST TRANSECT 1		SURFACE	Ð	K	R or T	Y
32- 40	SOIL	EAST TRANSECT 2		SURFACE	В	K	R or T	Y
32- 41	SOIL	SOUTH TRANSECT 1		SURFACE	В	K	R or T	Y
32- 42	SOIL	SOUTH TRANSECT 2		SURFACE	ğ	К	R or T	Y
		INT. CREEK 1-0	GRAB	SURFACE	A	J,K	Q, R	I
	SEDIMENT	INT. CREEK 1-1	grab	3 FEET		J.K.L.M		I
-	SEDIMENT	INT. CREEK 1-2	GRAB	6 FEET		J,K,L,M		7
	SEDIMENT	INT. CREEK 2-0	GRAB	SURFACE	A	J,K	0, R	1
	SEDIMENT	INT. CREEK 2-1	Grab	3 FEET		J,K,L,M		7
	SEDIMENT	INT. CREEK 2-2	GRAB	6 FEET	A	J,K,L,M	Q, 3	2
	SEDIMENT		GRAB	SURFACE	A	J.K		7
		INT. CREEK 3-1		3 FEET		J.K.L.M		Z
	SEDIMENT	INT. CREEK 3-2 INT. CREEK 4-0		6 FEET		J,K,L,M	-	Z Z
	SEDIMENT		grab Grab	SURFACE 3 FEET		J,K J,K,L,M	•	Z
	SEDIMENT		GRAB	6 FEET		J.K.L.M		7
	SEDIMENT		GRAB	SURFACE		1.K		Z
	SEDIMENT		GRAB	3 FEET		J.K.L.M		7
	SEDIMENT			6 FEET		J, K, L, M	-	7
	SEDIMENT		GRAB	SURFACE			-	1
	SEDIMENT		GRAB	3 FEET	D.	J.K.L.M	=	ī
	SEDIMENT		GRAB	6 FEET	٥	J,K,L,M		Z
32- 61		WELL 1	SINGLE SAMPLE	BAILER	I	-	Ţ	W
	WATER	METT 5	SINGLE SAMPLE	BAILER	Ī	-	V	W

1 4

!((((RATIONALE FACTORS))))!
(See ATTACHMENT S-3)

! I.D. !	MATRIX!	NAME	! TYPE	! DEPTH	! ANAL ! SET	DEPTH	! LOCA- TION	!INTERVAL!
33 63	UATES			BAT: 53				
32- 63 32- 64	WATER SOIL	WELL 3 YELLOW SPOT	SINGLE SAMPLE SINGLE SAMPLE	BAILER SURFACE	I	- I	Þ	₩ ti
32- 65		BEFORE CLEANING		SURFACE	A B	K	Ī	₩ ₩
32- 66	SOIL	AFTER CLEANING	SINGLE SAMPLE	SURFACE	B	K	Ţ	¥
3C- 60	SOIL	HEIER CLEMATING	SINGLE SHIPLE	SURFACE	Б	n	3	•
***		33:AREA 9 BUILDII	NG COMPLEX					
33- i			5 CORE VERTICAL	0-1 F00T	Б	J	Qi	2
33- 2			5 CORE VERTICAL	1-2 FEET	B	J,M	Q1	1
33~ 3			5 CORE VERTICAL	2-3 FEET	₿	J,M	Q1	1
33~ 4			5 CORE VERTICAL	0-1 F00T	В	J	61	7
33~ 5			5 CORE VERTICAL	1-2 FEET	B	J, M	Q1	Z
33~ 6			5 CORE VERTICAL	2-3 FEET	В	J, X	Q1	7
33- 7			5 CORE VERTICAL	0-1 F00T	₿	J	Qí	Z
33- 8		-	5 CORE VERTICAL	1-2 FEET	B	J, M	61	1
33- 9			5 CORE VERTICAL	2-3 FEET	В	J, M	Q1	1
33- 10			5 CORE VERTICAL	0-1 FOOT	8	j	Q1	Z
33- 11			5 CORE VERTICAL	1-2 FEET	В	J.M	01	1
33- 12			5 CORE VERTICAL	2-3 FEET	В	J, M	Q1	Z
33- 13			5 CORE VERTICAL	0-1 F00T	₿	j	Q1	Z
33- 14			5 CORE VERTICAL	1-2 FEET	5	J,M	Q1	1
33- 15			5 CORE VERTICAL	2-3 FEET	B	J,M	01	1
33- 16			5 CORE SURFACE	0-1 FOOT	B	J	01	1
33- 17			5 CORE VERTICAL	0-1 F00T	₽	j	61	7
33- 18			5 CORE VERTICAL	1-2 FEET	8	J.M	Q1	1
33- 19			5 CORE VERTICAL	2-3 FEET	8	J, M	Q)	7
33- 20			5 CORE VERTICAL	0-1 F00T	B	j	Q 1.	1
33~ 21			5 CORE VERTICAL	1-2 FEET	В	J, M	Q1	1
33- 22			5 CORE VERTICAL		B	J, M	Ω1 Ω1	7
33- 23			5 CORE SURFACE	0-1 F00T	B 5	J	Ø;	1
33- 24			5 CORE SURFACE	0-1 F00T	В	J	Q1	2 Z
33- 25			5 CORE SURFACE	0-1 F00T	B		01	
33- 26	SOIL I		5 CORE SURFACE	0-1 F00T	B	J	Qí	1
33- 27	SOIL L		5 CORE SURFACE	0-1 FDŪT	D B	J	Qí	Ĭ.
33- 28 33- 29	SOIL L		3 DITCH 3 CORE SURFACE	0-1 F00T 0-6 INCH	B	K J	Q1 Q1	1 1
	SOIL L			0-1 F00T	В	K	Q1	Z
33- 30 33- 31			4 CORE SURFACE	0-1 F00T	B	J	Q1	2
		.OC. 18 - I-1- 8		0-1 F00T	8	ĸ	Q1	Z
33- 32 33- 33		.oc. 19 - I-1- 2		0-1 F00T	В	K	Q1	Z
33- 34			1 CORE VERTICAL		Б	J	01 01	7
33- 35			1 CORE VERTICAL	1-2 FEET	B	J,M	GI	Z
33- 36			1 CORE VERTICAL		B	J,M	G1	1
33- 37			1 CORE SURFACE	0-1 FDOT	Б	J	Gi	7
33- 38			1 CORE SURFACE	0-1 F00T	В	J	Q1	2
33- 39		LOC. 23 - STAGIN		0-1 F00T	В	ĸ	Q1	1
				· ·	-	.,		-

Ble**P**

7 1

9- **1**

: **1**

I.

•

-II

- •

!((((RATIONALE FACTORS))))! (See ATTACHMENT 5-3)

! I.D.	! MATRI	X!	NAME	!	TYPE	!	DEPTH	! ANAL ! SET	DEPTH	! LDCA- TION	!INTERVAL!
77 / 4							4 5005	_	.,		•
33- 40		LOC.	24 - STAGIN		DITCH		0-1 F00T	B	K	Q1	1
33- 41	SOIL	LOC.	25 - 1-1- 2				0-1 F00T	B	J	Q1	Z
33- 42	SOIL	LOC.	25 - 1-1- 2				1-2 FEET	8	J, M	Q1	Z
33- 43	SOIL	LOC.	25 - 1-1- 2				2-3 FEET	8	J, M	Q1	Z
33- 44	SOIL	LOC.	26 - I-I- 2				0-1 F00T	В	J	Qi	7
33- 45	SOIL	LOC.	26 - I-1- 2				1-2 FEET	В	J, A	Q1	7
33- 46	SOIL	LOC.	26 - I-1- 2				2-3 FEET	В	J, M	Q1	1
33- 47	SOIL	LGC.	27 - I-1- 2				0-1 F00T	B	J	Q1	I
33- 48	SOIL	LOC.	27 - 1-1- 2				1-2 FEET	В	J,M	Q1	7
33- 49	SOIL	LOC.	27 - I-1- 2				2-3 FEET	£	J, M	Q1	Z
33- 50	SOIL	LOC.	28 - I-1- 2				0-1 F00T	Б	J	Q1	Z
33- 51	SOIL	LOC.	28 - I-1- 2				1-2 FEET	Б	J, M	Q1	7
33- 52	SOIL	LOC.	28 - 1-1- 2				2-3 FEET	8	J,M	<u>01</u>	Z
33- 53	SOIL	LOC.	29 - I-1- 3		DITCH		0-1 F00T	B	K	2 1	Z -
33- 54	SOIL	LOC.	30 - I-1- 2		DITCH		0-1 F00T	B	K	01	7
33- 55	SOIL	LOC.	31 - I-1- 2		DITCH		0-1 F00T	B	K	Q1	Z
33- 56	SOIL	LOC.	32 - 1-1- 2		DITCH		0-1 FOOT	B	K .	Q1	1
33- 57	SOIL	LOC.	33 - I-1- 2				0-1 F00T	B	J	Q1	Z
33- 58	SOIL	LOC.	34 - I-1- 2				0-1 FOOT	В	J	Q1	7
33- 59	SOIL	LOC.	35 - I-1- 3				0-1 FOOT	8	J	Q1	Z
33- 60	SOIL	LOC.	36 - I-I- 2				0-1 FOOT	D	J	Q1	I -
33- 61	SOIL	LOC.	37 - I-1- 1				0-6 INCH	-	J	Q1	7
33- 62	SOIL	LOC.	38 - I-1-				0-1 FOOT	В	J	Q1	Z
33- 63	SOIL	LOC.	38 - I-1-				1-2 FEET	B	J, M	Q1	Z
33- 64	SOIL	LOC.	38 - 1-1-				2-3 FEET	B	J,M	Qi	7
33- 65	SOIL	LOC.	39 - 1-1-				0-1 F00T	B	J	Qı	1
33- 66	SOIL	LOC.	40 - 1-1-				0-1 F007	B	J	Qi	1
33- 67	SOIL	LOC.	41 - I-1-				0-1 F00T	B	J	Q1	I
33- 68	SOIL	LOC.	41 - 1-1-				1-2 FEET	B	J, M	٥١	2
33- 69	SOIL	LOC.	41 - I-1-				2-3 FEET	Б	J,M	Q1	2
33- 70	SOIL	LOC.	42 - I-I-				0-1 F00T	B -	J	0)	7
33- 71	SOIL	LOC.			E SURFACE		0-1 F00T	5	j	Ωλ	2
33- 72		LOC.					0-1 FOOT	B -	J	Q1	I 7
33- 73	SOIL	LOC.	44 - I-1-				1-2 FEET	B	J,M	Qί	7
33- 74	SOIL	LOC.	44 - I-1-				2-3 FEET	B	J, M	61	Z
33- 75	SOIL	LOC.	45 - I-1-				0-1 F00T	B	J	Qi	2
33- 76	SOIL	LOC.	56 - I-I-				0-1 FOOT	8	J	Qi	1
33- 77	SOIL	LCC.					1-2 FEET	Б	J,M	Q1	7
33- 78	SOIL	LOC.	56 - I-i-				2-3 FEET	В	J,M	Q1	2
33- 79	SOIL	LOC.					0-1 F00T	B	J •	Q1	1
33- 80	SOIL	LOC.	58 - 1-1-				0-1 F00T	B -	j	Qi	2
33- 81	SOIL	LOC.	45 - I-1-				0-1 FBOT	Ē	j	Q1	1
33- 82	SOIL	LOC.	46 - I-1-				1-2 FEET	В	J, M	Qi	1
33- 83	SOIL	LOC.	46 - I-1-				2-3 FEET	B	J,M	Q1	1
33- 84	SOIL	LOC.	47 - 1-1-				0-1 F00T	В	J	Q1	7
33- 8 5	SOIL	LOC.	48 - I-1-	5 COR	E SURFACE		0-1 FOOT	₿	J	01	Z

1.#

66

: ||**|**

.

⊕∞ih

!((((RATIONALE FACTORS))))! (See ATTACHMENT S-3)

! I.D.	! MATRI.	X!	NAME	!	TYPE	! DEPTH	! ANAL SET		LOCA- TION	!INTERVAL!
*********		42 <u></u> 0-								
33- 6 6	SOIL	LOC.	49 - I-i-	5 CORE	VERTICAL	0-1 F00T	В	J	01	1
33- 67	SOIL	LCC.	49 - 1-1-	5 CORE	VERTICAL	1-2 FEET	B	J,M	Q1	7
33~ 88	SOIL	LOC.	49 - I-1-	5 CORE	VERTICAL	2-3 FEET	8	J, M	Q1	I
33~ 89	SOIL	LOC.	50 - I-i-	5 CORE	SURFACE	0-1 F00T	B	J	Q1	Z
33- 90	SOIL	LOC.	51 - I-i-	5 CORE	VERTICAL	0-1 F00T	8	J	Q1	Z
33~ 91	SOIL	LOC.	51 - I-i-	5 CORE	VERTICAL	1-2 FEET	₿	J, M	Q1	I
33- 92	SOIL	LOC.	51 - I-i-	5 CORE	VERTICAL	2-3 FEET	₿	J, M	Q1	Z
33- 9 3	SOIL	LOC.	52 - I-1-	5 CORE	SURFACE	0-1 FOOT	B	J	Q1	Z
33- 94	SOIL	LOC.	53 - 1-1-	5 CORE	SURFACE	0-1 FOOT	₿	J	Q1	Z
33- 95	SOIL	LOC.	54 - I-1-	35 CORE	VERTICAL	0-1 F00T	Б	J	Q1	I
33~ 56	SOIL	LOC.	54 - I-1-	35 CORE	VERTICAL	1-2 FEET	8	J,M	Q1	Z
33- 97	SOIL	LOC.	54 - I-1-			2-3 FEET	B	J,M	Q1	Z
33- 98	SOIL	LOC.	55 - I-I-			0-1 FOOT	B	J	Q1	Z
33- 99	SOIL	LOC.	59 - I-1-			0-1 FOOT	B	J	Q1	Z
33-100	SOIL	LOC.	60 - 1-1-		SURFACE	0-1 F00T	B	J	G1	1
33-101	501L	LOC.	61 - I-1-			0-1 F00T	В	J	Q1	7
33-102	501L	LOC.	62 - I-1-			0-1 F00T	B	j	01	2
33-103	SOIL	LOC.	62 - I-1-			1-2 FEET	B	J, M	Q1	7
33-104	SOIL	LOC.	62 - I-i-			2-3 FEET	В	J,M	Qi	1
33-105	SOIL	LOC.	63 - I-1-			0-1 F00T	5	J	Q1	Z
33-106	SOIL	LOC.	63 - I-i-			1-2 FEET	8	J,M	Q1	Z
33-107	SOIL	LOC.	63 - I-1-			2-3 FEET	Б	J,M	Q1	7
33-108	SOIL	LOC.	64 - I-1-			0-1 F00T	8	J	Qi	7
33-109	SOIL	LOC.	64 - I-1-			1-2 FEET	В	J,M	Q1.	1
33-109	SOIL	LOC.	64 - I-1-			2-3 FEET	Б	J,M	G1	7
33-110 33-111	SOIL	LOC.	65 - I-1-			0-1 F00T	B	J	Q1	Z
33-112	SOIL	LOC.	65 - I-1-			1-2 FEET	B		G7	7
33-112	SOIL	LOC.	65 - I-1-			2-3 FEET		J,M		Z
33-114	SOIL	LOC.	66 - I-1-				В	J,M J	Q1	Z
						0-1 F00T	В	-	61	Z
33-115	SOIL	LOC.	66 - I-1-		VERTICAL	1-2 FEET	Б	J, M	61	
33-116	SOIL	LOC.	66 - I-I-			2-3 FEET	В	J, Ħ	81	7
33-117	SOIL	LOC.	67 - I-1-		VERTICAL	0-1 F00T	В	J	Q1	I 7
33-118			67 - 1-1-			1-2 FEET	8	J,M	01	1
33-119	SOIL	LOC.	67 - I-1-				B	J,M	Q1	Z
33-120	SOIL	LOC.	68 - 1-1-			0-1 F00T	Б	J	Q1	7
33-121	501L	LOC.	68 - I-1-				B	J.M	Q1	Z
33-122	50IL	LOC.	68 - I-1-				8	J, M	Q1	7
33-123	SOIL	LOC.	65 - I-1-			0-1 F00T	Б	J	Q1	Z
33-124	SOIL	LOC.	69 - I-i-			1-2 FEET	B	J, M	61	Z
33-125	501L	LOC.	69 - I-1-				F	J, M	01	7
33-126	SOIL	LOC.	70 - I-1-			0-1 F00T	В	J	61	7
33-127	501L	LOC.	71 - I-1-			0-1 F00T	Б	J	01	7
33-128	SOIL	LOC.	72 - I-i-		SURFACE	0-1 F00T	B	J	01	7
33-129	SOIL	LOC.	73 - I-1-			0-1 FOOT	D	J	Q1	I -
33-130		LOC.	74 - I-1-				Б	J	Q1	Z
33-131	SOIL	LOC.	75 - I-1-	3 CORE	VERTICAL	0-1 F00T	В	J	Ü1	1

2 10*

4 jjuž

-04

116

[9]

ı

hiej

414

!((((RATIONALE FACTORS))))! {See ATTACHMENT S-3)

! I.D.	! MATRI	X !	NAME	!	TYPE	! DEPTH	! ANAL ! SET	DEPTH	LOCA- TION	! INTERVAL!
					32222222					
33-132	SOIL	LOC.	75 - 1-1-	3 CORE	VERTICAL	1-2 FEET	8	J, ⊭	01	Z
35-133	SOIL	LOC.	75 - I-i-	3 CORE	VERTICAL	2-3 FEET	8	J,M	Q1	Z
33-134	SOIL	LOC.	76 - 1-1-	3 CORE	SURFACE	0-1 FOOT	В	J	Q1	2
33-135	SOIL	LOC.	77 - I-1-	3 CORE	VERTICAL	0-1 F00T	B	J	Q1	7
33-136	SOIL	LOC.	77 - 1-1-	3 CORE	VERTICAL	1-2 FEET	B	J, M	Q1	Z
33-137	SOIL	LOC.	77 - I-1-	3 CORE	VERTICAL	2-3 FEET	B	J,M	Q1	7
33-138	SOIL	LOC.	78 - I-i-	3 CORE	SURFACE	0-1 F00T	В	J	Qí	I
33-139	SOIL	LOC.	79 - I-1-	3 CORE	SURFACE	0-1 F00T	В	J	Q1	Z
33-140	SOIL	LOC.	80 - I-1-	9 CORE	VERTICAL	0-1 FODT	₿	J	Qi	Z
33-141	SOIL	LOC.	80 - I-1-	9 CORE	VERTICAL	1-2 FEET	B	J,M	Q1	Z
33-142	SOIL	LOC.	80 - I-i-	9 CORE	VERTICAL	2-3 FEET	B	J,M	Q1	1
33-143	SOIL	LOC.	81 - I-i-	9 CORE	SURFACE	0-1 FD0T	5	J	Q 1	Z
33-144	SOIL	LOC.	82 - I-i-	9 CORE	SURFACE	0-1 F00T	B	J	Q1	2
33-145	SOIL	LOC.	83 - I-1-	23C CORE	VERTICAL	0-1 F00T	8	J	Q1	Z
33-146	SOIL	LOC.	63 - I-1-	23C CORE	VERTICAL	1-2 FEET	B	J, M	Q1	Z
33-147	50IL	LOC.	63 - I-1-	23C CORE	VERTICAL	2-3 FEET	Ē	J,M	Q1	Z
33-148	SOIL	LOC.	84 - I-i-	23C CORE	VERTICAL	0-1 F00T	В	J	Qi	1
33-149	SOIL	LOC.	84 - I-1-	23C CORE	VERTICAL	1-2 FEET	Ē	J,M	Q1	Z
33-150	SOIL	LOC.	84 - I-1-	23C CORE	VERTICAL	2-3 FEET	В	J,#	61	Z
33-151	SOIL	LCC.	85 - I-1-	23C CORE	VERTICAL	0-1 FOOT	B	J	Ø1	Z
33-152	SOIL	LOC.	85 - I-1-	23C CORE	VERTICAL	1-2 FEET	Ð	J,M	G1	Z
33-153	SOIL	LOC.	85 - I-1-	23C CORE	VERTICAL	2-3 FEET	Б	J,M	Ū1	Z
33-154	SOIL	LOC.	86 - I-i-	23C CORE	VERTICAL	0-1 FOOT	B	J	Q1	Z
33-155	SOIL	LDC.	86 - I-1-	230 CORE	VERTICAL	1-2 FEET	Б	J, M	Q1	7
33-156	SOIL	LOC.	ā6 - I-1-	23C CORE	VERTICAL	2-3 FEET	В	J,#	Q 1	Z
33~157	SOIL	LOC.	87 - I-1-	23C CORE	VERTICAL	0-1 F00T	D	J	Ql	Z
33~158	SOIL	LOC.	87 - I-1-	23C CORE	VERTICAL	1-2 FEET	В	J,M	61	Z
33-159	SOIL	LOC.	87 - I-1-	23C CORE	VERTICAL	2-3 FEET	B	J, M	G1	Z
33-160	50IL	LOC.	88 - I-i-	230 CORE	VERTICAL	0-1 F00T	В	J	Q1	Z
33-161	SOIL	LOC.	88 - I-1-	23C CORE	VERTICAL	1-2 FEET	Б	J,M	QL	Z
33-162	SOIL	LOC.	88 - I-1-	23C CORE	VERTICAL	2-3 FEET	Б	J, M	Œ١	7
33-163	SOIL	LOC.	89 - I-1-	23C CORE	VERTICAL	0-1 F00T	B	J	Ql	Z
33-164	SOIL	LOC.	89 - I-1-	23C CORE	VERTICAL	1-2 FEET	В	J,M	Q١	Z
33-165	50IL	LCC.	89 - I-1-	-23C CORE	VERTICAL	2-3 FEET	Ē	J,M	Q1	1
33-166	SOIL	LOC.	90 - I-1-	23C CORE	VERTICAL	0-1 F00T	В	J	Qı	Z
33-167	SOIL	LOC.	90 - I-1-	-23C CORE	VERTICAL	1-2 FEET	Б	J,M	Q1	Z
33-168	501L	LOC.	90 - I-1-	-23C CORE	VERTICAL	2-3 FEET	В	J,M	Q1	Z
33-169	SOIL	LOC.	51 - I-1-	-23C CORE	VERTICAL	0-1 F00T	В	J	Q1	I
33-170	SOIL	LOC.	91 - I-1-	-23C CORE	VERTICAL	1-2 FEET	B	J.M	Q1	Z
33-171	SOIL	LOC.	51 - I-1-	-230 CORE	VERTICAL	2-3 FEET	B	J, M	61	1
33-172	SOIL	LOC.				0-1 F00T	В	ĵ.	19	Z
33-173	SOIL	LOC.	52 - I-1-	-23C CORE	VERTICAL	1-2 FEET	B	J,M	01	Z
33-174	501L	LOC.	92 - I-1-	-23C CORE	VERTICAL	2-3 FEET	В	J, M	Gi	Z
33-175	501L	LOC.	93 - I-1-	-23C CORE	VERTICAL	0-1 F00T	В	J	61	Z
33-176	SOIL	LOC.	93 - 1-1-	-23C CORE	VERTICAL	1-2 FEET	Ē	J. #	61	Z
33-177	SOIL	LOC.	93 - I-1-	-23C CORE	VERTICAL	2-3 FEET	Ē	J.M	Q1	2

ı

um

- | **[**

· •

-

!((((RATIONALE FACTORS))))!
(See ATTACHMENT 5-3)

! I.D. !	MATRIX!	NAME !	YPE	! DEPTH	! ANAL SET	! DEPTH	! LOCA- TION	
33-178	SOTI LOC.	94 - I-1-230	CORE SURFACE	0-1 FAAT	B	J	Q1	7
33-179			CORE SURFACE		В	J	Qí	Ī
33-180			CORE VERTICAL		В	J	Qí	Ž
33-181			CORE VERTICAL		B	J.M	Qí	7
33-182			CORE VERTICAL		Б	J,M	81	7
33-183			SURFACE COMP.		B	J	Q1	X
			SURFACE COMP.		В	J	Q1	X
			SURFACE COMP.		B	J	01	X
	SOIL LOC.	100 - 1-1- 29	SURFACE COMP.		В	J	Q1	X
	SOIL LOC.	101 - I-1- 8	SURFACE COMP.		Б	J	Q1	X
33-188	SOIL LOC.	102 - 1-1- 8	SURFACE COMP.		В	J	Qi	X
33-189	SOIL - SPAR	E NUMBERS			B			
33-190	SOIL - SPAR	E NUMBERS			В			
33-191	SOIL - SPAR	E NUMBERS			Ē			
33-192	SOIL - SPAR	E NUMBERS			B			
33-193	SOIL - SPAR	RE NUMBERS			₿			
33-194	SOIL - SPAR	RE NUMBERS			ā			
33-195	SOIL - SPAR	RE NUMBERS			В			
33-196	SOIL - SPAR	RE NUMBERS			£			
33-197	SOIL - SPAR	RE NUMBERS			Ē			
33-158	SDIL - SPAR	IE NUMBERS			В			
	SOIL - SPAF				B			
33-200	SOIL - SPAR	IE NUMBERS			Б			
33-201	SOIL - SPAR	RE NUMBERS			₽			
***	35:4	area 9 east wa:	TERMOY					
						_	_	
		WATERWAY		0-1 FT		I	Ρ.	Y
35- 1 9	SEDIMENT	WATERWAY	COMP. 5 GRABS	0-1 FT	F	I	P	Y
***	#12 34:0	Crab Orchard Li	AKE					
34- 1		UGE INTAKE	GRAB	NA	£	-	Ţ	W
34~ 2	WATER MAI	RION INTAKE	GRAB	NA	Ē	-	T	W
34~ 3		ON RESINTAKE		NA	E	-	Ţ	₩
34- 4		SE TREATED H20		NA	Ε	-	Ţ	W
34~ 5		ON TREATED H2D		NA	Ē	-	T	W
34~ 6	WATER	LAKE 1 B	COMP. 3 DEPTHS		ī	8	S	W
34 - 7	WATER	TAKE 5 C	COMP. 3 DEPTHS		I	0	S	₩
34- B	WATER	LAKE 3 G	COMP. 3 DEPTHS		I	Ð	S	¥
34- 9	WATER	LAKE 4 H	COMP. 3 DEPTHS		I	0	5	W
34- 10	WATER	LAKE 5 A	COMP. 3 DEPTHS		I	0	S	₩
34- 11	WATER	LAKE 6 D	COMP. 3 DEPTHS		I	0	5	₩
34- 12	WATER	LAKE 7 E	COMP. 3 DEPTHS		I	0	5	id
34- 13	WATER	LAKE 8 F	COMP. 3 DEPTHS		I	0	S	₩.
34- 14	WATER	LAKE 9 I	COMP.3 DEPTHS	S SURF-0.8 FT	I	Û	5	jų.

-5 M

!((((RATIONALE FACTORS))))! (See ATTACHMENT 5-3)

! I.D.	! MATRIX!	NOME	! TYPE !	DEPTH	! ANAL ! SET	DEPTH	! LOCA- TION	!INTERVAL! & NO.
********				2# - # - # 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		:### #	52252233	
34- 15		LAKE 10J	COMP. 3 DEPTHS	SURF-0.8 FT	I	0	S	W
	SEDIMENT	LAKE 1 B	GRAB	DREDGE	Н	ĸ	S	¥
34- 17	SEDIMENT	LAKE 2 C	GRAB	DREDGE	Н	К	5	₩
34- 18	SEDIMENT	LAKE 3.5	GRAB	DREDGE	I	К	5.	W
	SEDIMENT	LAKE 4 H	GRAB	DREDGE	I	K	S	₩
	SEDIMENT	LAKE 5 A	Grab	DREDGE	I	K	5	₩
	SEDIMENT	LAKE 6 D	GRAB	DREDGE	I	K	S	W
34- 22	SEDIMENT	LAKE 7 E	GRAB	DREDGE	I	K	5	¥
34- 23	SEDIMENT	LAKE 8 F	GRAB	DREDGE	I	K	S	W
34- 24	SEDIMENT	LAKE 9 I	GRAB	DREDGE	I	ĸ	S	w
34- 25	SEDIMENT	LAKE 10J	Grab	DREDGE	I			
34- 26	FISH	LAKE SITE 1 B	COMP. 5 CARP	NA	I			
34- 27	FISH	LAKE SITE 1 B	COMP. 5 BASS	NA FIN	I			
34- 28	FISH	LAKE SITE 1 B	COMP. 5 BASS	NA	I			
34- 4 8	FISH	LAKE SITE 1 B	COMP. 5 BULLHEAD	NA	I			
34- 45	FISH	LAKE SITE 1 B	COMP.5 BULLHEAD	NA	I			
34- 50	FISH	LAKE SITE 1 B	COMP. 2 CATFISH	NA	I			
34- 29	FISH	LAKE SITE 2 C	COMP. 5 CARP	NA	H			
34- 30	FISH	LAKE SITE 2 C	COMP. 5 CARP	NA	ī			
34- 31	FISH	LAKE SITE 2 C	COMP. 5 BASS	NA	H			
34- 51	FISH	LAKE SITE 2 C	COMP. 5 BULLHEAD	NA	I			
34- 52		LAKE SITE 2 C	COMP. 5 BULLHEAD	NiA.	I			
34- 53		LAKE SITE 2 C	COMP.5 CATFISH	NA	I			
34- 32		LAKE SITE 3 G	COMP. 5 CARP	FIA	I			
34- 33		LAKE SITE 3 6	COMP. 5 CARP	NA	1			
34- 34		LAKE SITE 3 G	COMP. 5 BASS	FIN	I			
34- 54		LAKE SITE 3 G	COMP. 5 BULLHEAD	NA	I			
34- 55		LAKE SITE 3 6	COMP. 5 BULLHEAD	NA	I			
34- 35		LAKE SITE 4 H	COMP. 5 CARP	NΑ	ī			
34- 36		LAKE SITE 4 H	COMP. 5 BASS	NA	Ī			
34- 37		LAKE SITE 4 H	COMP. 5 BASS	NΑ	Ī			
34~ 59		LAKE SITE 4 H	COMP. 5 BULLHEAD	NA .	Ī			
34- 60		LAKE SITE 4 H	COMP. 5 BULLHEAD	NA	Ī			
34- 61		LAKE SITE 4 H	COMP. 4 CATFISH	NA	Ī			
34- 38			COMP. 5 CARP	NA	Ī			
34- 39		LAKE CONTROL J	COMP. 5 CARP	NA NA	ī			
34- 40		LAKE CONTROL J	COMP. 3 BASS	NA NA	Ī			
34- 41		LAKE CONTROL J	COMP. 5 BASS	NA NA	Ī			
34- 56			COMP. 5 BULLHEAD	NA NA	I			
			COMP. 5 BULLHEAD	NA	ī			
34- 57			COMP. 3 CATFISH	NA NA	I			
34- 58								
34- 48		LAKE SITE 1 B	COMP. OF 2	BOTTOM	ī			
34- 43		LAKE SITE 2 C	COMP. OF 2	BOTTOM	I			
34- 44		LAKE SITE 3 G	COMP. OF 2	BOTTOM	I			
		LAKE SITE 1 B	COMP.OF 300gms	SURFACE	I			
34- 46	CKHYFISH	TAKE PILE 5 C	COMP.OF 300gms	SURFACE	I			

al «i

18191

Bigin B

1 |

ı

.

1H H

!((((RATIONALE FACTORS))))! (See ATTACHMENT S-3)

!]	. D.	! MATRIX	! NOME	! T	ype 	! DEPT	H ! ANA SET	TH ! LOCA- TION	·!INTERVAL!
34	- 47	CRAYFISH	LAKE SITE 3 6	COMP. OF	300gus	SURFA	CE I		
¥ł	Hŧ	#13	31:REFUGE CONTRI	DL SITE					
31	l- 1	SOIL	REFUGE CONTROL	SINGLE	SAMPLE	SURFA	CE D	 T	W
3	1- 1	SOIL	REFUGE CONTROL	SINGLE	SAMPLE	SURFA	CE 6	 T	₩
3	1- a	WATER	REFUGE CONTROL	SINGLE	SAMPLE	BAIL	ER I	 T	₩
-	v.D.								

END

*

i

1

Me i E

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND
SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221

NOVEMBER, 1985

ATTACH S-3

REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

SPECIFIC RATIONALE FACTORS FOR SELECTING SAMPLES AND ANALYSES FOR PHASE I

KEY TO RATIONALE FACTORS CITED IN ATTACHMENT S-4

ANALYSIS SETS

- A. Analysis Set A (organics screening, metals, cyanide, indicators, explosives, nitrogen and phosphorus) is specified for all sites where few or no previous analytical tests have been conducted. This sequence of analyses was chosen to enable problem identification associated with the range of industries which have operated on the Refuge. The results of organics screening are used to determine sampling locations for resampling and analysis by full CLP protocol (Analysis Set F).
- B. Analysis Set B consists only of PCB analysis. This set is specified only for samples within the Area 9 Building Complex (Site 33) and portions of the Area 9 Landfill (Site 32) where the spatial distribution and limits of PCB contamination are to be determined.
- C. Analysis Set C consists of PCBs, PCDF/PCDD screening, indicators, nitrogen and cation exchange capacity. Set C analyses are specified only for intermediate core sections (top, middle and bottom) within the Area 9 Landfill.
- Note: PCDF/PCDD screening in set C has been changed to the full CLP protocol analysis (addition of Set H) during the initial sampling effort. This change was necessary to avoid a second round drilling effort in Phase I (d). This represents a change to the original Work Plan.
- D. Analysis Set D is the same as Analysis Set A, except that PCDF/PCDD screening is also included. One sample (and sometimes 2 or 3) was selected from each site which was anticipated to contain PCBs or organics for PCDF/PCDD screening.
- E. Analysis Set E consists of the Primary and Secondary Drinking Water Standards. These are conducted only on the Phase I water supply samples (Samples 34-1 through 34-5). Phase II Crab Orchard Lake water column samples (Samples 34-6 through 34-15) are to be analyzed for a wider range of parameters which will be selected after evaluation of results from the Phase I sampling effort. However, at least one water column sample will be analyzed for the full Set G suite of parameters, as requested by U.S. EPA. This represents a change to the original Work Plan.

- F. Analysis Set F is conducted on a second round (Phase I (d)) re-sampling for selected locations which were previously analyzed for the Set A suite of analyses. It consists of a second round of organic analyses by full CLP protocol. The rationale for selection of Set F samples is to choose those samples on a given site which show the highest concentrations of organics (by FID screening, PCB, TOC, TOX, or organic nitrogen). The Set F organic CLP analyses will then establish those parameters to be emphasized during the Phase II investigation of extent of contamination.
- G. Analysis Set G is conducted on a second round (Phase I (d)) re-sampling for selected locations which were previously analyzed for the Set A or D suites of analyses by full CLP protocol in addition to PCDF/PCDD analyses by full CLP protocol. The rationale for selection of Set G samples is similar to that for Set F, except that Set G is specified on those sites where PCBs (and hence PCDF/PCDD) are anticipated to be a potential problem.
- NOTE: The original Work Plan specified that Priority Pollutant metals analyses by AA Spectroscopy would be conducted for Set F and G samples in addition to the ICP screening for the corresponding Set A and D samples. However, the analytical sensitivity of the ICP analyses has been adequate. Therefore, the AA Spectroscopy metals have been dropped from the Set F and G suites. This represents a change to the original Work Plan.
- H. Analysis Set H was previously full CLP protocol PCDF/PCDD analysis subsequent to screening via Analysis Set C at the Area 9 Landfill. Set H was incorporated into the Set C analyses to avoid second-round drilling at Area 9 (see note following C above). Set H has been redefined to consist of organic analyses by full CLP protocol in addition to PCDF/PCDD analyses by full CLP protocol and other soil characteristics as in Set D. Set H samples are not preceded by a set of screening samples.
- I. Analysis Set I will be conducted on those samples scheduled to be collected during the Phase II sampling effort. Samples for Set I (See Attachment S-4) include groundwater monitoring wells, and Crab Orchard Lake water, sediment and fish. The Set I suite of parameters will depend on the analytical results obtained from Phases Ia, Ib, Ic and Id.

SAMPLING DEPTHS

- 1. Visual observations indicate the presence of potential contaminants (sludges, debris, etc.) at or near the surface.
- J. Historic information indicated that contaminants may have been disposed or spilled in the general geographic area, but visual observations do not provide guidance to location.
- K. Dispersed contaminants from the potential source area are likely to have accumulated at or near the surface of stream bottoms or

- drainage swales as a result of sedimentation at points of low flow velocity.
- L. Sampling depths greater than 1 ft were specified because historic information indicated the possibility that source materials may have been buried and covered with soil.
- M. Sampling depths greater than 1 ft were specified to determine if vertical dispersion of near-surface contaminants has occurred.
- N. An upper surface water sample is expected to be representative of the water column as a whole, since stratification is not expected to be significant.
- O. Water column samples are specified for a number of intervals of depth to determine if contaminants are stratified at different concentrations.

SAMPLING LOCATIONS

- P. Visual observations indicate the presence of potential contaminants (sludges, debris, etc.) at or near the surface in the location specified for sampling.
- Q. Historic information indicated that contaminants were disposed or spilled in the general geographic area, but visual observations do not provide guidance to location. Therefore, lateral composites were prepared to screen a questionable area. If elevated concentrations of contaminants are found within a compositing area then additional Phase II sampling and analyses may be required to define the lateral and vertical distribution of the contaminated area.
- Q1. Previous sampling and analytical data are available covering this general area. (See Figure 2 of Status Report dated September 11, 1985 for illustrated data for the Area 9 Building Complex, Site 33. Proposed Phase I sampling locations are shown on Figure 1 of that document). The sampling sites were located to permit the evaluation of spatial distributions within previously composited areas. In addition, the sampling locations attempt to define the limits of contaminated areas by the sampling of spots expected to be clean (e.g., outside of ditches and deeper soils underneath contaminated zones).
 - R. Dispersed contaminants from a potential source area are likely to have accumulated within streams or drainage swales downgradient or adjacent to the source.
 - S. Surface topography indicates that the specified sampling location is downgradient from a number of potential source areas. A broader range of contaminants may be present at this location representing the area as a whole. However, because of differing mobilities associated with different contaminants, this downgradient sample may not be representative of the distribution of materials in the

upgradient sources. In addition, because of dispersion, a down-gradient sample is likely to be less concentrated than the source from which it came.

- T. The specified sampling location is believed to be located upgradient of the suspected source area or outside of the dispersion pattern from the suspected source.
- U. The specified sampling location is within or near an area of stressed or unusual vegetation pattern.
- V. Ground water monitoring well is located downgradient from a suspected source area.

SAMPLING INTERVAL AND NUMBER OF SAMPLES

- W. The suspect area is small in size (1 to 10 sq ft) and well defined, either because of physical appearance or to evaluate a single-point area. Closely-spaced (2 to 5 ft) lateral composites of from 1 to 4 samples are specified to characterize the single-point area.
- X. The suspect area is large in size (greater than 100 sq ft or longer than 100 ft). Generally, in the larger compositing areas, there are few features to suggest whether or not a problem exists, other than a historic report of past activities in the general area. Samples are spaced from 20 to 50 ft apart and composited. It was generally attempted to limit the number of samples in the composite within the range of 6 to 10, since sensitivity to detecting a hot spot is reduced as the number of samples in the composite increases.
- Z. The sampling interval for vertical samples is self-explanatory on Table S-2. The objective for obtaining depth samples is to determine the vertical distribution of buried materials or to evaluate the limits of vertical migration from a near-surface source material.

WORK PLAN SUPPLEMENT ATTACHMENT S-5

SITE OPERATIONS PLAN

REMEDIAL INVESTIGATION/FEASIBILITY STUDY

CRAB ORCHARD NATIONAL WILDLIFE REFUGE

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND

SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221

DECEMBER, 1985

SITE OPERATIONS PLAN

REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

A. PERSONNEL REQUIREMENTS

Site operations will involve personnel from O'Brien & Gere Engineers, U.S. Fish & Wildlife Service and U.S. EPA. Specific sampling team members are listed below:

- Cornelius B. Murphy, Jr., PhD (Project Officer)
- Steven R. Garver, P.E. (Project Manager
- Dharmarajan R. Iyer, PhD (Primary Field Chief)
- Michael P. Quirk (Quality Control Officer)
- Swiatoslav W. Kaczmar, PhD (Safety Officer)
- Robert Foresti (Field Hydrogeologist)
- John Jurgeil (Sampler)
- Maria Schwalbe (Sampler)
- Richard A. Ruelle (U.S. FWS Project Manager
- Rodney Gawber (U.S. EPA On-scene Coordinator)

Personnel usage associated with specific phases of sampling is discussed in the Sections below.

B. SAMPLING SCHEDULES AND ASSUMPTIONS

Sampling Schedule Rationale

As explained on pages 7 through 13 of the June 1985 Work Plan, the field sampling program has been separated into two major phases. The purpose of Phase I is to screen a broad range of areas for a number of analytical parameters to determine if a contamination problem exists and to define the chemical parameters of concern. Phase II will focus on the parameters found in Phase I and will define the vertical and lateral extent of contamination. Each element of the sampling and analysis program builds upon information derived from the previous elements.

The structuring of the Phase I sampling program accommodates a logical separation of sampling matrices and coordination of various field activities. The separation and timing of the Phase I elements is necessary to allow review of data from previous elements to incorporate minor field changes of specific sampling locations. The timing of Phase I elements has also been developed to accommodate laboratory scheduling. This coordination is necessary to ensure that samples can be extracted and analyzed within the statutory holding times specified by U.S. EPA as documented in the Work Plan.

Table 1 presents a calendar of scheduled site operations. The elements of this field program are discussed individually below along with the rationale incorporated into the development of the

schedule. Table 1 also illustrates the approximate manpower allocation associated with various elements of the field and analytical program.

The Phase I program has been separated into four field elements as discussed below:

Phase I (a)

The Phase I (a) program involves a number of preparatory activities. An initial orientation meeting at the Refuge covered and overview of the site background, sampling program design and schedule, protocols and health and safety practices. Phase I (a) also includes the site safety walk-throughs to be conducted by the Safety Officer, Dr. Kaczmar. Two teams of personnel will begin site operations subsequent to clearance by the Safety Officer.

Six sites which are scheduled for geophysical testing will be gridded and staked in preparation for the field geologist. Garver and Schwalbe will perform this activity. In addition, specific soil sampling locations will be staked at these sites during this time. Subsequent to the staking of geophysical grids, the remaining sites will be staked to establish specific points for sampling. The approximate locations are illustrated in Appendix B of the Work Plan.

The geophysical testing will follow the initial preparatory activities and will be performed by Foresti who will be assisted by Schwalbe. Magnetometer and Electromagnetic readings will be taken along the specified grid locations and appropriately documented.

Lake biota sampling will be conducted concurrent with the geophysical tests. Quirk will provide sample tagging and packaging and will oversee the sampling which is to be conducted by FWS personnel. All biota will be frozen prior to shipping.

Phase I (a) is followed by a period of data review. During this time, the geophysical data will be entered into a computer database for contouring. Review of these contoured data will be accomplished to determine if changes to the planned sampling locations should be made as a result of locations of subsurface anomalies. The geophysical data will also be used to indicate whether additional safety precautions should be followed during the acquisition of soil samples.

Phase I (b)

The Phase I (b) field activities cover a period of three weeks as illustrated on Table 1. Results of the geophysical tests from Phase I (a) are necessary proceeding with Phase I (b).

The majority of samples obtained during Phase I (b) consist of shallow soil samples from a number of study sites. This activity is most efficiently accomplished by two teams working together. The

sampling team is responsible for acquiring and documenting the sampling locations. The sampling team delivers discrete samples to the packaging team who performs any necessary compositing and splits samples for preserving and packaging in appropriate containers. The packaging team also labels sample tags, logs the samples, and prepares the chain-of-custody documentation.

In addition to soils, a number of pond and stream sediments will be acquired during Phase I (b). These will require the use of a boat for sampling.

Concurrent with the acquisition of shallow soil samples, the field geologist will supervise the installation of monitoring wells at five sites. This is expected to cover a period of nine days.

Subsequent to the above activities, both teams will move to the Area 9 Landfill and coordinate the drilling, sampling and packaging at that location. All safety protocols specified in the Work Plan or as modified by the Safety Officer will be followed by personnel working at Area 9.

During Phase I (b) specific sampling locations will be selected for the Area 9 Plant Site 33. These will be staked for location by the drilling and survey crews. Some of these samples are to be acquired to a depth of 1 ft, while other locations will be sampled to a depth of 3 ft. These locations will be documented on a site map and transmitted to Olin personnel. Olin will verify the locations of utility lines to assure that drilling activities do not encounter water, sewer or power lines.

Phase I (c)

Phase I (c) is limited to the acquisition of soil samples from the Area 9 Plant site. Two sampling personnel will work in conjunction with the drilling crew. Shallow samples will be acquired by Schwalbe and Jurgeil, while the drilling crew will be utilized to acquire the deeper samples.

Preparatory to Phase I (d), all of the screening data from Phases I (a) and (b) will be organized and reviewed. The purpose of this interim review is to select specific locations to be resampled for full CLP protocol analyses. To assist this review, a statistical analysis of the screening data will be conducted. This will allow rapid identification of those sites which contain components at concentrations higher than the mean of all sites at the Refuge. The following criteria (in the order listed) are used for the selection of these sites:

- At least one sample is to be taken from each geographic site group irregardless of screening results.
- Screening locations with PCB analyses above average are to be emphasized.

- Screening locations with detectable PCDF/PCDD are to be emphasized.
- Screening locations with FID scans above one standard deviation are to be emphasized.
- Screening locations with detectable explosives residuals are to be emphasized.
- Screening locations with TOX above average are to be emphasized.
- Screening locations with TOC above two standard deviations are to be emphasized.
- Screening locations with organic nitrogen above two standard deviations are to be emphasized.

Phase I (d)

During Phase I (d) several sampling locations will be resampled for full CLP protocol organic analyses. These locations will attempt to match as closely as possible those analogous locations which were sampled for screening. It is the purpose of Phase I (d) to identify a wide array of compounds which may be indicated by the earlier screening sequences. It is therefore necessary that the analytical results from Phases I (a) and (b) be completed before Phase I (d) can begin.

A sampling crew of two (Schwalbe and Jurgiel) will be sufficient to cover the limited sampling required by Phase I (d).

The Phase I (d) results will be used in conjunction with the earlier test results to develop the remainder of the test program. Specifically, the compounds identified and verified by Phase I (d) may be specified for analysis of biological species, lake matrices (water and sediments), as well as the Phase II program for identifying the vertical and lateral extent of contamination. It is necessary for the Phase I (d) analyses to be completed before the subsequent series of sampling and testing can begin.

Analysis of Biological Samples

Biological samples were collected and frozen as a part of Phase I (a). They were collected during the Spring-Summer period at the request of FWS because fish flesh is more likely to demonstrate uptake of contaminants at that time. FWS has indicated that negligible losses of materials occur during freezing if the fish are properly packaged. The analytical parameters specified in the Work Plan may be screening and verification analyses.

Phase II Site Operation Plan

Subsequent to analyses of the Phase I (d) samples, the sampling and analytical program for Phase II can be developed. It is not the purpose of Phase II to analyze a broad array of parameters as in Phase I. Instead, Phase II will focus on a limited number of site indicator parameters which reflect the potential problems at the site. Phase II may involve many more samples at a given site than Phase I, but the specified analyses will be more restricted. More deep samples are also anticipated for Phase II work.

This sampling and analytical program will be proposed in a Phase II Site Operations Plan. This Plan will also include details on planning for the Phase II sampling activities. A copy of this Plan will be provided to U.S. EPA for their comments.

Phase II

The beginning of the Phase II program is timed to coincide with the beginning of warmer weather to facilitate acquisition of samples. In addition, ground water elevation monitoring and sampling will be conducted during the typically high ground water conditions of spring. Information on ground water elevation variability can be developed by comparison to the Phase I monitoring data.

A two-week field period using a crew of 3 to 4 samplers is contemplated. It is also anticipated that a drilling rig will be required to obtain deeper samples. It is not known at this time whether additional wells will be necessary, but if so, they will be installed during the Phase II field program.

Following the analyses of the Phase II samples, the draft Site Investigation report section will be prepared.

Contingency Sampling

It is possible that results from the Phase II analyses may indicate the need for additional sampling and analysis. For example, unexpected dispersion patterns or localized hot spots may require further definition before the scope of a remedial effort can be determined. Every attempt will be made to identify such needs as early as possible to avoid delays to the feasibility studies.

C. SAMPLING ORDER

Specific site activity schedules and proposed order of site activity is illustrated on the attached Figures 1 through 8 represent the detail planning for Phases 1A and 1B. In actuality, these schedules will be developed and modified as necessary based on field decisions and contingencies encountered (e.g., inclement weather, equipment breakdown, etc.). Accommodation for some of these contingencies is built into the project schedules.

D. DOCUMENTATION OF SAMPLING LOCATIONS

Proposed sampling locations for each site were documented in the Site Sampling Plan. However, because of the necessity to modify some of those location in the field, it is necessary to document the actual locations sampled. This is to be done in two steps. sampling locations are to staked and labelled either prior to sampling or at the time of initial sampling. Subsequent to sampling, the locations of sampling will be surveyed relative to permanent local benchmarks. For those sites where remedial action is likely to be necessary, topographical survey information will be developed as necessary for the remedial options to be considered. The documentation of actual sampling locations will be presented in Status Reports and in the Final RI Report.

E. EQUIPMENT AND SUPPLIES

Specific equipment and supplies required for the Phase I sampling activities are enumerated on Tables 3 and 4, attached. Other preparatory aspects of the sampling program include acquisition or arrangements for the following:

- Field trailer
- Electrical and telephone service for field trailer
- Sample refrigeration facilities
- Air and surface transport of samples to laboratories
- Travel arrangements for field personnel
- Lodging arrangements for field personnel
- Letters of credit for local banks
- Vehicles
- Sample containers

F. DECONTAMINATION

Decontamination protocols are addressed in the Work Plan. See Appendix B of the Work Plan, pages 5 through 7, and Appendix C, pages 11 through 14.

G. DOCUMENTATION

Protocols for documentation of field activities are presented in the Work Plan. See the following:

- Sample Custody: Appendix A, page 5 and Attachment 1, pages 13 through 16.
- Sample Locations and Numbering: Appendix B, pages 2 and 3.
- Field Notes: Appendix B, pages 7 through 10.
- Packaging and Shipping: Appendix C, Attachment 1, Section
 5.

SITE OPERATIONS SCHEDULE
CRAB ORCHARD NATIONAL WILDLIFE REFUGE

Manpower Allocation (manweeks) Mobilization Field Laboratory Data Activity Activity Activity Review Field Lab Anal Data rev Mobiliz. -----July 15 Phase I (a) I (a) Analysis 2.0 6.5 4.3 12.9 1985 22 I (a) of I (a) 6.5 4.3 10.8 29 4.3 5.3 samples ! Analysis 1.5 August 5 Phase I (b) V of 2.0 4.3 1.0 7.3 4.3 12 T (5) : Analysis 1.0 6.5 11.8 geophysical 19 I (b) 1 of I (b) 7.0 4.3 11.3 data 26 I (h) samples 6.0 4.3 1.0 11.3 September 2 4.3 2.0 Document 6.3 : I (c) loctions 4.3 2.0 6.3 Phase I (c) V Locate 2.0 4.3 6.3 4.3 Utilities 9.5 I (c) 4.0 慢慢 30 ! Analysis 6.7 6.7 7 7.4 of 1 (c) October 2.4 14 2.4 samples 2.4 186 21 Final 2.4 1.0 3.4 28 : Selection 2.4 1.0 3.4 November 4 1 of 1 (d) 2.4 2.0 4.4 11 Fhase I (d) V sampling 1.0 2.4 2.0 5.4 13.9 18 I (d) Analysis locations 3.0 16.9 25 13.9 1.0 of T (d) 14.9 2 13.9 December samples 14.9 1.0 13.9 1.0 14.7 15 13.9 1.0 14.9 23 13.9 14.9 1.0 4110 30 Preparation 13.9 1.0 14.9 January ۷ 6 of Phase II 13.9 1.0 14.9 1986 13 ! Site 11.6 2.0 13.5 Analysis of 20 1 12.6 biological Operation 11.6 1.0 n. 27 ; samples Plan 11.6 2.0 13.8 February 3 11.6 2.0 13.6 10 Review 11.6 11.6 17 1.0 and 1.0 24 1.0 1.0 Approval March Phase II V 2.0 1.0 3.0 Ħ 3.0 3.0 11 18 H Analysis 3.0 9.5 12.5 25 of Phase II 9.5 2.0 11.5 9.5 2.0 April 1 samples Preparation 11.5 8 of Draft 9.5 2.0 11.5 15 Site 9.5 2.0 11.5 22 Investigation 9.5 2.0 11.5 16.5 Report 4.0 7.5 2.0 Topo survey 1.0 6 Section 2.0 May Contingency samples and topo 4.0 6.0 13 2.0 2.0 14:4 20 Analysis of 2.0 2.0 27 2.0 2.0 Contingency 2.0 3 2.0 June Samples v 3.0 3.0 10 V Submit Draft June 15, 1985 55.5 11.0 53.5 304.1 424.1

TARIF 1

TABLE 2

CRAB ORCHARD NATIONAL WILDLIFE REFUGE FIELD SCHEDULE

-Phase Ia (July 15-26) -Orientation -Safety Walk-Through -Geophysical Grid Layout -Geophysical Testing (Sites 29,13,21,17,28 -Lake Biota sampling -Waters and sediments	Date 7/15 7/16-17 7/16-17 7/16-17 7/18-24 7/22-24 7/24-26	Team All SWK + RW SRG + MS RF + MS FWS + MQ MQ + MS
-Phase Ib (Aug 12-30) -Well Installation -Refuge control -Job Corps -Fire Station -Monition Control -Plating Pond -Water Tower -Area 9 -Soil Cores (Area 9 LF)	8/12-14 8/14 8/14-16 8/16 8/16-17 8/19-20	RF + MS
-Pond Sediments -Acid Pond -Plating Pond -Marion LF Pond -Job Corps Pond -Shallow Soils (scfeen) -18,19 -3,4,5 -12,13 -15,16,21 -28 -29 -17 -7A, 11A -Phase Ic (Sept. 16-20)	8/12-13 5 8/14-15 8/15-17 8/19-20 8/20-22 8/20-22 8/22-24 8/26-27 8/27 8/28-30	DI + MQ
-Shallow Soils (#33 Area 9 Plant) -Phase Id (Oct. 7-11) -Resampling for full scans (soils, waters, sediments) -Phase II (Mar-Apr 86) -Arial and depth matrices at contaminated sites (to be determined) -Lake waters and sediments	9/16-20 10/7-11 Team members and be developed and for review and ap	submitted

	HIT LIST (sub.1)	NUMBER or AMOUNT per UNIT (person, site, or sample)		TOTAL NO. = NEEDED	WHERE AVAILABLE (here,St.Louis.et
_ING EQU!					
SITE IDS	ENTIFICATION:				
	2"x2"x24" wooden stakes		-	100	
	orange spray paint		-	2	
	rope		-	460 ft	
WATER:	hanger	· -	-	1	
	waders	.2size10: 2size12		4	
	boat	. 1	•	į	
	disposable stirrers	1			
	2" submersible pump	•			
	water filtering device	1			
	filters				
	100 ft. steel tape	•			
	shovel				
	electrical cord				
	glass funsel				
	deep buckets				
	paper towels				
	plastic sheeting		2	2 rolls	
	polypropylene rope		_		
	silicone spray				
	flagging tape				
	electrical tape				
	aluminum foil			3 rolls	
				0 (81.5 3	
	tool kit: phillipshead screwdrivers			4	
	hammers			7	
				-	
	knife			<u>.</u>	
	pliers	•	•	2	
	tubing bender			1	
	tubing cutter				
_	5dH		•	1	
?	automatic cord reeler and lead cord	•			
SEDIMEN.					
	aluminum pans				
	Wildco hand operated core sampler			200	
	2"OD, 1/16" thickness Lexan tubing		25	200 ft	
	polypropylane scoops				
	aluminum scoops				
	disposable spatulas	•			
GEOPHYS:					
	pH meters				
	specific conductance meters	1			
	thermometers				
	magnetometer/electromagnetic induction equipment	•			
	surveying equipment	•			
	water level probe			1	
	I sampling trier				
	I soil auger				
	I split barrel sampler				
	G, STORAGE, AND SHIPPING:	-			
1.1196211		. (101 70 aus si		*4	
	coolers	. (10) 20 quart		10	

*********	NUMBER or AMOUNT par UNIT (person, site, or sample)	NUMBER OF TOTAL NO. X UNITS = NEEDED	WHERE AVAILABLE (here.St.Louis.etc.
sampler jars (see BOTTLES file)			
freezer		<u> </u>	
van with roofrack		1.	
dry ice			
ice			
shipping labels			
Markers			
CUMENTATION:			
field notebooks			
sample tags			
record sheets			
chain-of-custody records		÷	
canera		1	
35 am, color slide film			
36.			
field blanks			
duplicate samples			
split samples			
ignitability field test			
GUIPMENT:			
NERAL PERSONAL GEAR (SAFETY LEVELS B. C, AND D):			
calibrated HNU-1101 photoionizing air monitir	1		
pressure demand self-contained breathing apparatus:			
high effeciency organic vapor/particulate/pesti-			
cide cartridge (respiratory safety level C)			
rubber safety boots or safety workboots with rubber			
overboots (safety levels 3; C, & D)			
cotton overalls (level D) or work clothing under			
white tyvek suit (levels B & C)			
tyvek or other hood (levies B & C)	•		
cotton gloves (level D) or surgeon's gloves with			
rubber overgloves (levels B & C)			
protective eyewear			
hard hat (during drilling)			
noise protection (during drilling)			
2 way communication			
chemical resistant clothing(yellow tyveks,PVCcover-	•		
alls, or butyl apron) as needed for specific			
tasks	1		
first eid kit and manual	•		
VEL A-HIGHEST LEVEL OF RESPIRATORY, SKIN, AND EYE PROTECTION			
THE ABOVE LIST PLUS:*			
chemical-resistant fully encapsulating suit			
chemical-resistant outer and inner gloves			
chemical-resistant boter and inner gloves			
disposable protective suit, gloves, and boots (work			
over fully encapsulating suit)	•		
EVEL 9:			
THE GENERAL GEAR LIST PLUS:*			
chemical-resistant clothing loveralls and long-		•	
sleeved jacket: coveralls: hooded, one or two-			
piece chemical-resistant splash suit: discosable			

NUMBER or AMOUNT

	NUMBER of						
	per UNIT						
HIT LIST (sub.1)	site, or	sample)	X U	NITS	=	NEEDED	lhere, 3t.Louis, etc.
					-		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
chemical-resistant coveralls)	,						
chemical-resistant outer and inner gloves							
chemical-resistant boots with steel toe and shank	1						
chemical-resistant disposable outer boots							
hard-hat with face shield							
LEVEL C:	•						
THE GENERAL GEAR LIST PLUS:*							
chemical-resistant clothing (coveralls; hooded, two-	-						
piece chemical-resistant spalsh suit; chemical-							
resistant hood and apron; disposable, chemical-							
resistant coverall's)							
chemical-resistant outer and inner gloves							
chemical-resistant boots with steel toe and shank.							
chemical-resistant disposable outer boots							
hard-hat with face shield							
escape Mask							
LEVEL C:	•						
THE GENERAL GEAR LIST PLUS:*							
boots/shoes:leather or chemical-resistant with							
steel toe and shank							
chemical-resistant disposable outer boots							
hard hat with face shield							
escape mask							
safety glasses or chemical splash goggles							
*MAY INCLUDE MORE SPECIFIC DESCRIPTIONS OF SOME BENERAL LIST IT	EMS)						
NOTE:Level B protection should be available in the event that the							
and hazards of a site are unknown, and must be further defined b	y on-						
site studies. Safety levels can later be modified appropriately.							
DECONTAMINATION:							
brashes	. :	á				à	
tub							
acetone	. 1	gal				i gal	
haxane	. 1	gal				1 gal	
distilled water	. 5;	ai				3 gal	
55 gallon drums		4				4	
interference-free, redistilled solvent (eg. aceton	<u>e</u>						
or methyl chloride)							
detergent							
5 gailon pails							
kiddie pool		2				- 2	
Gateraid		- ases				_ 	
fire extinguishers		ABC				1	
Jerry jugs		nco 5 gai				· ;	
plant sprayer		-				· -	
air horns		2 2				5	
plastic garbage cans		<u>.</u>				5	
		e sir				ī pair	
SCISSOFS		317 7				· -	
pocket kaivas		ن ا				3	
Janitor-in-a-drum cleaner	•	ž.				1	

amount!	SYRACUSE		amount	St.LCUIS		amount	REFUGE/MARION	; check
	LAB		 	=====================================	: 222 22 !		####################################	=====
			;	• • • • • • • • • • • • • • • • • • •			ICE (MARION)	· ¦
	SAMPLING JARS (see pages 2&3).		; ;	DRY ICE			DISTILLED WATER	-
;	RECORD SHEETS		; ;	COOLERS			(EITHER AT AN INDUSTRY	
						'	OR FROM SOUTHERN	:
	CHAIN-OF-CUSTODY RECORDS		1 1	ALUMINUM PANS				1
1	DETERGENT		1	PLASTIC PAILS			ILLINOIS UNIVERSITY)) 1
	SOLVENT (NANOGRADE):			WADERS		1 1	FREEZER	i i
	ACETONE		1 1	TOILET BRUSHES			STATION WAGON	;
i	HEXANE		1 1	KIDS POOL	; ;	1		1
1	WATER FILTERING DEVICE		1 1	GATERAID	1 1	======	****************	;=====
1	FILTERS	; ;		FIRE EXTINGUISHER		;		
ŧ	DETERGENT	; ;		JERRY JUGS		1		
1		; ;	1 1	PLANT SPRAYER	1 1	1		
:	HYDROGEDLOGIC	;	}	PLASTIC SHEETING	1 1	}		
	*************	; ;	1 1	AIR HORNS	;	!		
: ;	WATER LEVEL PROBE	: :	; ;	GARBAGE CANS	: ;	1		
ì	ELECTROMAGNETIC EQUIP T	;	: :	SCISSORS	1 1	1		
:	SURVEY EQUIPMENT		1 }	POCKET KNIVES	; ;	1		
•		1		JANITOR-IN-A-DRUM		1		
i	SUPPLY			ALUMINUM SCOOPS				
;				POLYPROPYLENE SCOOPS		}		
}	SHIPPING LABELS	1		LEXAN TUBING		}	·	
;	MARKERS :	· •		ROPE		, 		
				-				
; ;	I.D. STICKERS (RED&YELLOW)			HAMMER		!		
i	RUBBERBANDS !			STAKES		1		
1	FOLDERS	;		ORANGE PAINT		1		
j.		;		ALUMINUM FOIL	1			
i	DIV. 3	1		HACKSAW		;		
;	 {	;		100 ft. STEEL TAPE	1 1			
ł	CAMERA	1		SHOVEL		!		
;	COMPUTER SAMPLE LABELS :	;		ELECTRICAL CORD	1 1			
;	OH METER :	1	; ;	GLASS FUNNEL	;	;		
1	SPEC. CONDUCTANCE METER :	i		DEEP BUCKETS	1 1	}		
15	SAFETY EQUIPMENT (see page 4);	;	1 1	PAPER TOWELS	1 ;	}		
=====	=======================================		: :	POLYPROPYLENE ROPE	1 1	1		
		1	1 1	SILICONE SPRAY	; ;	ł		
		;	: :	FLAGGING TAPE	: :	t		
		1		ELECTRICAL TAPE	1 1			
		;		DISPOSABLE SPATULAS				
	;	;		DISPOSABLE STIRRERS	 !			
	,	i		THERMOMETERS	 ! !			
		1		DRUMS	•			
		1			, , 			
				SQUEEZE BOTTLES				
		1		TUB	: :			
		11		INTERFERENCE-FREE	} ;			
		i	; ;	REDISTILLED SOLVENT		;		

	1	1	1	;	TOTAL NO.
ANAL.	;	}		;	NEEDED per
SET		PARAMETERS	CONTAINERS NEEDED	PRESERVATIVES	
A	SED/SOIL	purgeables	30 ml crimp vial	FILL 1/2 WAY	135
	1	l all otners	il qt glass jar with	;	
	ł	1	teflon-lined cao	;	135
	<u> </u>	! explosives	i 60 ml plass jar	: KEEP MOIST :	135
	1	1 ICP	1 1/2 pt plass jar	1	135
	!	i compositing	aluminum pans	!	135
	<i>.</i> !	1	I arominam hans	, ,	100
	:WATER/WELL	: Purgeaples	1 (2)40ml screwcas	, ,	118
	: 70 1 5.77 7 51.6	, Laudesoies		1 1	110
	l	i National designs	vials	i i	
	i	acid/base	1 1 glass with	i	
		i	teflon-lined cao	;	59
	i	; ICP	11/20t plastic with	i l	
	ł	1	l plastic cap	!	5 9
		mercury	1/2ot plastic	CONC. HN03	59
	}	i CN	1 ot plastic	CAUSTIC PELLETS!	
	}	ITOC, N. & pnos.	i ot plastic	; H2S04 i	59
	;	; TOX	:125ml crewcap glass	: THIOSULFATE :	5 9
	}	explosives		: KEEP MOIST :	59
!		compositing	i i gal glass jar	!	
Ì		:	with plastic top		59
		, !	i with bindair tob	, , 1 ,	65
В	SED/SOIL	, ! PCB'S	11 qt glass jar with	! ;	
. " ;	250, 2015	i rugʻg		, 1 , ,	070
		i	teflon-lined cao	i i	238
	OEB (051)	i 	i	i	
C	SED/SOIL	=	il ot glass jar with	;	_
i			teflon-lined cap	;	31
;		compositing	aluminum pans	i	31
;	1	1	;	;	•
D ;	SED/SOIL	purgeables	30 ml crimo vial	FILL 1/2 WAY !	31
1	;	all others	ll qt glass jar with:	:	
ł			teflon-lined cao	}	31
i				KEEP MOIST :	31
į	!		1/2 pt glass jar		31
!	!	compositing	aluminum pans		31
į					
Ξ;	HATER	orim. Report D LL	: : 1 pt plastic jar :	NITRIC ACID :	6
- 1	mn = 1		: 1 pt plastic jar :	i introduction i	5
,		3+611U61'U3	-) ;	O
i	i)	1 qt glass jar	, i	•
;			with teflon-liner		6
	1		l qt glass jar	ACID WASHED :	6
- 1				;	
Fi	SED/SOIL	FULL ANALYSIS	l as in A	:	23
ŧ	!		;	+	
1	WATER	FULL ANALYSIS	l as in A	1	12
:			:	;	
6 1	SED/SOIL	FULL ANALYSIS	as in D	;	11
:			· -· -		
н :	SED/SOIL	FULL ANALYSIS	as in C	1	7
•			. ==	•	•

;		CONTAINER SUMMARY		; ;
1		: TYPE OF :		-, ;
1	SIZE	: CONTAINER :	QUANTITY	ł
{				;
}	30 ml	crimo vial	200	1
i	1 quart	: glass jar :	448	!
}	60 ml	l glass jar l	200	;
ŀ	1/2 pt	: glass jar :	200	į
:	40 ml	iglass screwcao vial:	130	;
;	1 liter	glass jar	71	ŧ
;	1/2 pt	: plastic bottle :	142	į
į		: with plas. cap :	71	;
i	1 pt	: plastic bottle :	154	ļ
ŀ	125 ml	iglass screwcap vial:	. 71	ł
i	100 ml	: plastic bottle :	71	i
:	1 gal	glass w/plas.cao	71	;
i		aluminum pans	238	ţ
;		teflon-liners :	553	;

AMOUNT	I WAY THE TRUE TO THE TOTAL THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL TO THE TOTAL TO THE TOTAL THE	CHECK
	:	
	calibrated HNU-1101 photoconizing air monitir	
	pressure cemano self-contained preathing apparatus;	
	high effeciency organic vapor/particulate/pesti-	
	cide cartridge (respiratory safety level C)	
	rubber safety boots or safety workboots with rubber	
	i overboots (safety levels B, C, & D)	
	cotton overalls (level D) or work clothing under	
	_	
	white typek suit (levels B & C)	
	ityvek or other hood (levles 8 & C)	
	cotton gloves (level D) or surgeon's gloves with	
	rubber overgloves (levels B & C)	
	protective eyewear	
	Hhard hat (during drilling)	
	noise protection (during drilling)	
	2 way communication	
	chemical resistant clothing(yellow tyveks, PVCcover-	
	alls, or butyl apron) as needed for specific	;
	tasks	
	first aid kit and manual	
	SAFETY LEVEL A:HIGHEST LEVEL OF SKIN.EYE, AND RESPI-	ł
	RATORY PROTECTION:	!
	THE ABOVE LIST PLUS:*	ł
	chemical-resistant fully encapsulating suit	ľ
	chemical-resistant outer and inner gloves	}
	chemical-resistant boots with steel toe and shank	!
	disposable protective suit, gloves, and boots (worn	}
	over fully encapsulating suit)	
	SAFETY LEVEL B:	<u> </u>
	THE GENERAL GEAR LIST PLUS:*	ļ
	chemical-resistant clothing (overalls and long-	
	sleeved jacket; coveralls; hooded, one or two-	
1	piece chemical-resistant splash suit; disposable	
_	chemical-resistant coveralls)	
	chemical-resistant outer and inner gloves	
	chemical-resistant boots with steel toe and shank.	
	chemical-resistant disposable outer boots	
	hard-hat with face shield	
	SAFETY LEVEL C:	
	THE GENERAL GEAR LIST PLUS:*	
	chemical-resistant clothing (coveralls; hooded, two-	
	piece chemical-resistant spalsh suit; chemical-	
i	resistant hood and apron; disposable, chemical-	
i	resistant coveralls)	
	chemical-resistant outer and inner gloves	
	chemical-resistant boots with steel toe and shank	
	chemical-resistant disposable outer boots	
	hard-hat with face shield	
	escape mask	
;	SAFETY LEVEL D:	
}	THE GENERAL GEAR LIST PLUS:*	
!	boots/shoes:leather or chemical-resistant with	
ł	steel toe and shank	
;	chemical-resistant disposable outer boots	
	hard hat with face shield	
	escape mask	
	safety glasses or chemical solash goggles	
:		

LIST ITEMS)

11

								MYS					
AREA	SITE NO.: SITE DESCRIPTION	AREA	1	5	3	4	5	6	7	8	9	10	11
\$ 1	3:AREA 11 SOUTH LANDFILL	?						•	•		•		
	4:AREA 11 NORTH LANDFILL				•		•	•	•	•	•	•	•
	5:AREA 11 ACID POND		•	•	•	•	•	•	•	•	•	•	•
			•	=	•	•	•		•	•	•	•	•
#2	7A:D AREA NORTH LAUN	1.4 ACRES	•	*	•	•	•	•	•	•	•	•	•
	11A:P AREA NORTH		•	•	•	•	•	•	•	•	•	•	•
	7:D AREA SOUTHEAST DRAINAGE		•	•	•	٠	•	•	•	•	•	•	•
	8:D AREA SOUTHWEST DRAINAGE		•	•	•	٠	•	٠	•	•	•	•	•
	9:D AREA NORTHWEST DRAINAGE		•	•	•	•	٠	•	•	•	•	•	•
	10:NATERHORKS NORTH DRAINAGE		•	•	•	•	•	•	•	•	•	•	•
	11:P AREA SOUTHEAST DRAINAGE		•	•	•	•	•	•	•	•	•	•	•
	20:D AREA SOUTH		•	•	•	•	•	•	•	•	•	•	•
			•	•	•	•	•	•	•	•	•	•	•
#3	12:AREA 14 LANDFILL		•	•	•	•	•	•	•	•	•	•	•
	13:AREA 14 CHANGE HOUSE SITE	0.4 ACRES	•	•	¥	•	•	•	•	•	•	•	•
	14:AREA 14 SOLVENT STORAGE		•	•	•			•		•	•	•	•
			•	•	•	•	•	•	•	•	•	•	•
#4	15:AREA 7 PLATING POND		•		•		•	•		•		•	
	16:AREA 7 INDUSTRIAL SITE		•			•	•				•		
								•	•				
#5	17:JOB CORPS LANDFILL	0.9 ACRES				ŧ/							
#6	18:AREA 13 LOADING PLATFORM												
	19:AREA 13 BUNKER HOUSE 1-3		•										
	30:MUNITIONS CONTROL SITE		•										
#7	21:SOUTHEAST CORNER FIELD	0.6 ACRES	•				/ * /		_				
									-	•	•		-
#8	22:OLD REFUGE SHOP		_	•	•	•	•		•	-	_	•	•
	24:PEPSI-WEST		•	•	•	•	•	•	•	•	•	•	•
	25:C.D. CREEK AT MARION LF		•	•	•	•	•	•	•	•	•	•	•
	26:C.O. CREEK BELOW MARION STP		•	•	•	•	•	•	•	•	•	•	•
	27:C.O. CREEK BELOW 157 DREDGE		•	•	•	•	•	•	•	•	•	•	•
	Elicio Creek Delim 13/ Dreboc		•	•	•	•	•	•	•	•	•		•
#9	26-HATCH TOUTH LAMBERS	0.4.00000	•	•	•	•	•	•	•	•	•	•	•
#3	28: NATER TOMER LANDFILL	2.1 ACRES	•	•	•	•	•	/##	**	•	•	•	•
# 10	20.CIDE PINTION I AMBERT	0 4 000=0	•	•	•	•	•	•	•	•	•	•	•
#10	29:FIRE STATION LANDFILL	2.4 ACRES	•	•	•	•	•	•	•	**	17/	•	•
***	30_0000 A LAMBERT		•	•	•	•	•	•	•	•	•	•	•
#11	32:AREA 9 LANDFILL	?	•	•	•	•	. •	•	•	•	• 4	/###	*
	33:AREA 9 BUILDING COMPLEX												

GURE :

/= endinger beginning

TEAM ONE: MAGNETOMETER/RADAR SURVEY: JULY

area	SITE NO. : SITE DESCRIPTION	area	1	5	3	4	5	á	7	8	9	10	11
			•	•	•	•			•	•	•	*	•
# 12	34:CRAB ORCHARD LAKE		•	•	•	•	•	•	•	•	•	•	•
			•	•	•	•	•	•	•	•	•	•	•
#13	31:REFUGE CONTROL SITE		•	•		•		•	•		•		•

area	SITE NO. : SITE DESCRIPTION	SAMPLE TYPE	1	2	3	4	5	6	7	8	9	10
#1	3:AREA 11 SOUTH LANDFILL	SEDIMENT:2 COMP. ;20 GRABS	*	•	•	•	•	•	•	•	•	•
	4:AREA 11 NORTH LANDFILL	SEDIMENT:1 COMP.;6 GRABS	#	•	=	=	•	=	•	ŧ	•	=
	5:AREA 11 ACID POND	SEDIMENT: 1 COMP. ; 4 GRABS		•	•	•	•	•	•	٠	•	•
		WATER: 1 COMP. ; 4 GRABS	#	•	•			•				
#5	7A:D AREA NORTH LAWN		•	•	•				•		•	
	11A:P AREA NORTH	SEDIMENT:4 COMP.;19 GRABS										
	7:D AREA SOUTHEAST DRAINAGE	SEDIMENT:1 COMP.;4 GRABS		*				•		•		
		WATER: 1 COMP. ; 4 GRABS		#	•	•	•	•	•	•	•	•
	8:D AREA SOUTHWEST DRAINAGE	•			•							
		WATER:1 COMP.;4 GRABS			•							
	9:D AREA NORTHWEST DRAINAGE				•							
		WATER: 1 COMP. ; 4 GRABS			•							
	10:NATERWORKS NORTH DRAINAGE	SEDIMENT:1 COMP.;4 GRABS			•							
	AA O OPEN OPHINEOUT BOOTHOOD	WATER: 1 COMP. ; 4 GRABS			•			•	•	•	•	•
	11:P AREA SOUTHEAST DRAINAGE	SEDIMENT: 1 COMP. ; 4 GRABS			٠			•	•	٠	•	•
	AA.N AREA COURT	WATER: 1 COMP. ; 4 GRABS			•			•	•	•	•	•
	20:D AREA SOUTH	SEDIMENT: 1 COMP. ; 4 GRABS			•							
		WATER: 1 COMP. ; 4 GRABS			•							
#3	12:AREA 14 LANDFILL	SEDIMENT:1 COMP.:4 GRADS			•					-	-	-
10	ICINICA 14 CAMA ILL	WATER: 1 COMP. 14 GRADS			•							
	13:AREA 14 CHANGE HOUSE SITE	WHIEN:1 CONF. 14 UNDO		•				•				
	14:AREA 14 SOLVENT STORAGE	SEDIMENT:2 COMP.:12 GRABS		•	•	-		-	-	-	-	-
	110Mills 11 OULTEST DIEMPLE	WATER: 2 COMP. ; 12 GRABS										
		William Cours fire planed									-	-
#4	15:AREA 7 PLATING POND	SEDIMENT: 1 COMP. : 4 GRABS			*					-	-	-
		WATER: 1 COMP. ; 4 GRABS			*							
	16:AREA 7 INDUSTRIAL SITE	SEDIMENT:4 COMP.;8 GRABS			•							
		WATER: 4 COMP. ; 8 GRABS	•		•							
			•							•		
# 5	17:JOB CORPS LANDFILL	HATER: SINGLE SAMPLING			*							
			:	•		:						
16	18:AREA 13 LOADING PLATFORM		-	•		-	•	•	•		•	•
	19:AREA 13 BUNKER HOUSE 1-3		•	•	•	•		•	•	•	•	•
	30:MUNITIONS CONTROL SITE										•	
											-	-
17	21:SOUTHEAST CORNER FIELD				•						•	
			•		•	- •						•
18	22:OLD REFUGE SHOP	SEDIMENT:1 COMP.;2 GRABS				ŧ		•				
		-,-	-	-	-		-	-		-	-	-

TERM ONE AND TWO: WATER AND SEDIMENT SAMPLING: JULY

AREA	SITE NO.: SITE DESCRIPTION	SOMPLE TYPE	1	5	3	ŧ	5	5	7	8	9	10
~		HATER:SINGLE SAMPLING	•	•	•	*	•	•	•		•	•
	24: PEPSI-WEST	SEDIMENTISINGLE GRAB				#						
		WATER:SINGLE GRAB	•		•		•			•		•
	25:C.O. CREEK AT MARION LF	SEDIMENT:3 COMP.;9 GRABS	•	•		*		•	•			•
		WATER: 3 COMP. ; 9 GRABS	•	•	•	*	•		•			•
	26:C.O. CREEK BELOW MARION STP	SEDIMENT:2 COMP. ;6 GRABS	•	•	•	#	•	•	•	•	•	•
		WATER: 2 CDMP. ; 6 GRABS	•	•	•	#	•	•	•	•	•	•
	27:C.O. CREEK BELOW 157 DREDGE	•			•							
		Water:1 comp.;3 grabs	•	•	•	¥	•	•	•	•	•	•
			•	•	•	•	•	•	•	•	•	•
#9	28:HATER TOHER LANDFILL		•	•	•	•	•	•	•	•	•	٠
					•							
#10	29:FIRE STATION LANDFILL	SEDIMENT			•							
	20 4054 0 14005514				٠							
*11		SEDIMENT: 18 SINGLE SAMP.			•							
	33:AREA 9 BUILDING COMPLEX				•							
***	3/ 0000 0000000 LOUE	DERIVERT 4A DOUB - DE DOADO	-	-	•				_			
#12		•			•							
		WATER:5 SINGLE SAMPLINGS	•	•	•	•	•	•	*	•	•	•
* 13	31 DEFINE CONTROL DITE		•	•	•	•	•	•	•	•	•	•
412	31:REFUGE CONTROL SITE											

(DAYS)

AREA	SITE 4: SITE DESCRIPTION	# OF WE	LLS	1	5	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	55	53	24
#1	3:AREA 11 SOUTH LANDFILL 4:AREA 11 NORTH LANDFILL 5:AREA 11 ACID POND			•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•
#2	7A:D AREA NORTH LAWN 11A:P AREA NORTH 7:D AREA SOUTHEAST DRAINAGE 8:D AREA SOUTHEST DRAINAGE 9:D AREA NORTHWEST DRAINAGE 10:WATERWORKS NORTH DRAINAGE 11:P AREA SOUTHEAST DRAINAGE 20:D AREA SOUTH				• • • • • • • • • • • • • • • • • • • •		•	•		•		•			•	•		•	•	•	•	•	•	•	•	•	
#3	12:AREA 14 LANDFILL 13:AREA 14 CHANGE HOUSE SITE 14:AREA 14 SOLVENT STORAGE			•	•	:	•	•	:	•	:	•	•	•	•	•	•	•	•	•	•	•	:	•	•	•	
#4	15:AREA 7 PLATING POND 16:AREA 7 INDUSTRIAL SITE	1		*/ •	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
#5	17:JOB CORPS LANDFILL	4			/## 1	***	***	***	***	** /	•					•		•						•	•		•
#6	18:AREA 13 LOADING PLATFORM 19:AREA 13 BUNKER 1-3 30:MUNITIONS CONTROL SITE	1		•		•	•	•	•	•	/##	*/	•	•	•	•	•		•	•	•	•	•	•		•	
#7	21:SOUTHERST CORNER FIELD			•	•		•	•	•	•	•		•	•	•	•	•	•	•		•				•	•	•
8 #	22:OLD REFUGE SHOP 24:PEPSI WEST 25:C.O. CREEK AT MARION LF 26:C.O. CREEK BELOW MARION STP 27:C.O. CREEK BELOW 157 DREDGE				•	•		•	•	•		•	•	•	•	•	:		•	•	•	•	•	•	•	•	•
#9	28:WATER TOWER LANDFILL	5		•				•							ŧ/,						•	•			•		
#10	29:FIRE STATION LANDFILL	4		•	•	•		•.		•			•	•	•	/ŧ	***	***	***	***	*/			•			
#11	32:AREA 9 LANDFILL 33:AREA 9 BUILDING COMPLEX	3		•		•	•	•	:	:	•	•	•	•	•		•	•	•	•	•	/*	***	***	##/	•	•

FIGURE

/= ending for baying

TEAM ONE: WELL DRILLING: AUGUST

						\LA	113	,										
6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	55	53	24

INVO

area	SITE #: SITE DESCRIPTION	# OF WELLS	1		3	4	5	6	7 	8	9	10	11	12	13	14	15	16	17	18	19 	 <u></u>		23	24 	
#12	34:CRAB ORCHARD LAKE																							•		
			-	-						-													-	•		
#13	31:REFUGE CONTROL SITE	1	•	•	•							•	•	•		•	•					•		/#1	i##/	

TEคื้อ เพปร รีนี้น คงปี Bไซ็เก จAMPLก็จะ สับGUรี้ว

(DAYS) 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 SITE #:SITE DESCRIPTION SOMPLE TYPE AREA 3:AREA 11 SOUTH LANDETLL SOIL : 3 COMP. : 16 GRAPS 21 SOIL:1 COMP.:6 GRADS 4: AREA 11 NORTH LANDFILL 5:AREA 11 ACID POND SOIL:1 COMP.:4 GRABS #2 7A:D AREA NORTH LAWN SOIL:16 COMP.:64 GRABS 11A:P AREA NORTH SOIL:4 COMP.:10 GRABS 7:D AREA SOUTHEAST DRAINAGE 8:D AREA SOUTHWEST DRAINAGE 9:D AREA NORTHWEST DRAINAGE 10:MATERWORKS NORTH DRAINAGE 11:P AREA SOUTHERST DRAINAGE 20:D AREA SOUTH #3 12: AREA 14 LANDFILL SOIL:1 COMP.:4 GRABS 13: AREA 14 CHANGE HOUSE SITE SOIL:6 COMP.:60 GRABS 14: AREA 14 SOLVENT STORAGE #4 15: AREA 7 PLATING POND 16:AREA 7 INDUSTRIAL SITE SOIL:9 COMP.:54 GRABS #5 17: JOB CORPS LANDFILL SOIL:7 COMP.:29 GRABS #6 18:AREA 13 LOADING PLATFORM SOIL:4 COMP.:44 GRABS 19:AREA 13 BUNKER 1-3 SOIL:5 COMP.:55 GRABS 30:MUNITIONS CONTROL SITE SOIL:SINGLE SAMPLING 21:SOUTHEAST CORNER FIELD #7 SOIL:4 COMP.:24 GRABS 22:OLD REFUGE SHOP 24: PEPSI WEST 25:C.O. CREEK AT MARION LF 26:C.O. CREEK BELOW MARION STP 27:C.O. CREEK BELOW 157 DREDGE #9 28: WATER TOWER LANDFILL SOIL:6 COMP.:44 GRABS

TEAM TWO: SOIL AND BIOTA SAMPLING: AUGUST

		DAMOLE TUBE		_	_		_		_	_	_		YS)									
area	SITE #:SITE DESCRIPTION	SAMPLE TYPE	1	2	3	4	2	6	/	8	9	10	11	12	14	14	15	16	17	18	1 19	50
\$10	29:FIRE STATION LANDFILL	SOIL:7 COMP.;84 GRABS	•	•		•	ŧ					•	•					•	•		•	•
			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
#11	32:AREA 9 LANDFILL	SOIL:42 COMP.;	•	•	•	•	•	#	Ħ	•	•	•		•	•	•	•					•
	33:AREA 9 BUILDING COMPLEX	SOIL:201 COMP.;	-	•	•	•	•	•	•	*	*	•	ŧ	ŧ	•	ŧ	ŧ	•	•	•	•	•
			•	•	•	•	•	•	•	•	٠	•	•	٠	•	•	•	•	•	٠	•	•
#12	34:CRAB ORCHARD LAKE	BIOTA:2 COMP.;16 SPECIMENS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	#	ŧ	ŧ	•	•
			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
			•	•	•	•		•	•			•	•	•	•	•	•	•	•	•	•	
#13	31:REFLIGE CONTROL SITE	SOIL:SINGLE SAMPLING			_		_		_	_			_	_	_	_	_	_	_	_	_	_

WORK PLAN SUPPLEMENT ATTACHMENT S-6

DATA MANAGEMENT PLAN REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND

SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221

DATA MANAGEMENT PLAN

REMEDIAL INVESTIGATION/FEASIBILITY STUDY CRAB ORCHARD NATIONAL WILDLIFE REFUGE

A. DATA MANAGEMENT FOR SCOPING

Site Background

A documentation titled Review of Available Information, dated March 1985, is included as Attachment S-7 to the Work Plan Supplement. All of the historic and background documents which are cited in this Review are filed for retrieval using the reference numbers cited in the Review document. In addition, a computer database of summaries of each of these documents is also in this file and is reproduced as an Appendix to the Review document. This summary database may be searched or sorted using a variety of selection criteria.

Site Chronology

The same database cited above was used to develop a site chronology of records and correspondence. The list of document summaries included in the Appendix to the Review document is arranged chronologically.

Site Maps

All site maps and aerial photos used for this project are located in the flat file document center under the project designation 3114.001.

Site-specific Plans

All site-specific plans including the Quality Assurance Project Plan (QAPP), the Site Sampling Plan (SSP), the Site Health and Safety Plan (SHSP) and the Site Operations Plans (SOPs) are maintained as Appendices to the Work Plan. All information leading to the development of these plans are referenced in or maintained as part of the Work Plan File.

B. DATA MANAGEMENT FOR SITE CHARACTERIZATION AND SAMPLING

Data management procedures and protocols are covered in many places throughout the Work Plan. The attached discussions provide references to specific data management practices and further illustrate some of the forms and outputs used for this project.

Field Data Records and Logs

Field data records and logs are discussed in the Work Plan on pages 5 and 7 through 13 for various field activities. Field records are discussed in additional detail in the QAPP, Appendix A to the Work Plan, on pages 5 (sample custody) and in the SSP, Appendix B to the Work Plan, on pages 7 through 10 (site location procedure, photographs, field notebooks, control of contaminated sampling materials and sample

control). Field safety recordkeeping is discussed in the SHSP, Appendix C to the Work Plan, in Section 3 (protocols for routine activities) and in the Safety Manual, Attachment 1 to the SHSP (See Sections IV and V). Attachment S-6D illustrates the type of information typically included in the field log.

Sample Tagging and Identification

Sample tagging and identification are discussed in the SSP, Appendix C to the Work Plan, pages 1 through 3 and Attachment 2, pages 49 and Sample identification numbers and descriptive information for each proposed sampling location are presented in the SSP, Attachment 1, along with the site descriptions and rationale for sampling. The sample tagging and identification system used for this project is designed to be compatible with O'Brien & Gere's laboratory data management system. The laboratory data management system (see below) used a specific sample number for each sample and permits each number to be accompanied by a series of user-defined identifiers. Identifiers used for this project are shown on Attachment S-6A, along with information on date of sampling and cross-references to duplicate, spike and split samples. This laboratory data management system is also used to generate preprinted sample tags which are used in the field (see the SSP, page 2). An example of the sample tags is reproduced as Attachment S-6B.

Chain of Custody Documentation

Chain of custody documentation is discussed in the QAPP, Attachment 4, pages 13 through 15, the SSP, page 10 and Attachment 2, pages 50 through 54, and the SHSP, Attachment 1, Section V. The laboratory data management system was used to generate preprinted sample lists which were used as the Chain of Custody documents. See Attachment S-6D for an example.

Laboratory Data Management and Records

The laboratory data management and recordkeeping systems are discussed throughout Attachment 4 of the QAPP (see especially pages 9 through 16). For this project, some additional laboratory data management procedures have been implemented. Attachment S-6E illustrates output from the laboratory scheduling system for Crab Orchard Refuge samples. Attachment S-6F is a summary of analyses completed.

Quality Control Documentation

Documentation of quality control is discussed in Section VI of Attachment 4 of the QAPP (see pages 19 through 31 and the attached Figures 4 through 8). These records are maintained by O'Brien & Gere's laboratory under the project file number 3114.001.

Audit Records and Procedures

Audit procedures are covered on pages 9 and 10 of the QAPP. Specific samples which were acquired for split sample analysis by FWS are cited in the Status Reports covering descriptions of sampling activities.

C. DATA MANAGEMENT FOR HEALTH AND SAFETY PROGRAMS

Statement of Policy

O'Brien & Gere's safety policies are cited in Section I and II of the Safety Manual (Attachment 1 of the SHSP).

Medical Surveillance, Insurance and Training

All employees who engage in hazardous waste site field investigations must complete a comprehensive health examination as stated in Section III of Attachment 1 of the SHSP. These records are maintained by O'Brien & Gere's personnel department. Memoranda of general training programs covering use of protective clothing, respirators, etc. are maintained in O'Brien & Gere's divisional personnel file. Specific supplemental training for this project is documented by the Project Health and Safety Officer and maintained in the project file (3114.001).

Management Plan

Safety responsibilities and authorities are cited in Section II of Attachment 1 of the SHSP. In addition, project personnel responsibilities associated with this project are outlined on Attachment 2 to the QAPP.

Equipment Maintenance

Safety equipment is maintained for ready use by O'Brien & Gere's Business Administration Division which maintains records of this maintenance. Equipment is tested at the home office prior to use in the field.

Emergency Response Procedures

Emergency information for field use is included in Section 4 of the SHSP. Incident Reports are filed by the field supervisor.

D. DATA MANAGEMENT FOR INSTITUTIONAL ISSUES

Site Access

Site access is controlled by FWS personnel for limited-access areas of the Refuge. In addition, records of personnel entry and exit to study sites are incorporated in the field logs.

Community Relations

Records of community relations activities are maintained by the Refuge Manager.

Coordination

Records of coordination among various governmental agencies are maintained as memoranda or letters documenting meetings and communications in addition to the Cooperative Agreement between U.S. FWS and U.S. EPA.

E. DATA MANAGEMENT FOR BENCH- AND PILOT-SCALE STUDIES

Work Plan Supplement

Subsequent to the completion of the Remedial Investigation Report, a Work Plan Supplement will be developed to present details of recommendations for bench- or pilot scale testing to evaluate alternative technologies suggested as a result of the Task 4 activities. This Work Plan will be submitted to U.S. FWS and U.S. EPA and will include the following elements:

- Statement of Objectives
- Quality Control and Quality Assurance
- Data Management
- Criteria for Technology Selection or Elimination

ATTACHMENT S-6A

CRAB ORCHARD NATIONAL WILDLIFE REFUGE
SAMPLING AND ANALYSIS

CRAB ORCHARD NATIONAL WILDLIFE REFUGE

SITE LIST

GRP

- ≠1 3:AREA 11 SOUTH LANDFILL
- ≠1 4:AREA 11 NORTH LANDFILL
- ≠1 5:AREA 11 ACID POND
- ≠2 7A:D AREA NORTH LAWN
- ≠2 11A:P AREA NORTH
- ≠2 7:D AREA SOUTHEAST DRAINAGE
- ≠2 8:D AREA SOUTHWEST DRAINAGE
- ≠2 9:D AREA NORTHWEST DRAINAGE
- ≠2 10:WATERWORKS NORTH DRAINAGE
- ≠2 11:P AREA SOUTHEAST DRAINAGE
- ≠2 20:D AREA SOUTH
- ≠3 12:AREA 14 LANDFILL
- ≠3 13:AREA 14 CHANGE HOUSE SITE
- ≠3 14:AREA 14 SOLVENT STORAGE
- ≠4 15:AREA 7 PLATING POND
- ≠4 16:AREA 7 INDUSTRIAL SITE
- ≠5 17:JOB CORPS LANDFILL
- ≠6 18:AREA 13 LOADING PLATFORM
- ≠6 19:AREA 13 BUNKER 1 -3
- ≠6 30:MUNITIONS CONTROL SITE
- ≠7 21:SOUTHEAST CORNER FIELD
- ≠8 22:OLD REFUGE SHOP
- ≠8 24:PEPSI -WEST
- ≠8 25:C.O. CREEK AT MARION LF
- ≠8 26:C.O. CREEK BELOW MARION STP
- ≠8 27:C.O. CREEK BELOW 157 DREDGE
- ≠9 28:WATER TOWER LANDFILL
- **≠10 29:FIRE STATION LANDFILL**
- ≠11 32:AREA 9 LANDFILL
- ≠11 33:AREA 9 BUILDING COMPLEX
- ≠11 35:AREA 9 EAST WATERWAY
- ≠12 34:CRAB ORCHARD LAKE
- ≠13 31:REFUGE CONTROL SITE

CRAB ORCHARD NATIONAL WILDLIFE REFUGE SAMPLING & ANALYSIS SCHEDULE

KEY

- 1. ID1 Site Number
- 2. ID2 Sequential number at a given site
- 3. ID3 Sample Matrix: Soil-1; water-2; sediment-3; fish-4; turtles-5; crayfish-6
- 4. ID4 Analysis set: A-1; B-2; C-3; D-4; E-5; F-6; G-7; H-8 (see parameter list for analysis sets)
- 5. MATRIX- soil, water, etc. (See ID3)
- 6. Name Description of sampling locations
- 7. Type Type of sample collection surface, grab, composite, core, etc.
- 8. Depth- Depth at which sample is collected
- 9. Analysis set See Parameter List for analysis sets
- 10. Sample No. Sequential numbering for site use.
- 11. Lab No. Number used by OB&G Laboratory System
- 12. Replicate Shows if replicates are collected for FWS, duplicates or spikes
- 13. Sample Coll. Date Date of sampling '***' indicates sample collected; '---' indicates sample
 not collected
- 14. Dupl/spike Numbers Lab No. for corresponding duplicate or spike sample

PARAMETER LIST FOR ANALYSIS SETS

PARAMETERS					ANALY	SIS S	ET			
		А	B	C	D	Ε	F	6	Н	I
1. Purgeable Priority Pollutants	~Screen	х	-	-	x	-	-	-	-	-
	-Full Anal.	-	-	-	-	-	×	X	×	••
2. Acid Extract. Priority Pollutants	~Screen	Х	-	-	×	-	-	-	-	-
	-Full Anal.	•	-	-	-	-	X	×	X	-
3. Base/Neutral Extact. Prior. Poll.	-Screen	х	-	-	X	-	-	-	-	-
	-Full Anal.	-	-	-	-	-	X	Х.	X	Х
4. Pesticide/PCB Priority Pollutants		х	-	-	x	-	-	-	-	
	-Full Anal.	-	-	-	-	-	X	X	X	X
5. PCB's		-	Х	X	-	-	-	-	-	-
6. Metals - ICP Scan	-Screen	х	-	_	х	-	-	-	x	х
- Prior. Poll. scan by AA	-Full Amal.	-	-	· -	-	-	-	-	-	-
~ Mercury		X	-	-	X	-	-	•	X	×
7. Cyanide 40		Х	-	-	X	-	-	-	X	X
8. Indicators										
- pH (field)		X	-	X	X	-	-	-	X	-
- Specific Conductance (field) - Total Organic Carbon		x x	-	X X	X X	_	_	-	X X	-
- Total Organic Halogen		X	_	х	X	-	_	_	X	_
9. Explosives Residues by HPLC		x	_	-	×	_	_	-	X	-
10 Milwann Famina T/M MUT MOT		u.		u			_	_		_
10. Nitrogen Series: TKN, NH3, NO3		х	-	×	X		_	_	Х	Ī
11. PCDD/PCDF	-Screen	-	-	×	X	-	-	-	-	-
	-Full Anal.	-	-	-	-	-	-	X	Х	-
12. Cation Exchange Capacity		-	-	×	-	-	×	x	-	-
13. Total Phosphorus		x	-	-	x	-	-	-	×	-
14. Primary & Secondary Drinking Wate	er Stds.	-	-	-	-	ж	-	-	-	-
15. Percent Solids (on soil/sed only)	•	ж	x	×	×	-	×	Х	ж	x

NOTE: Procedures for Screening & Full Analyses are referenced in the Work Plan
TOTAL UNIT COSTS for SETS F, G and H reflect additional costs for full analysis
SET F is full analysis of parameters screened in SET A
SET G is full analysis of parameters screened in SET D
SET H is full analysis of selected samples instead of SET D
SET I is full analysis of selected samples for Phase II

		PURGEABLE PRIORITY POLLUTANTS	
i Jic C	1 Chloromethane	15 1,2-Dichloropropane	29 1,1 Dichloroethylene
	2 Bromomethane	16 t-1,3-Dichloropropene	30 t-1,2-Dichloroethylene
	3 Dichlorodifluoromethane	17 Trichloroethene	31 Bromochloromethane
-	4 Vinyl chloride	18 Benzene	32 Trichloroethylene
	5 Chloroethane	19 Dibromochloromethane	33 2-Bromo-1-chloropropane
	6 Methylene Chloride	20 1,1,2-Trichloroethane	34 Tetrachloroethylene
~	7 Trichlorofluoromethane	21 c-1,3-Dichloropropene	35 Acetone
~	8 1.1-Dichloroethene	22 2-Chloroethylvinyl ether	36 Carbon disulfide
	9 1,1-Dichloroethane	23 Bromoform	37 2-Butanone
	10 t-1,1-Dichloroethene	24 1,1,2,2-Tetrachloroethane	38 Vinyl acetate
-	11 Chloroforn	25 Tetrachloroethene	39 2-Hexanone
	12 1,1,1-Trichloroethane	26 Toluene	40 4-Methyl-2-pentanone
	13 Carbon tetrachloride	27 Chlorobenzene	41 Styrene
	14 Eromodichloromethane	28 Ethylbenzene	42 Total xylenes
		ACID EXTRACTABLE PRIORITY POLLUTANTS	
	1 fhenol	6 2-Nitrophenol	11 Pentafluorophenol
d - N	2 d6-Phenol	7 4-Nitrophenol	12 2,4,6-Trichlorophenol
	3 2-Fluorophenol	8 4-Chloro-3-methylphenol	13 2-Methyl-4,6-dinitrophenol
	4 2,4-Dimethylpherol	9 2,4-Dichlorophenol	14 Pentachlorophenol
# \$	5 2-Chlorophenol	10 2,4-Dinitrophenol	
		BASE/NEUTRAL PRIORITY POLLUTANTS	
	1 1,3-Dichlorobenzene	17 Acenaphthene	33 Benzidine
	2 k, 4-Dichlorobenzene	18 Dimethyl phthalate	34 Butyl benzyl phthalate
	3 1,2-Dichlorobenzene	19 2,6-Dinitrotoluene	35 Bis (2-ethylhexyl) ohthalate
	4 Hexachloroethane	20 fluorene	36 Chrysene
النائد	5 Bis (2-chloroethyl) ether	21 4-Chlorophenyl phenyl ether	37 Benzo(a)anthracene
	6 Bis (2-chloroisopropyl) ether	22 2,4-Dinitrotoluene	38 3,3-Dichloropenzidine
	7 N-Nitrosodi-n-propylamine	23 1,2-Diphenylhydrazine	39 Di-m-octylpnthalate
h#	8 Nitrobenzene	24 Diethylphthalate	40 Benzo(b)fluoranthene
	9 Hexachlorobutadiene	25 N-nitrosodiphenylamine	41 Benzo(k) fluoranthene
	10 1,2,4-Trichlorobenzene	26 Hexachlorobenzene	42 Benzo(a)pyrene
400	11 Isophorone	27 4-Bromophenyl phenyl ether	43 Indeno(1,2,3-cd)pyrene
	12 Naphthalene	28 Phenanthrene	44 Dibenzo(a,h)anthracene
	13 Bis (2-chloroethoxy) methane	29 Anthracene	45 Benzo(g,h,i)perylene
_	14 Hexachlorocyclopentadiene	30 Di-n-butyl phthalate	46 N-Nitrosodimethyl Amine
	15 2-Chloromaphthalene	31 Fluoranthene	
	16 Acenaphthalene	32 Pyrene	
=		PESTICIDES/PCB PRIORITY POLLUTANTS	
	1 Alpha-BHC	10 Dieldrin	19 Toxaphene
	2 Gamma-BHC (Lindane)	11 Endrin	20 Arochlor-1015
si.	3 Beta-BHC	12 4,41-DDD	21 Arochlor-1242
	4 Delta-BHC	13 Endosulfan II	22 Arochlor-1221
	5 Heptachior	14 4, 4' -DDT	23 Arochlor-1232
	6 Aldrin	15 Endosulfan Sulfate	24 Arochlor-1248
M ha f	7 Heptachlor epoxide	16 Endrin Aldehyde	25 Arochlor-1254
	3 Endosulfan I	17 Methoxychlor	26 Arochlor-1260
	9 4,4'-DDE	18 Chlordane	27 Endrin ketone
# -4		PCDDs/PCDFs	
	ì Tetra-CDD	5 Octa-CDD	9 Hepta-CDF
	2 Penta-CDD	6 Tetra-CDF	10 Octa-CDF
·erp	3 Hexa-CDD	7 Penta-CDF	

8 Hexa-CDF

4 Hepta-CDD

LIST OF CHEMICAL COMPOUNDS FOR ANALYSIS

	EXPLOSIVES RESIDUES BY HPLC	
1 HMX	4 1,3 DNB	7 2,4,6 TNT
2 RDX	5 NB	8 2.6 DNT
3 1,3,5 TNB	6 TETRYL	9 2,4 DNT
	METALS (ICPs AND PP ATOMIC ARS.)
1 Aluminum	10 Iron	20 Silver
2 Antimony	11 Lead	21 Socium
3 Arsenic	12 Magnesium	22 Tin
4 Barium	13 Manganese	23 Titanium
5 Cadmium	14 Molybdenum	24 Vanadium
6 Calcium	15 Mercury	25 Zinc
7 Chromium	16 Nickel	
8 Cobalt	17 Potassium	
9 Copper	18 Selenium	
	OTHERS	
INDIATORS	NITROGEN SERIES	CYANIDE
1 pH	1 Ammonia Nitrogen	
2 Specific Conductivity	2 Nitrate Nitrogen	CATION EXCHANGE CAPACITY
3 Total Organic Carbon	3 Nitrite Nitrogen	
4 Total Organic Halides	4 Total Kjeldahl Nitrogen	TOTAL PHOSPHORUS
	SAFE DRINKING WATER ACT STANDARDS	
Primary Inorganic Chemicals	Organic Chemicals	Secondary Inorganic Chemicals
1 Arsenic	1 Endrin	1 Chloride
2 Barium	2 Lindane	2 Copper
3 Cadmium	3 Methoxychlor	3 Iron
4 Chromium	4 Toxaphene	4 Manganese
5 Fluoride	5 2,4-D	5 Sodium

6 2,4,5-TP Silvex

6 Lead

7 Mercury 8 Mitrate

9 Silver

6 Sulfate

8 Corrosivity

7 Zinc

RI/FS SAMPLING & ANALYSIS SUMMARY

SITE NO.	SAMPLING SITE	MA' NO. OF SAMPL			ANAL.		ILS ANAL. TYPE	NO. OF	MENTS ANAL. TYPE	NO. OF	
3 AREA	11 SOUTH LANDFILL	0	-	0	-	3 1	A F	1	A D	0	-
4 AREA	11 NORTH LANDFILL	0	-	0	-	1	ā	1	A F	Û	-
5 AREA	1 11 ACID POND	i	A	0	-	1	A	1	A F	0	-
7A D AR	iea North Lawn	0	-	0	-	16 1	A F	0	-	. 0	~
11A P AR	rea North	0	-	0	-	4	A	4	A F	0	-
7 D AR	EA SOUTHEAST DRAINAGE	i	A	0	-	0	-	1	A	0	-
8 D AR	EA SOUTHWEST DRAINAGE	i	A	0	-	Ò	-	1	A	0	-
9 D AR	EA NORTHHEST DRAINAGE	1	A	0	-	0	-	i	A	0	-
10 HATE	RWORKS WORTH DRAINAGE	i	A	0	-	0	-	1	D 6	0	~
11 P AR	EA SOUTHEAST DRAINAGE	1	A	Û	-	Ů	-	1 1	A F	0	-
20 D AR	ea south	i	A	0	-	Ů	-	i i	A F	0	-
12 AREA	14 LANDFILL	1	A	Û	-	1	а	1 1	A 6	0	~
13 AREA	14 CHANGE HOUSE SITE	0	-	0	-	6	A	0	-	0	~
14 AREA	14 SOLVENT STORAGE	2	A	O	-	0	-	2	A F	0	-
15 AREA	7 PLATING POND	1	A	1	I	0	~	1	A	0	-
16 AREA	7 INDUSTRIAL SITE	4	A	0	-	7 2 1 1	A D F G	. 1	A F	0	-
17 JOB	CORPS LANDFILL	2	A	4	I	5 2 2	A D G	0	-	0	~
18 AREA	13 LOADING PLATFORM	0	~	Ò	-	4 1	H F	Û	-	Û	-
19 AREA	13 BUNKER 1-3	0	-	O	-	5	A	0	-	ů	-

RI/FS SAMPLING & ANALYSIS SUMMARY

SITE NO.	SAMPLING SITE	NO. OF	TER ANAL. TYPE		LL ANAL. TYPE	NO.OF	ILS ANAL. TYPE	NO. OF	MENTS ANAL. TYPE		ANAL.
						1	F				
30	MUNITIONS CONTROL SITE	Ũ	-	1	I	1 1	D 6	0	-	O	-
21	SOUTHEAST CORNER FIELD	0	-	0	-	4	A F	0	-	Õ	-
52	OLD REFUGE SHGP	1	A	ΰ	-	O	-	1 1	A F	o	-
24	PEPSI-WEST	1	A F	0	-	Û	-	1 1	A F	0	-
25	C.O.CREEK AT MARION LF	3	A	0	-	0	-	2 1 1	A D 6	0	-
26	C.O.CREEK BELOW MARION ST	, S	A	0	-	Û	-	2 1	A 6	0	-
27	C.O.CREEK BELOW 157 DREDGE	1	A	0	-	0	-	1	D	0	-
28	HATER TOWER LANDFILL	0	-	2	I	11 1 1	A D G	0	-	Ó	-
29	FIRE STATION LANDFILL	0	-	4	I	5 2 1	A D G	0	-	0	-
32 :	AREA 9 LANDFILL	0	-	3	I	8 27	А В С Н	15 3	A D	0	-
33 (AREA 9 BUILDING COMPLEX	Û	-	0	-	154 4	B D	û	-	0	-
35 1	area 9 east waterway	Û	-	0	-	Û	-	1 1	A F	ů	-
34	CRAB GRCHARD LAKE	10 5	I E	0	-	0	-		I	34 2	
31	REFUGE CONTROL SITE	0	-	i	I	1 1	D 6	0	-	0	-
	TOTAL NUMBER OF ANALYSES 494	41		16		328		73		36	

RI/FS SAMPLING & ANALYSIS SUMMARY

PHASE I SAMPLING AND ANALYSIS SUMMARY ANALYSIS SET

		SC	REENIN		T	DTAL NO	FU	LL ANALY	SIS		TOTAL
NO. OF ANALYSES	A	B	C	D	Εū	F SAMPL	F	6	Н	I	ANALYSIS
WATER	25	0	0	ů	5	30	1	0	O	10	41
WELL	Û	0	Ō	Û	Ü	Û	0	Û	0	16	16
SOILS	72	192	27	15	0	306	6	7	9	0	328
SEDIMENTS	42	ũ	0	7	0	49	10	4	2	8	73
BIOTA	0	0	0	0	0	0	0	0	5	34	36
SUB-TOTAL	139	192	27	22	5	385	17	11	13	68	494
QA/QC - WATER	1	0	0	0	0	1	0	0	0	6	7
QA/QC - SOIL	12	31	4	6	0	53	1	2	2	0	58
GA/QC - SEDIMENT	7	0	0	1	0	â	2	i	1	3	15
QA/QC - BLANKS	9	0	0	1	0	10	0	5	1	1	14
BA/BC - TOTAL	29	31	4	8	0	72	3	5	4	10	94
TOTAL	168	223	31	30	5	457	20	16	17	7 8	588

NOTE: Groundwater well and biota samples to be analyzed in PHASE II

4111

PHASE II SAMPLING AND ANALYSIS CONTINGENCY ANALYSIS PARAMETERS

					PCDDs/P	RIOR.POL		
NO. (of samples	EXPLOSIV	METALS	PCBs	PCDFs 0	REANICS	MISC.	TOTAL
	WATER	3	3	0	0	3	10	19
	WELL	3	3	0	3	3	10	55
	SOILS	30	30	40	5	10	30	145
	SEDIMENTS	å	15	15	3	10	20	71
	BIOTA	0	0	0	0	0	0	0
	TOTAL NO.	44	51	55	11	26	70	257
	DA/GC Samples	5 7	8	8	3	5	12	43

TRAB ORCHARD NATIONAL WILDLIFE REFUGE PHASE I SAMPLING AND ANALYSIS SCHEDULE REVISED NOVEMBER 1985

! I.Ū.	ı	! MATRIX!	! NAME	•	TYPE	! DEPTH		DEPTH		!INTRVL!			REPLICATI		MPLE	DUPL./SPIKE	NOTES
***		₩ì	3:AREA 11 SOUTH	LIGNOFI	le i		SET		TION	£ NÚ.	NO5.	NÜ	LAB FWS	COLL	. DATE	NUMBERS	
***		41	3:M/CH 11 300111	LINNU	LL												
-ڌ	1	SOIL	NORTH BANK	COMP.	6 GRABS	0-1 FT	A	I	p	γ	1	9401	FWS	***	8/14/85		
<u>-</u> 5	2	SOIL	SOUTH BANK	COMP.	6 GRABS	0-1 FT	Α	I	ρ	Y	2	9402	DUPL	***	8/14/85	19221	
3-	2	SOIL	SOUTH BANK	COMP.	6 GRABS	0-1 FT	F	I	P	Y	572	9257	DUPL	***	11/19/85	19222	
3-	3	SOIL	EAST MOUND	COMP.	4 GRABS	0-1 FT	A	I	P	W	3	9403	SPKE	***	8/14/85	19266	
3-	4	SEDIMENT	MARSH	COMP.	10 GRABS	0-1 FT	D	K	R,S	Y	4	9404		***	8/14/85		
3-	5	SEDIMENT	LOWER STREAM	COMP.	10 GRABS	0-1 FT	A	K	P, R, S	Y	5	5405		***	8/14/85		
***			4:AREA 11 NORTH	LANDFI	ILL												
4-	1	50IL	BARE PATCHES	COMP.	6 GRABS	0-1 FT	D	I	Ρ, υ	γ	6	9406		***	8/13/85		
4-	2	SEDIMENT	SWAMPY SED.	COMP.	6 GRABS	0-1 FT	A	K	R	X	7	9407		***	8/13/85		
4-	2 :	SEDIMENT	SWAMPY SED.	COMP.	6 GRABS	0-1 FT	F	К	R	X	573	9258	FWS	***	11/19/85		
***			5:AREA 11 ACID	DND													
5 -	1	WATER	POND WATER	COMP.	4 GRABS	SURFACE	A	N	Ŕ	Υ	8	9408		***	8/13/85		
5-	2	SOIL	DEAD TREE AREA		4 GRABS		A	К	P, R, U	γ	9	9409	FWS	***	8/13/65		
ã−	3	SEDIMENT	POND SED.	COMP.	4 GRABS		A	К	Ŕ	Y	10	9410		***	8/13/85		
5-	3 :	SEDIMENT	POND SED.	COMP.	4 GRABS	0-1 FT	F	ĸ	R	Y	574	9259		***	11/19/65		
***		#5	7A:D AREA NORTH	LÁWN													
7A-	1	SOIL	LOW SPOTS-SURF	COMP.	8 GRABS	SURFACE	A+GVA	1	ប	χ	11	9411		***	ā/17/ ā 5		
7A-		SOIL	LOW SPOTS-1 FT			6-12 INCHES			U	X	12	5412			8/17/85		
7A-	ŝ	SOIL	LOW SPOTS-2 FT	COMP.	8 GRABS	1-2 FEET	A+OVA	M	U	X	13	9413	FWS	***	8/17/85		
7A-	4	SOIL	LOW SPOTS-3 FT	COMF.	8 GRARS	2-3 FEET	A+OVA	Ħ	U	X	14	9414		***	8/17/85		
7A-	5	SOIL	TRANSECT A-SURF	COMP.	3 GRABS	SURFACE	A+OVA	J	Q	X	15	9415		***	8/17/85		
7A-	õ	S01L	TRANSECT A-1FT	COMP.	3 GRABS	6-12 INCHES	A+OVA	M	Q	X	16	9416		***	8/17/85		
7A-		SOIL	TRANSECT A-2FT	COMP.	3 GRABS	1-2 FEET	A+OvA	M	Q	X	17	9417	DUPL	***	8/17/85	19226	
7A-		SOIL	TRANSECT A-3FT		3 GRABS				Q	X	18	9418		***	8/17/85		
7A-			TRANSECT B-SURF		3 GRABS		A+OVA	J	Q	X	19	9419		***	8/17/85		
7A-			TRANSECT B-SURF		3 GRABS	SURFACE	F	Й	Q	X	575	9260		***	11/19/85		
7A- 1	-	SOIL	TRANSECT B-1FT			6-12 INCHES			Q	X	50	9420			8/17/85		
7A- 1	1	501L	TRANSECT B-2FT	COMP.	3 GRABS	1-2 FEET	A+OvA	M	Ü	X	21	9421		***	8/17/85		

! I.I) .	! MATRIX	: NAME	į.	TYPE	! DEPTH	!ANAL	!DEPTH!	LOCA-	! INTRYL	!SAMP!	! LAB	REPL	ICATE	SAI	MPLE	DUPL./SPIKE	NOTES
							SEÏ		TION	é NŨ.	NÜŚ.	NŨ	LAB	FWS	COLL	DATE	NUMBERS	
7A-	12	SOIL	TRANSECT B-3FT	COMP.	3 GRABS	2-3 FEET	AYOHA	M	Q	X	22	9422			***	8/17/85		
7A-	13	SOIL	TRANSECT C-SURF	COMP.	3 GRABS	SURFACE	A+OVA	J	Q	X	23	9423			***	8/17/85		
7A-	14	SOIL	TRANSECT C-1FT	COMP.	3 GRABS	6-12 INCHES	A+OVA	M	Ø	X	24	9424			***	8/17/85		
7A-	15	SOIL	Transect C-2FT	COMP.	3 GRABS	1-2 FEET	A+OVA	M	Q	X	25	9425			***	8/17/85		
7A-	16	SOIL	TRANSECT C-3FT	COMP.	3 GRABS	2-3 FEET	A+OVA	M	Q	X	26	9426			***	8/17/85		
***			11A:P AREA NORTH			/												
11A-	1	SEDIMENT	WEST SWALE	COMP.	3 GRABS	0-1 FT	A	J,K	Q, R	X	27	9427	SPKE		***	8/16/85	19282	
11A-	2	SEDIMENT	EAST SWALE	COMP.	7 GRABS	0-1 FT	A	J,K	Q, R	X	28	9428		FWS	***	8/16/85		
11A-	3	SEDIMENT	NORTH SWALE 1	COMP.	6 GRABS	0-1 FT	Α	J,K	Q, R	X	29	9429	DUPL		***	8/16/85	19254	
11A-	3	SEDIMENT	NORTH SWALE 1	COMF.	6 GRABS	0-1 FT	F	J,K	Q, R	X	576	9261	DUPL		***	11/18/85	19225	
11A-	4	SEDIMENT	NORTH SWALE 2	COMP.	3 GRABS	0-1 FT	A	J,K	Q, R	X	30	9430			***	8/16/85		
11A-	5	501L	LOADING DOCK	COMP.	3 GRABS	0-1 FT	A	J	Q	W	31	9431			***	8/16/85		
11A-	6	SOIL	NORTH DOOR	COMP.	2 GRABS	0-1 FT	A	J	Q	W	32	9432			***	8/16/85		
11A-	7	SOIL	east load area	COMP.	3 GRABS	0-1 FT	A	J	Q	W	33	9433			***	8/16/85		
11A-	8	SOIL	STEAMHOUSE DOOR	COMP.	2 GRABS	0-1 FT	A	J	Q	W	34	9434			***	8/16/85		
###			7:D AREA SOUTHER	ast Dra	INAGE													
7-	1	WATER	D-SE WATER	COMP.	4 GRABS	SURFACE	A	N	R	W	35	19209			***	8/16/85		
-	_		D-SE SEDIMENT		4 GRABS	0-1 FT	A	ĸ	R	W		19210	DUPL			8/16/65	19255	
***			8:D AREA SOUTHWE	est dra	INAGE													
ē-	1	WATER	D-SW WATER	COMP.	2 GRABS	SURFACE	A	N	R	W	37	3258			***	7/25/85		
		SEDIMENT			4 GRABS	0-1 FT	A	K	Ř	ü	38	3386				7/25/65		
***			9:D AREA NORTHWE	ST DRA	INAGE													
9-	1	WATER	P-NW WATER	COMP.	4 GRABS	SURFACE	A	N	Ŕ	W	39	3257			***	7/25/85		
-	_		P-NW SEDIMENT		4 GRABS	0-1 FT	A	ĸ	R	W	40	3365				7/25/85		
***			10:WATERWORKS NOR	ith dra:	[NAGE													
10-	i	WATER	WW-N WATER	COMP.	4 GRABS	SURFACE	A	N	R,S	₩	41	3250			***	7/25/85		

	CRAB ORC	HARD NATIONAL WILD	LIFE REFUGE	PHASE I SAM	₩ŁĬŇĞ	AMA CINA	LYSIS	SCHEDULI	Ε	Ri	EVISED NO	ivembei	7 1985		
! I.D.	! MATRI	X! NAME	! TYPE	! DEPTH		.!DEPTH!		!INTRVL			REPLICATE		APLE	DUPL./SPIKE	NOTES
					SET		TION	& NO.	NOS.	NO			DATE	NUMBERS	
		T WW-N SEDIMENT	COMP. 4 GRABS		D	К	R,S	H	42	42	FWS		7/25/85		
10-	2 SEDIMEN	T WW-N SEDIMENT	COMP. 4 GRABS	0-1 FT	G	К	R,S	W	577	9262	DUPL	***	11/19/85	19259	
***		11:P AREA SOUTHE	AST DRAINAGE												
11-			COMP. 4 GRABS		A	N	R	W	43	3247			7/25/85		
		T P-SE SEDIMENT	COMP. 4 GRABS		A	K	R	W	44	44			7/25/85		
11-	2 SEDIMEN	T P-SE SEDIMENT	COMP. 4 GRABS	0-1 FT	F	К	R	H	578	9263		***	11/18/85		
***		20:D AREA SOUTH													
20-	1 WATER	D SOUTH	COMP. 4 GRABS	SURFACE	A	N	R	X	45	9383			7/25/85		NO WATER
20-	2 SEDIMEN	T D SOUTH	COMP. 4 GRABS	0-1 FT	A	К	R	X	46	3389		***	7/25/85		
20-	2 SEDIMEN	T D SOUTH	COMP. 4 GRABS	0-1 FT	F	ĸ	Ř	X	57 9	9264		***	11/18/85		
***	#3	12:AREA 14 LANDF	ILL												
12-	1 WATER	DRAINAGE CHANNEL	COMP. 4 GRABS	SURFACE	A	N	P, R	W	47	9384			7/25/85		NO WATER
12-	2 SEDIMEN	T DRAINAGE CHANNEL	COMP. 4 GRABS	0-1 FT	A	I,K	P,R	u	48	3387	DUPL	***	7/25/65	. 9255	
12-	2 SEDIMEN	T DRAINAGE CHANNEL	COMP. 4 GRABS	0-1 FT	G	I,K	\bar{P}, \bar{R}	W	580	9265		***	11/18/85		
12-	3 SOIL	BLACK RESIDUE	COMP. 4 GRASS	0-1 FT	D	I	P,U	¥	49	9385	FWS	***	8/14/85		
***		13:AREA 14 CHANG	E HOUSE SITE												
13-	1 SOIL	TRANSECT 1	COMP. 10 GRABS	0-1 FT	A	J	Q	Y	50	9386		***	8/15/85		CLOSEST TO RD.
13-	e SOIL	TRANSECT 2	COMP. 10 GRABS	0-1 FT	A	J	Q	Y	51	9387	FWS	***	8/15/65		
13-	3 SOIL	TRANSECT 3	COMP. 10 GRABS	0-1 FT	A	J	Q	γ	52	9388		***	8/15/85		
13-	4 SOIL	TRANSECT 4	COMP. 10 GRABS	0-1 FT	A	J	Q	Y	53	9389		***	8/15/85		
13-	5 SOIL	TRANSECT 5	COMP. 10 GRABS	0-1 FT	A	J	Q	γ	54	5390		***	8/15/85		
13-	6 50IL	TRANSECT 6	COMP. 10 GRABS	0-1 FT	A	J	Q	Y	55	9391		***	8/15/85		
***		14:AREA 14 SOLVE	nt storage												
14-	i WATER	DITCH NORTH	COMP. 6 GRABS	SURFACE	A	N	Q, R	Y	56	19301		***	7/25/85		
14- i	SEDIMEN	DITCH NORTH	COMP. 6 GRABS		A	К	Q, R	Y		19302	FWS		7/25/85		
14-	3 WATER	DITCH SOUTH	COMP. 6 GRABS	SURFACE	A	N	Q, R	Y		19303		***	7/25/85		

! I.D.	!	MATRIX!	NAME	!	TYPE	!	DEPTH	!ANAL! SET	DEPTH!	LOCA-!!	INTRVL!	SAMP!!	LAB	REPLICATE			DUPL./SPIKE	NOTES
14-	4 SE	EDIMENT	DITCH SOUTH	COMP.	6 GRABS		0-1 FT	A	ĸ	Q, R	Y		19304	C10 / H0		7/25/85	MOIDEND	
		EDIMENT	DITCH SOUTH		6 GRABS		0-1 FT	F	K	Q, R	Y	581	9266			11/18/85		
										•								
***		#4	15:AREA 7 PLATIN	g fond														
45		W07E0	CLATTNE CONT	COMO	4 COORC		CUCCACC	Λ			v	5 0	1030E			7 IOE INS		
15- 1		WATER EDIMENT	PLATING POND PLATING POND		4 GRABS		Surface 0-1 FT	A	N	Q.	Y Y		19305 19306			7/25/85 7/25/85		NO FWS REP.
15- 3 15- 3		WATER	MONITOR WELL		E SAMPLE		BAILER	A I	K -	Q Q	-	61 62	9393			//23/65		Depth 11/19/65
19	3	WHIER	HOMITOR WELL	SINOL	E SHAPLE		DHICEK	1	_	u	_	DC.	7373		•			Deben 11/13/03
***			16:AREA 7 INDUST	RIAL SI	TE													
16- 1	l	WATER	DITCH NO. 1	COMP.	2 GRABS		SURFACE	A	N	R,S	W		19307			7/25/85		
		EDIMENT	DITCH NO.1		2 Grabs		0-1 FT	A	К	R,S	M		19308			7/25/65		
16- 3	5	WATER	DITCH NO.2	COMP.	2 Grabs		SURFACE	A	N	R	W		19309			7/25/85		
		EDIMENT	DITCH NO.2		2 GRABS		0-1 FT	A	ĸ	R	₩		19310	FWS		7/25/85		
		EDIMENT	DITCH NO.2		2 GRABS		0-1 FT	F	K	R	W	582	9 267			11/19/85		
16- 5		WATER	DITCH NO.3		2 Grabs		SURFACE	A	N	R	W	67	9394			7/25/85		
		EDIMENT	DITCH NO.3		2 GRABS		0-1 FT	A	ĸ	R	W	68	9395			7/25/85		
16- 7		WATER	DITCH NO.4		2 GRABS		SURFACE	A	N	R	₩	69	9396			7/25/85		NO WATER
		EDIMENT	DITCH NO.4		2 GRABS		0-1 FT	A	K	R	W	70	9397			7/25/85		
16- 9		SOIL	BLDG 3-4 FRONT		12 GRABS		SURFACE	D	1	P	Y	71	9398	DUPL		8/17/85	19253	
16- 10		SOIL	BLDG 3-4 BACK		6 Grabs		0-1 FT	A	J	Q	X	72	9399			8/17/85		
16- 10		SOIL	BLDG 3-4 BACK	COMP.	6 GRABS		0-1 FT	6	J	Q	X	583	9268	FWS		11/19/65		
16- 11		SOIL	BLDG 3-5 FRONT		6 Grabs		0-1 FT	A	J	Ø	X	73	9400			8/17/85		
16- 18		SOIL	BLDG 3-5 BACK		12 GRABS		SURFACE	A	I	Þ	Y	74	9435			8/17/85		
16- 13		SOIL	BLDG 4-4 FRONT		6 GRABS		0-1 FT	A	J	Q	X	75	9436	SPKE		8/17/85	19267	
16- 14		SOIL	BLDG 4-4 BACK		6 GRABS		0-1 FT	A	J	Q	X	76	9437			8/17/65		
16- 15			BLDG 5-283 FRONT				SURFACE	D	I	Þ	Y	77	9438	FWS		8/17/85		
16- 15			BLDG 5-263 FRONT				SURFACE	F	I	Þ	Y	564	9269			11/19/65		
16- 16			BLDG 5-243 BACK		6 GRABS		0-1 FT	A	J	Q	X	78	9439			8/17/85		
16- 17	7	SOIL	BLDG 6-1 CONTROL	COMP.	6 GRABS		0-1 FT	A	J	Q	X	79	9440		***	8/17/85		
***		#5	17:JOB CORPS LAND	FILL														
17- 1		SOIL	SOIL GRID 1	самр.	5 GRABS		0-1 FT	A	I	ρ	X	80	5441		***	8/16/65		
17- 2		SOI∟	SOIL GRID 2		5 GRABS		0-1 Fï	A	I	ρ	X	õì	9442			8/16/85		

! 1.D.	! MATI	NIX! NAME	! TYPE	•	DEPTH	! ANAL	.!DEPTH!	LOCA-	INTRVL!	SAMP!!	LAB	REPLICA	re sa	MPLE	DUPL./SPIKE	NOTES
						SET		TION	# NO.	NOS.	NO	LAB FW	COLL	DATE	NUMBERS	
17- 2			COMP. 5 GR		0-1 FT	G	1	P	X	565	9270			11/18/85	19227	
17- 3	SOIL	. SOIL GRID 3	COMP. 5 GR		0-1 FT	D	I	₽	X	58	9443	DUPL	***	8/16/85	19290	
17- 4			COMP. 5 GR	ABS	0-1 FT	A	I	P	X	63	9444			8/16/85		
17- 5			COMP. 5 GR	ABS	0-1 FT	A	I	P	X		9445			8/16/65		
17- 6			COMP. 2 GR	abs	0-1 FT	D	I	P, U	W	85	9446			8/16/85		
17- 6			COMP. 2 GRA		0-1 FT	6	I	Ρ, U	₩	586	9271			11/18/85		
17- 7			COMP. 2 GR		SURFACE	A	I	P,U	W	86	9447	FW	***	8/16/85		
17- ö			SINGLE SAM		BAILER	1	-	-	-		9448					
17- 9			SINGLE SAM		BAILER	I	-	-	-		9449		•	·		
17- 10			SINGLE SAME		BAILER	I	-	-	-		9450		•			
17- 11			SINGLE SAM		BAILER	I	-	-	-		9451		•			
17- 12			SINGLE SAM		SURFACE	A	K, N	R	₩		3248			7/25/85		
17- 13	WATE	R FOND NO.2	SINGLE SAM	PLÉ	SURFACE	A	K, N	R	W	92	3249		***	7/25/85		
		45 6556 43 4866	TUO 5 ATTOOM													
***	#6	18:AREA 13 LOAD	ING PLAIFUKA													
18- 1	SOIL	LOADING DOCK N	COMP. 20 GRA	ABS	0-1 FT	A	J	Q	γ	93	9452	FWS	***	8/15/85		
18- 2	SOIL	LOADING DOCK S	COMP. 20 GRA	ABS	0-1 FT	A	J	Q	Y	94	9453	DUPL	***	8/15/85	19223	
18- 3	501L	LOADING DOCK E	COMP. 2 GRA	ABS	0-1 FT	A	J	Q	W	9ã	9454		***	8/15/85		
18- 4	SOIL	LOADING DOCK W	COMP. 2 GRA	ABS	0-1 FT	Α	I	P. 0	W	96	9455		***	8/15/85		
18- 4	SOIL	LOADING DOCK W	COMP. 2 GRA	ABS	0-1 FT	F	I	ρ, Q	W	587	9272		***	11/19/85		
***		19:AREA 13 BUNKE	:0 1-7													
***		13:WICH 12 DOME	IN 1"J													
19- 1	SOIL	SOIL GRID NE	COMP. 14 GRA	BS	0-1 FT	A	J	Q	γ	97	9456		***	8/16/85		
15- 2	SOIL	SOIL GRID SE	COMP. 14 GRA	abs	0-1 FT	Α	J	Q	Y	86	9457		***	8/16/85		
19- 3	SOIL	SOIL GRID NW	COMP. 14 GRA	BS	0-1 FT	A	J	Q	γ	99	9458		***	8/16/85		
19- 3	SOIL	SOIL GRID NW	COMP. 14 GRA	B5	0-1 FT	F	J	Q	Y	588	9273		***	11/19/65		
19- 4	SOIL	SOIL GRID FRONT	COMP. 10 GRA	BS	0-1 FT	A	J	Q	γ	100	9459	SPKE	***	8/16/85	19268	
19- 5	SOIL	BR. PATCH TRANSEC	CT COMP. 3 GRA	1BS	0-1 FT	A	J	0, ប	X	101	9460	FWS	***	8/16/85		
***		30:MUNITIONS CON	TROL SITE													
30- i	SOIL	MUNITION CONTROL	. SINGLE SAMP	LE	SURFACE	D	_	Ţ	W	102	9461	DUPL FWS	***	8/16/85	19289 BUN	(FR 1-11
30- 1	501L	MUNITION CONTROL			SURFACE	G	_	T	W		9274	FWS		11/19/85	13203 500	
30- 2	WATE				BAILER	I	-	Ť	W		9462	. ***	•	11,13,00		
						-		-					•			

	CRAB ORCH	ARD NATIONAL WILD	LIFE REFUGE	PHASE I SA	MPLING	AND ANO	LYSIS	SCHEDULI	Ē	R	EVISED NO	VEMBER	1985		
! I.D.	! MATRIX	! NAME	! TYPE	! DEPTH	! ANA SET	.!DEPTH!	LOCA- TION	INTRVL		! LAB NO	REPLICATE LAB FWS			DUPĹ./SPIKE NUMBERS	NOTES
***	#7	21:SOUTHEAST CORN	NER FIELD												
21- 1		TRANSECT 1	COMP. 6 GRABS		A	J	Q	Y	104		DUSP	***	8/14/85	19224 1	st, SPKE 14138
51- 1		TRANSECT 1	COMP. 6 GRABS		F	J	Q	Y	590	9275			11/19/85		
21- 8		TRANSECT 2	COMP. 6 GRABS		A	J	Q.	γ	105	9464		***	8/14/85	4	th FROM RD.
51- 3		TRANSECT 3	COMP. 6 GRABS		A	J	Q	γ	106	9465			8/14/85		th FROM RD.
21- 4	SOIL	TRANSECT 4	COMP. 6 GRABS	0-1 FT	A	J	Q	Ą	107	9466		***	8/14/85	8	th FROM RD.
***	#8	22:OLD REFUGE SHO	3 F												
22- 1	WATER	POOL WATER	SINGLE GRAB	SURFACE	A	K, N	ρ	W	108	3256		***	7/25/85		
22- 8	SEDIMENT	STREAM SEDIMENTS	COMP. 2 GRABS		A	ĸ	Q, R	W	109	3384	FWS		7/25/85		
22- 2	SEDIMENT	STREAM SEDIMENTS			F	K	Q, R	W	591	9276			12/05/85		
***		24:PEPSI-WEST													
24- 1	WATER	PEPSI-WEST	COMP. 3 GRABS	SURFACE	A	K, N	R	W	110	3254		***	7/25/85		
24- 1		PEPSI-WEST	COMP. 3 GRABS	SURFACE	F	K, N	R	W	552	9277			12/05/85		
24- 2	SEDIMENT	PEPSI-WEST	COMP. 3 GRABS	0-1 FT	A	ĸ	R	W	111	2711		***	7/25/65		
24- 3	SEDIMENT	PEPSI-WEST	COMP. 3 GRABS	0-1 FT	F	K	R	H	593	9278	SPKE	***	12/05/65	19262	
***		25:C.O. CREEK AT	MARION LF												
25- i	WATER	COC DOWNSTREAM	COMP. 3 GRABS	SURFACE	A	K, N	R	W	112	3243		***	7/25/85		
	SEDIMENT		COMP. 3 GRABS	0-1 FT	D	ĸ	R	¥	113	3368		***	7/25/85		
25- 3	SEDIMENT	COC DOWNSTREAM	COMP. 3 GRABS		6	ĸ	R	W	594	9279		***	12/05/85		
25~ 3		CDC UPSTREAM	COMP. 3 GRABS		A	-	T	W	114	9467	DUSP	***	8/13/85	19215	SPKE 85576
	SEDIMENT	COC UPSTREAM	COMP. 3 GRABS	0-1 FT	A	-	7	₩	115	9463	DUPL	***	8/13/85	19256	
25- 5		LF POND	COMP. 3 GRABS		A	K, N	Ř	W	116	9469		***	8/13/85		
25- 6	SEDIMENT	LF POND	COMP. 3 GRABS	0-1 FT	A	. K	R	W	117	9470	FWS	***	8/13/85		
***		26:C.D. CREEK BEL	.Ow MARION STP												
26- 1	WATER	COC AT S. CARBON	COMP. 3 GRABS	SURFACE	A	K, N	Ŕ	H	118	3244		***	7/25/85		
26- 2	SEDIMENT	COC AT S. CARBON	COMP. 3 GRABS	0-1 FT	A	К	Ŕ	¥	119	3391		***	7/25/85		

! I.D.		! MATRIX	! NAME	!	TYPE	•	DEPTH	!ANAL SET	.!DEPTH!	LOCA-	!INTRVL 4 NO.	!SAMP!! NOS.	LAB NO	REPLICATI		MPLE DATE	DUPL./SPIKE	NOTES
26-	3	SEDIMENT	COC AT S. CARBON	COMP	. 3 GRABS	:	0-1 FT	G	K	R	W	595	9280			12/05/85		Clay- no sediment.
-65	3	WATER	COC AT COURT ST.	COMP.	. 3 GRABS	:	SURFACE	A	K, N	R	W	120	9471		***	8/13/85		•
26-	4	SEDIMENT	COC AT COURT ST.	COMP	. 3 GRABS		0-1 FT	A	К	R	¥	121	9472	FWS	***	8/13/85		
tžt			27:C.O. CREEK BEL	.OW 15	7 DREDGE													
27-	i	WATER	COC AT CHAMMNESS	COMP.	3 GRABS	,	SURFACE	A	K, N	R,S	W	122	3245		***	7/25/85		
27-	2 (SEDIMENT	COC AT CHAMMNESS	COMP.	. 3 GRABS	•	0-1 FT	D	K	R, S	W	123	3390		***	7/25/65		
***		#9	28: WATER TOWER LA	MDFILI	-													
28-	1	SOIL	MAIN GULLY	COMP.	a Grabs	()-1 FT	Ð	К	R, S	X	124	9473	DUPL	***	8/14/85	19291	
28-	Š	SOIL	TRANS. GULLY	COMP	6 GRABS		0-1 FT	Α	I,K	P, R	X	125	5474		***	8/14/85		
28-	5	SOIL	TRANS. GULLY	COMP.	6 GRABS	()-1 FT	Ğ	I,K	P, R	X	5 5 6	9281	SPKE	***	11/19/85	19263	
	3	SOIL	SOIL GRID 1		6 GRABS	()-1 FT	A	J	Q	X	126	9475	FWS	***	8/14/85		
28-		501L	SOIL GRID 2	COMP.	6 GRABS	()-1 FT	A	J	Q	X	127	9476			8/14/85		
28-		SOIL	SOIL GRID 3	COMP	6 GRABS	()-1 FT	A	J	Q	X	128	9477			8/14/85		
28-		SOIL	SOIL GRID 4	COMP.	6 Grabs	()-1 FT	A	J	Q	X	129	9478		***	8/14/85		
26-	7	WATER	WELL 28-1	SIN	GLE GRAB	i	AILER	I	-	¥	H	130	5479					
28- (ĕ	WATER	WELL 28-2	SINE	ile Grab	F	AILER	I	~	٧	W	131	9480		•			
28- '	9	501L S	BOUTH END OF DITCH	. 6	srab	()-1 FT	А	I,K	P,R	¥	132	9461	SPKE		8/14/85	19269	
28- 1	0	501L A	WORTH END OF DITCH	. 6	RAB	()-1 FT	A	I,K	P, R	W	133	9482		***	8/14/85		
28- 1	1	SOIL	NORTH OF 28-4	E	SRAB	()-1 FT	A	1	Þ	W	134	9483		***	8/14/65		
28- 18	5	SOIL M	OATHWEST OF 28-3	6	RAB	()-1 FT	A	1	p	W	135	9484		***	8/14/85		
28- 1	3	50iL N	. FIELD-OLD 28-9	6	SRAB	()-1 FT	Ĥ	I	Þ	W	136	9485		***	8/14/85		
28- 14	4	501L	GULLY	6	irab	(1-1 FT	A	1, к	P,R	₩	137	9486		***	8/14/85		
***		* 10	29:FIRE STATION L	ANDFIL	i.													
29-	-	SOIL		COMP.	12 GRABS	(\$1 FT	A	I	þ	X	138	9487	SPKE		8/13/85	19288	
25		SÜIL			12 GRABS		&1 FT	A	I	p	X	139	9488			8/13/85		
29- (SOIL			12 GRABS		&1 FT	G	1	Þ	X	597	9282			11/19/85		
29- 3		SOIL			12 GRABS		&1 FT	Đ	I	₽	X	140	9489			8/13/85		
29~ 4		SOIL			12 GRABS		di FT	Ĥ	I	Þ	X		549 0		***	8/13/85		
29- 5		501L			12 GRABS		ål FT	À	I	P	X	142	9491	DUPL	***	8/13/85	19287	
29- 8	6	SOIL	NORTH FACE 2	COMP.	12 GRABS	0	al FT	Đ	I	Þ	X	143	9492		***	8/13/85		

1.D.	! MATRIX!	NAME	! TYPE	! DEPTH		.!DEPTH!					REPLICATE	SAM		DUPL./SPIKE	NOTES
					SET		TION	& NO.	NOS.	NO			DATE	NUMBERS	
2 9 - 7	501L	NORTH FACE 3	COMP. 12 GRABS	041 FT	A	I	P	X	144	9493	F₩S	***	8/13/65		
29- B	WATER	WELL 29-1	SINGLE GRAB	BAILER	I	-	T	W	145	9494		•			
29- 9	WATER	WELL 59-5	SINGLE GRAB	BAILER	1	-	٧	W	146	9495		•			
29- 10	WATER	WELL 29-3	SINGLE GRAB	BAILER	I	-	V	₩	147	9496		•			
29- 11	WATER	WELL 29-4	SINGLE GRAB	BAILER	I	-	٧	W	148	9497		•			
***	#11	32:AREA 9 LANDF	ILL												
32- 1	SOIL	SOIL GRID 1	COMP. 01' DEPTHS	0-12 FT	Н	L,M	ρ	Z	149	9498		***	8/24/85		
32- 2	SOIL	SOIL GRID 1-0	TOP CORE COMP.	0-6 INCH	C	I	Þ	7	150	9459		***	8/24/85		
32- 3	501L	SOIL GAID 1-1	MID CORE COMP.	6-6.5 FT	C	L, Ħ	P	Z	151	9500	DUPL	***	8/24/85	19250	
32- 4	SOIL	SOIL GRID 1-2	BOT CORE COMP.	11.5-12	C	L,M	P	Z	152	10640		***	8/24/85		
32- 5	SOIL	SDIL GRID 2	COMP. #1' DEPTHS	0-12 FT	н	L, M	p	1	153	10641		***	8/24/85		
32- 6	SOIL	SOIL GRID 2-0	TOP CORE COMP.	0-6 INCH	ε	I	P	7	154	10642		***	8/24/85		
32- 7	SOIL	SOIL GRID 2-1	MID CORE COMP.	6-6.5 FT	ε	L,M	P	2	155	10643		***	8/24/85		
32- 8	SOIL	SOIL GRID 2-2	BOT CORE COMP.	11.5-121	C	L,M	р	7	156	10544		***	8/24/65		
32- 9	SOIL	SOIL GRID 3	COMP. 01' DEPTHS	0-12 FT	Н	L,M	Þ	7	157	10645		***	8/21/85		
32- 10	SOIL	SOIL GRID 3-0	TOP CORE COMP.	0-6 INCH	C	I	p	7	158	10646		***	8/21/85		
32- 11	501L	SOIL GRID 3-1	MID CORE COMP.	6-6.5 FT	£	L, M	ρ	Z	159	10647		***	8/21/85		
32- 12	501L	SOIL GRID 3-2	BOT CORE COMP.	11.5-121	C	L,M	Þ	7	160	10648		***	8/21/85		
32- 13	SOIL	SOIL GRID 4	COMP. 01' DEPTHS	0-12 FT	н	L,M	P	2	161	10645		***	8/21/85		
32- 14	SOL	SDIL GRID 4-0	TOP CORE COMP.	0-6 INCH	£	I	P	2	163	10650		***	8/21/85		
32- 15	SÜIL	SOIL GRID 4-1	MID CORE COMP.	6-6.5 FT	C	L,M	Þ	7	163	10651		***	8/21/85		
32- 16	501L	SOIL GRID 4-2	BOT CORE COMP.	11.5-121	C	L,M	Þ	Z	164	10652		***	8/21/85		
32- 17	S0I∟	SOIL GRID 5	COMP. 01' DEPTHS	0-12 FT	н	L, H	P	Z	165	10653		***	8/22/85		
32- 18	501L	SOIL GRID 5-0	TOP CORE COMP.	0-6 INCH	C	1	P	Z	166	10654	DUPL	***	8/22/85	15249	
32- 19	SOIL	50IL GRID 5-1	MID CORE COMP.	6-6.5 FT	£	L, M	ρ	Z	167	10655		***	8/23/85		
32- 20	SOIL	SOIL GRID 5-2	BOT CORE COMP.	11.5-121	C	L, M	P	1	168	10656		***	8/22/65		
32- 21	501L	SOIL GRID 6	COMP. 01' DEPTHS	0-12 FT	H	L, M	F	Z	16 9	10657		***	8/22/85		
32- 22	SOIL	SOIL GRID 6-0	TOP CORE COMP.	0-6 INCH	C	I	P	1	170	10658	FWS	***	8/22/85		
32- 23	SÜÍL	SOIL GRID 6-1	MID CORE COMP.	6-6.5 FT	€	L,M	Þ	Z	171	10659		***	8/22/85		
32- 24	SOIL.	SOIL GRID 6-2	BOT CORE COMP.	11.5-121	ε	L,M	Þ	Z	172	10660	DUPL	***	8/22/85	19251	
3 2- 25	SOIL	SOIL GRID 7	COMP. 011 DEPTHS	0-12 FT	н	L, M	ρ	Z	173	10661	DUPL	***	8/22/85	19252	
35- 56	SOIL	SOIL GRID 7-0	TOP CORE COMP.	0-6 INCH	ε	I	P	Z	174	10662		***	8/22/85		
32- 27	501L	SOIL GRID 7-1	MID CORE COMP.	6-6.5 FT	C	Ŀ, M	ρ	Z	175	10663		***	8/22/85		
32- 28	50IL	SOIL GRID 7-2	BOT CORE COMP.	11.5-121	C	L,M	P	2	176	10664		***	8/22/85		

PHASE I SAMPLING AND ANALYSIS SCHEDULE CRAB ORCHARD NATIONAL WILDLIFE REFUGE

32- 64

SOIL

YELLOW SPOT

SINGLE SAMPLE

SURFACE

A

₽

46701

558

*** 8/26/85

REVISED NOVEMBER 1985 SAMPLE DUPL./SPIKE ! I.D. ! MATRIX! NAME ! TYPE DEPTH !ANAL!DEPTH! LOCA-!INTRVL!SAMP!! LAB REPLICATE NOTES NUMBERS SET & NŨ. NOS. ΝŪ LAB FWS COLL. DATE TIŨN 10665 SPKE SOIL GRID 8 COMP. 61' DEPTHS 0-12 FT ρ 7 177 *** 8/23/85 19281 32- 29 501L Н L, M 32- 30 SUIL SOIL GRID 8-0 TOP CORE COMP. 0-6 INCH С I ρ Z 17ă 10666 SPKE *** 8/23/85 19280 C Z *** 8/23/85 SOIL GRID 6-1 MID CORE COMP. 6-6.5 FT Ρ 179 10667 FWS 32- 31 SOIL L.M C 2 180 *** 8/23/85 32- 32 SOIL SOIL GRID 8-2 BOT CORE COMP. 11.5-12 L.M P 10668 0-12 FT ρ Z 10669 FWS *** 8/23/65 32- 33 SOIL SOIL GRID 9 COMP. 01' DEPTHS н L, M 181 32- 34 SOIL SOIL GRID 9-0 TOP CORE COMP. 0-6 INCH C I ρ Z 182 10670 FWS *** 8/23/85 6-6.5 FT C P 7 *** 8/23/85 32- 35 SOIL GRID 9-1 MID CORE COMP. L,M 183 10671 SOIL Z *** 8/23/85 32- 36 SOIL GRID 9-2 BOT CORE COMP. 11.5-121 L,M 164 10672 SOIL SURFACE *** 8/19/65 NORTH TRANSECT 1 COMP. 63' INTRVL В K R or T 10673 32- 37 SOIL 185 R or T 32- 38 NORTH TRANSECT 1 COMP. @3' INTRVL SURFACE В K 186 10674 *** 8/19/85 501L SOIL EAST TRANSECT 1 COMP. 03' INTRVL SURFACE В ĸ R or T 10675 *** 8/19/85 32- 39 187 *** 8/19/85 32- 40 SOIL EAST TRANSECT 2 COMP. @3' INTRVL SURFACE В R or T 10576 188 SOUTH TRANSECT 1 COMP. 63' INTRVL Y *** 8/19/85 Ŀ К R or T 10677 32- 41 SÜLL SURFACE 189 32- 42 SOIL SOUTH TRANSECT 2 COMP. 03' INTRVL SURFACE В K R or T 150 10678 *** 8/19/85 J,K Z 10679 *** 8/22/85 32- 43 SEDIMENT INT. CREEK 1-0 Grab SURFACE A Q, R 191 J,K,L, Z *** 8/22/85 32- 44 SEDIMENT INT. CREEK 1-1 GRAB Q, R 192 10680 3 FEET 1 *** 6/22/85 32- 45 SEDIMENT INT. CREEK 1-2 6 FEET A J.K.L. Q, R 193 10681 GRAB 2 *** 8/22/85 32- 46 SEDIMENT INT. CREEK 2-0 GRAB SURFACE Α J, K Q, R 194 10682 FWS *** 8/22/65 32- 47 SEDIMENT INT. CREEK 2-1 GRAB 3 FEET A J,K,L, Q, R 7 195 10683 Z 8/22/85 10684 *** 32- 48 SEDIMENT INT. CREEK 2-2 бааб 6 FEET J, K, L, Q, R 196 *** 8/22/85 19257 SURFACE Α Z 10685 DUPL 32- 49 SEDIMENT INT. CREEK 3-0 GRAB J,K Q, R 197 *** 8/22/85 32- 50 SEDIMENT INT. CREEK 3-1 Grab 3 FEET A J, K, L, Q, R Z 198 10686 Z 10687 *** 8/22/85 32- 51 SEDIMENT INT. CREEK 3-2 Q, R 199 GRAB 6 FEET A J,K,L. 2 8/23/85 32- 52 SEDIMENT INT. CREEK 4-0 SURFACE Q, R 10568 FWS *** Grað J.K 500 *** 8/23/85 Z 32- 53 SEDIMENT INT. CREEK 4-1 Бкнв 3 FEET A J.K.L. Q, R 201 10669 32- 54 SEDIMENT INT. CREEK 4-2 7 202 10650 *** 8/23/65 GRAB 6 FEET A J,K,L, ũ, R *** 8/23/85 19258 7 32- 55 SEDIMENT INT. CREEK 5-0 6ŘAB SURFACE A J,K Q, R 203 10691 DUPL Z 10632 6/23/65 *** 32- 56 SEDIMENT INT. CREEK 5-1 Grab 3 FEET Ĥ J,K,L, Q, R 204 8/23/85 32- 57 SEDIMENT INT. CREEK 5-2 ฮสรอ & FEET A J,K,L, Q, Ř <u> 1</u> 205 10693 *** 32- 58 SEDIMENT INT. CREEK 6-0 Q, R 7 206 10694 SPKE 8/23/85 19285 GRAB Surface D J,K *** 2 10695 *** 8/23/85 32- 59 SEDIMENT INT. CREEK 6-1 GRAB 3 FEET D J,K,L, 207 Q, R 32- 60 SEDIMENT INT. CREEK 6-2 GRAB Ď 10696 8/23/85 6 FEET J, K, L, ũ, R *** 208 32- 61 WATER WELL 1 SINGLE SAMPLE Bailer 1 209 10697 32- 62 WATER WELL 2 SINGLE SAMPLE BAILER I ٧ 210 10698 32- 63 WATER WELL 3 SINGLE SAMPLE Bailer 211 10659

! I.D.	! mATRI	X!	NAME	į	TYPE	! DEPTH	!ANAL SET	.!DEPTH!	LOCA- TION	!INTRVL!	SAMP!!	LAB NO		ICATE FWS	SAM COLL.	PLE DATE	DUPL./SPIKE NUMBERS	NOTES
32- 65	SOIL	BEFO	RE CLEANING	SING	ILE SAMPLE	SURFACE	В.	К	T	W		46702	LnD	1 775		8/26/85	NONDEND	
32- 66	SOIL		ER CLEANING		LE SAMPLE	SURFACE	В	K	Ţ	H		46703				8/26/85		
***		33:A	IREA 9 BUILDII	NG COM	IPLEX													
33- i	SOIL		1 - I-1- 25			0-1 FOOT	B	J	Qi	Z		10700		FWS	***			
33- 2	SOIL	LOC.	1 - I-1- 25			1-2 FEET	₿	J,M	61	2		10701			***	9/23/85		
33- 3	SOIL	LOC.	i - I-i- 25			2-3 FEET	B	J,⊭	Qí	7		10702			***	9/23/85		
33- 4	SOIL	LOC.	2 - 1-1- 2:			0-1 FD0T	В	J	Q1	7		10703	DUPL		***	9/23/85	19228	
33- 5	SOIL	LOC.	2 - I-1- 25			1-2 FEET	В	J, M	Qi	7		10704			***	9/23/85		
33- 6	SOIL	LOC.	2 - I-1- 25			2-3 FEET	В	J, M	Q1	Z		10705			***	9/23/85		
33- 7	SOIL	LOC.	3 - 1-1- 25			0-1 F00T	В	J	Q1	7		10706			***	9/23/85		
33- 8	SOIL	LOC.	3 - I-1- 25			1-2 FEET	₿	J, M	01	Z		10707			***	9/23/65		
33- 9			3 - 1-1- 25			2-3 FEET	Б	J,M	Q1	7		10708			***	9/23/85		
33- 10	SOIL		4 - I-1- 25			0-1 F00T	B	J	01	Z		10709			***	9/23/85		
33- 11			4 - I-1- 25			1-2 FEET	B	J, M	Q1	2		10710			***	9/23/85		
33- 15		LOC.	4 - I-1- 25			2-3 FEET	В	J,M	Q1	Z	223	10711			***	9/23/85		
33 13	501L	LOC.	5 - 1-1- 25	CORE	VERTICAL	0-1 F00T	В	J	Qi	Z	224	10712			***	9/23/85		
33- 14	SOIL	LOC.	5 - I-1- 25	CORE	VERTICAL	1-2 FEET	Б	J,M	01	Z	225	10713			***	9/23/65		
33- 15	SOIL	LOC.	5 - 1-1- 25	CORE	VERTICAL	2-3 FEET	Б	J,M	01	Z	226	10714			***	9/23/85		
33- 16	SOL	LŪC.	6 - 1-1- 25	CORE	SURFACE	0-1 F00T	B	J	Qi	7	227	10715	DUPL		***	9/23/65	15229	
33- 17	SOIL	LOC.	7 - 1-1- 25	CORE	VERTICAL	0-1 F00T	₽	J	Q1	Z	855	10716			***	9/23/85		
33- 1ō	SOIL	LOC.	7 - 1-1- 25	CORE	VERTICAL	1-2 FEET	В	J, M	Q 1	Z	229	10717			***	9/23/85		
33- 19	501L	LOC.	7 - 1-1- 25	CORE	VERTICAL	2-3 FEET	Б	J, M	01	2	230	10718			***	9/23/85		
33- 20	SOIL	LOC.	8 - 1-1- 25	CORE	VERTICAL	0-1 F00T	В	j	Q1	Z	231	10719				9/23/85		
33- 21	501L	LOC.	å - I-1- 28	CORE	VERTICAL	1-2 FEET	Б	J,M	Q1	2	232	10720			***	9/23/65		
33- 22	SOIL	LŪÜ.	6 - I-1- 25	CORE	VERTICAL	2-3 FEET	Б	J, M	Q1	Z		10721			***	9/23/85		
33- 23	SOIL	LOC.	9 - 1-1- 25			0-1 F00T	Б	j	Q1	Z		10722	DUPL		***	9/23/85	19230	
33- 24	50IL	LŪĈ.	10 - I-1- 25			0-1 F00T	Б	J	01	Z		10723		FWS	###	9/23/65		
33- 25	SÜIL	LOC.	11 - I-1- 25			0-1 FOOT	B	J	Q1	2		10724			***	9/23/85		
33- 26	501L	LŨĹ.	12 - 1-1- 25			0-1 F00T	Б	J	Ū1	7		10725	SPKE		***	9/23/85	19270	
33- 27	SOIL	LŪC.	13 - 1-1- 25			0-1 F00T	Đ	J	01	1		10726				9/23/65		
33- 26		LOC.	14 - 1-1- 23		DITCH	0-1 F00T	Ē	ĸ	Q1	ī		10727				9/23/85		
33- 29	SUL		15 - 1-1- 23			0-6 INCH	8	j	01	1		10728	DHPi			9/23/85	19231	
33- 30	SOIL		16 - I-1- 64		DITCH	0-1 FDOT	B	K	Û1	1		10729				5/23/65		
33- 31	SOIL		17 - I-1- 64			0-1 F00T	£	j	Qi	7	242					9/23/85		
20 01	5016		.,	LONE	SUN FISE	0 1 1001	D	J	A.I	L	LTE	10100				J/ CJ/ UJ		

! I.D.	! MATRI)	C!	NAME		!	TYPE	!	DEPTH	!ANAL	!DEPTH!	LOCA-	INTRVL	SAMP!	LAB	REPLICATE	SAM	PLE	DUPL./SPIKE	NOTES
									SET		TION	ė NŪ.	NOS.	ΝĐ	LAB FWS		DATE	NUMBERS	
33- 3 2	SOIL		18 -	I-1- 28)ITCH		0-1 FOOT	Ð	K	01	7		10731			9/23/85		
33- 33	501L	LDC.	19 -	I-1- 2	ı	DITCH		0-1 FOOT	B	ĸ	Q 1	1	244	10732		***	9/23/85		
33- 34	SÜIL	LOC.	20 -	I-1- 21	CORE	VERTICAL		0-1 FOOT	B	J	Q1	Z		10733	FWS	***	9/24/85		
33- 35	SOIL	LOC.	20 -	I-1- 21	CORE	VERTICAL		1-2 FEET	B	J,M	01	7	246	10734		***	9/24/85		
33- 36	SOIL	LOC.	20 -	1-1- 21	CORE	VERTICAL		2-3 FEET	Ð	J, M	Q1	7	247	10735		***	9/24/85		
33- 37	SOIL	LOC.	21 -	I-1- 21	CORE	SURFACE		0-1 F00T	8	J	Qì	Z	248	10736	DUPL	***	9/24/85	19232	
33- 38	SOIL	LOC.	55 -	I-i- 21	CORE	SURFACE		0-1 F00T	B	J	Q1	7	249	10737			9/24/85		
33- 3 9	S0I∟	LOC.	23 -	STAGIN	5 I	DITCH		0-1 FD0T	B	K	G7	7	250	10738		***	9/23/85		
33- 40	501L	LOC.	24 -	STAGING	; [)ITCH		0-1 FDGT	В	ĸ	Q1	7	251	10739		***	9/23/85		
33- 41	501∟	LÜÜ.	25 -	1-1- 24	CORE	VERTICAL		0-1 F00T	В	J	01	Z	252	10740			9/23/85		
33- 42	SÜIL	LOC.	25 -	1-1- 24	CORE	VERTICAL		1-2 FEET	B	J, M	Q1	Z	253	10741		***	9/23/85		
33- 43	SOIL	LOC.	25 -	1-1- 24	CORE	VERTICAL		2-3 FEET	B	J, M	Q1	7	254	10742		***	9/23/65		
<u> 33- 44</u>	501L	LÜÜ.	26 -	I-1- 24	CORE	VERTICAL		0-1 FOOT	Б	J	@1	7	255	10743		***	9/23/85		
33- 45	501L	LDC.	26 -	I-1- 24	CORE	VERTICAL		1-2 FEET	В	J, M	01	1	256	10744		***	9/23/85		
33- 46	SOIL	LOC.	26 -	I-1- 24	CORE	VERTICAL	1	2-3 FEET	Б	J,M	Q1	Z	257	10745	SPKE	***	9/23/65	19271	
33- 47	501L	LOC.	27 -	1-1- 24	CORE	VERTICAL		0-1 FOOT	B	J	Q1	Z	258	10746		***	9/23/65		
33- 4 8	SÜIL	LÜC.	27 -	I-1- 24	CORE	VERTICAL		1-2 FEET	B	J,#	Q1	Z	25 9	10747		***	5/24/85		
33- 49	SOI∟	LŪC.	27 -	I-1- 24	CORE	VERTICAL		2-3 FEET	Ð	J, ¤	Qì	1	260	10748		***	9/24/85		
3 3- 50	SOIL	LOC.	28 -	I-1- 24	CORE	VERTICAL		0-1 FOOT	₿	J	Q1	7	261	10749		***	9/24/85		
33- 51	SOIL	LOC.	26 -	I-1- 24	CORE	VERTICAL		1-2 FEET	₿	J,M	Q1	1	262	10750		***	9/24/85		
33- 52	501L	LOC.	28 -	1-1- 24	CORE	VERTICAL		e-3 feet	В	J, M	Ωi	7	263	10751		***	9/24/85		
33- 53	SOIL	LOC.	29 -	I-1- 24	·	ITCH		0-1 FOOT	Ď	К	Qi	1	264	10752		***	9/24/65		
33- 54	SOIL	LOC.	30 -	I-1- 24	. 1	ITCH		0-1 FOOT	В	К	Q1	1	265	10753	FWS	***	9/24/85		
33- 55	SOIL	LOC.	31 -	I-1- 24	. [)ITCH	1	0-1 FOOT	B	К	Q1	2	266	11641	SPKE	žžž	9/24/85	19272	
33- 56	SOIL	LOC.	32 -	1-1- 24		NITCH		0-1 FOOT	B	K	Q1	1	267	11642	DUPL	***	9/24/85	19233	
33- 57	SOIL	LOC.	33 -	I-1- 20	CORE	SURFACE		0-1 FOOT	B	J	Q 1	Z	266	11643		***	9/24/85		
33~ 58	SÜLL	LOC.	34 -	I-1- 20	CORE	SURFACE		0-1 F00T	В	J	Q1	1	269	11644		***	9/24/85		
33- 59	SOIL	LDC.	35 -	I-1- 20	CORE	SURFACE		0-1 FOOT	B	J	01	1	270	11645		***	9/24/85		
33- 60	SŪÍL	LŪŪ.	36 -	I-1- 20	CORE	SURFACE	;	0-1 FOOT	D	J	Qí	2	271	11646		***	9/24/85		
33- 61	SOIL	LOC.	37 -	I-1- 19	CORE	SURFACE		0-6 INCH	B	J	Q1	Z	272	11647		***	9/24/85		
33- 62	SÜLL	LOC.	38 -	I-1- 8	CORE	VERTICAL		0-1 FOOT	B	J	Q1	7	273	11648		***	9/24/85		
33- 63	SÜÌ∟	LOC.				VERTICAL		1-2 FEET	B	J, M	G1	2	274	11649		***	9/24/65		
33- 64	SOIL	LOC.	38 -	I-1- 2	CORE	VERTICAL	í	2-3 FEET	Б	J, M	Q1	Z	275	11650		***	9/24/85		
33- 65	50ic	LOC.	39 -	I-1- 3	CORE	SURFACE	1	0-1 FOOT	B	J	Qi	Z	276	11651	DUPL	***	9/24/65	19234	
33- 66	SOIL	LOC.	40 -	I-i- 8	CORE	SURFACE	()-1 F00T	B	J	Q1	7	277	11652	FWS	***	9/24/85		
3 3 - 67	501L	LOC.	41 -	I-1- 2	CORE	VĒRTĪCAL	,	0-1 FBOT	Б	j	Q1	Z	276	11653		ŘŘŘ	9/24/85		

! I.D.	' MATRIX!	NAME	į	TYPE	! DEPTH	!ANA	L!DEPTH!	LOCA-	!INTRVL!	SAMP!	! LAB	REPLICA	E S	MPLE	DUPL./SPIKE	NOTES
						SET		TION	Ł NO.	NOS.	NÛ	LAB FW	COL	. DATE	NUMBERS	
33- 68	SOIL LOC.	41 - I-1-			1-2 FEET	В	J, M	Q1	7		11654		**	9/24/85		
33- 65	SDIL LDC.	41 - I-1-	2 CORE	VERTICAL	2-3 FEET	B	J, M	Q1	1		11655		**	9/24/85		
33- 70	SOIL LOC.	42 - I-1-	S CORE	SURFACE	0-1 F00T	B	J	Q 1	Z		11656		**	9/24/85		
33- 71	SOIL LOC.	43 - I-1-			0-1 F00T	B	J	Q1	1		11657		##			
33- 72	SOIL LOC.	44 - I-1-			0-1 FOOT	B	J	Qí	Z	283	11658		¥¥	9/24/85		
33- 73	SOIL LOC.	44 - 1-1-	2 CORE	VERTICAL	1-2 FEET	B	J,M	Q1	2	284	11659		**	9/24/85		
33- 74	SOIL LOC.	44 - I-1-			2-3 FEET	В	J, M	Q1	1		11660		**	9/24/65		
33- 75	SOIL LOC.	45 - [-1-			0-1 F00T	Б	J	Qi	1		11661	DUPL	**	9/24/85	19235	
33 ∽ 76	SOIL LOC.	56 - I-I-	2 CORE	VERTICAL	0-1 F00T	5	J	Q1	1		11662		**	9/24/65		
33- 77	SOIL LOC.	56 - I-1-			1-2 FEET	Б	J, M	Q1	7		11663		**	9/24/85		
33- 78	SOIL LOC.	56 - I-1-			2-3 FEET	В	J, M	Q1	2		11664		**	9/24/85		
33- 79	501L LOC.	57 - I-1-			0-1 FOOT	В	J	Q1	Z		11665	SPKE	**	5/24/85	19273	
33 ~ 80	SDIL LOC.	5a - I-1-			0-1 F00T	Đ	J	Qí	2		11666			9/24/85		
33- 31	501L LOC.	46 - I-I-			0-1 FOOT	Б	J	Q1	Z		11667			9/24/85		
33- 82	301L LOC.	46 - I-1-			1-2 FEET	В	J,M	ũ1	2		11668			9/24/85		
<u> 33</u> − 83	SOIL LOC.	46 - 1-1-			2-3 FEET	Ð	J,⊭	Q1	Z		11669		**1	9/24/85		
33~ 64	501L LOC.	47 - I-1-			0-1 FOOT	Ď	J	Q1	1		11670		**	9/24/85		
33~ 6 5	501L LOC.	48 - I-1-			0-1 F00T	B	J	01	Z		11671		##1	5/24/85		
33~ 86	50IL LOC.	49 - 1-1-	5 CORE	VERTICAL	0-1 F00T	B	J	Q 1	7		11672		žki	9/24/65		
33~ 67	SOIL LOC.	49 - I-1-			1-2 FEET	Б	J,M	Qi	7		11673		##1	9/24/85		
33~ 63	SOIL LOC.	49 - I-1-			2-3 FEET	В	J,M	Q1	2	299	11674		**	9/24/65		
33- 6 9	SOIL LOC.	50 - I-1-			0-1 FOOT	B	J	Q1	Z		11675	FW	##i	9/24/65		
33~ 50	SOIL LOC.	51 - I-1-			0-1 F00T	B	J	Qí	2		11676			9/24/85		
33- 51	SOIL LOC.	51 - I-1-			1-2 FEET	Б	J, M	01	7		11677		**	9/24/85		
33~ 92	SOIL LOC.	51 - I-1-			2-3 FEET	В	J,M	Q1	1		11676		**1	9/24/85		
33~ 9 3	SOIL LOC.	52 - I-i-			0-1 FOOT	Ð	J	01	7	304	11679	DUPL	**1	9/24/65	19236	
33~ 54	SOIL LOC.	53 - I-1-			0-1 FD0T	Б	J	67	Z		11660	SPKE	**1	9/24/85	19274	
33~ 95	SOIL LOC.	54 - I-1- i			0-1 F00T	₿		Q1	Z		11581		**1	9/24/85		
33- 96	SOIL LÜÜ.	54 - 1-1- ;			1-2 FEET	8	J,M	Q1	Z		11662		**1	9/24/85		
33- 97	SOIL LOC.	54 - I-1- ;			2-3 FEET	B	•	Q1	I		11683		**1	9/24/85		
33- 58	SOIL LOC.	55 - I-1- 3			0-1 F00T	Б		Ū1	1		11664		***			
33~ 59	SOIL LOC.	59 - I-1-			0-1 FOOT	B	J	Q1	7		11685	DUPL	***		19237	
33-100	SOIL LOC.	60 - I-1-			0-1 F00T	Đ		Ø1	Z		11666		***	9/25/85		
33~101	SOIL LOC.	61 - I-1-			0-1 F00T	В	j	Q1	7	312	11687		***	9/25/85		
33~102	SOIL LOC.	62 - 1-1-	3 CORE	VERTICAL	0-1 F00T	B	J	Q1	Z	313	11668	SPKE	**1	9/25/85	19275	
33~103	301L LOC.	62 - I-1-	3 CORE	VERTICAL	1-2 FEET	Б	J, M	Q1	1	314	11689		***	9/25/85		

! I.D.	! MATRI	X !	NAME	!	TYPE	! DEPTH	! ANAL	.!DEPTH!	LOCA-!	INTRVL!	SAMP!!		REPLICATE	SAM		DUPL./SPIKE	NUTES
							SET		TIŪN	ŧ NŪ.	NŪS.	NO	LAB FWS		DATE	NUMBERS	
33-104	SOIL	LOC.	62 - 1-1-			2-3 FEET	В	J, M	Q1	2		11690			9/25/85		
33-105	SOIL	LOC.	63 - I-1-			0-1 F00T	B	J	Q1	1		11691	DUPL		9/25/85	19238	
33-106	SOIL	LOC.	63 - 1-1-			1-2 FEET	В	J, M	Q1	7		11692		***	9/25/85		
33-107	SOIL		63 - I-i-			2-3 FEET	₿	J, M	Q 1	Z		11693		***	9/25/85		
33-108	SOIL	LOC.	64 - 1-1-			0-1 F00T	₿	J	Q1	2		11694	FWS	***	9/24/85		
33-109	SOIL		64 - 1-1-			1-2 FEET	₿	j,m	G7	Z		11695			9/24/85		
33-110	SOIL	LŪC.	64 - 1-1-			2-3 FEET	8	J, M	Q1	2		11696			9/24/65		
33-111	SOI∟	LOC.	65 - I-1-	3 CORE	VERTICAL	0-1 FGOT	B	l	Q1	Z		11697		***	9/24/85		
33-112	501L	LDC.	65 - 1-1-	3 COKE	VERTICAL	1-2 FEET	Ð	J, M	01	1		11698		***	9/24/85		
33-113	SOIL	LÜC.	63 - I-i-			2-3 FEET	B	J, M	Q1	2		11699			9/24/85		
33-114	501L	rūC.	66 - I-1-			0-1 F00T	₽	J	G1	Z		11700			9/24/65		
33-115	SOIL	LÜC.	66 - I-1-			1-2 FEET	8	J, M	01	7		11701			9/24/85		
33-116	SDIL	L0C.	66 - I-1-			a-3 FEET	Ь	J, M	Q1	Z		11702			5/24/85		
33-117	SOIL	ĽŬĈ.	67 - 1-1-			0-1 F 00 7	B	Ĵ	Q1	Z		11763	DUPL		9/24/65	19239	
33-11 8	SOIL	LOC.	67 - i-i-	3 CORE	VERTICAL	1-2 FEET	Б	J, M	Q1	I		11704			9/24/65		
33-119	SOIL	LDC.	67 - 1-1-			2-3 FEET	B	J, M	Ð1	2		11705		***	9/24/85		
33-120	SOIL	LOC.	6ā - I-1-	3 CORE	VERTICAL	0-1 FOOT	B	J	Q1	Z	331	11706	SPKE	***	9/24/85	19276	
33-121	SOIL	LOC.	68 - I-1-	3 CORE	VERTICAL	1-2 FEET	B	J,M	Q1	Z	332	11707		***	9/24/85		
33-122	SDIL	LDC.	68 - I-i-	3 CORE	VERTICAL	2-3 FEET	B	J,M	Q1	7	333	11708		***	9/24/85		
33-123	50I∟	LOC.	69 - I-1-	3 CORE	VERTICAL	0-1 F007	B	J	01	Z	334	11709	FWS	***	9/24/65		
33-124	SOIL	LOC.	69 - I-1-	3 CORE	VERTICAL	1-2 FEET	B	J, M	Q1	2	335	11710		***	9/24/85		
33-125	501L	LOC.	69 - I-1-	3 CORE	VERTICAL	2-3 FEET	B	J, M	Ũ1	Z	336	11711		***	9/24/85		
33-126	501L	LOC.	70 - I-1-	3 CORE	Surface	0-1 F00T	5	J	G 1	I	337	11712		***	9/25/85		
33-127	501L	LOC.	71 - 1-1-	3 CORE	SURFACE	0-1 F00T	Ď	J	Q1	Z	338	11713	DUPL	***	9/25/65	19240	
33-128	SOIL	FOC.	72 - I-1-	3 CORE	SURFACE	0-1 F00T	Б	J	Q1	7	339	11714		***	9/25/85		
33-129	SOIL	LOC.	73 - I-1-	3 CORE	SURFACE	0-1 FOOT	D	J	Q1	Z	340	11715		***	9/24/85		
33-130	SOIL	LOC.	74 - I-1-	3 CORE	SURFACE	0-1 FOOT	В	J	Q1	7	341	11716	DUPL	***	9/25/85	19241	
33-131	SOIL	LOC.	75 - 1-1-	3 CORE	VERTICAL.	0-1 F00T	B	J	Q1	2	342	11717		***	9/23/85		
33-13E	SOIL	LGC.	75 - 1-1-	3 CORE	VERTICAL	1-2 FEET	₿	J, M	Q1	2	343	11718		***	9/23/85		
33-133	SÜL	LOC.	75 - I-1-	3 CORE	VERTICAL	2-3 FEET	ĕ	J,M	Q1	7	344	11719		***	9/23/65		
33-134	501L	LOC.	76 - 1-1-	3 CORE	SURFACE	0-1 F00T	В	Ĵ	Q1	Z	345	11720	DUFL	***	9/23/85	19242	
33-135	50IL	ιŭC.	77 - 1-1-	3 CORE	VERTICAL	0-1 F00T	В	J	Q1	Z	346	11721		***	9/23/85		
33-136	501c	£0C.	77 - 1-1-	3 CORE	VERTICAL	1-2 FEET	Б	J,M	Q1	Z	347	11722		***	9/23/85		
33-137	50îL	LOC.	77 - 1-1-	3 CORE	VERTICAL	2-3 FEET	В	J,M	Q1	2	348	11723		***	5/23/85		
33-138	SÜLL	LOC.	7ā - I-1-	3 CORE	SURFACE	0-1 F00T	B	J	Q1	2	349	11724	SPKE	***	9/23/65	19277	
33-139	ສມີໂພ	LÜĹ.	79 - 1-1-	3 CORE	BURFACE	0-1 F00T	ě	j	ū1	1	350	11725	FWB	***	9/23/85		

: 1.D.	! MATRIX!	NAME	!	TYFE	! DEPTH		L!DEPTH!		!INTRVL!			REPLICATE		PLE	DUPL./SPIKE	NOTES
77.146		an to	o poet	GEBTICA:	A + COGT	SET		TION	éNŪ. 7	NOS.	NÜ 11726	LAB FWS	COLL.	DATE 9/24/85	NUMBERS	
33-140 33-141		80 - I-1- 80 - I-1-			0-1 FOOT 1-2 FEET	Ð B	J J,M	Q1 Q1	Z Z	351 352	11727		***	9/24/85		
33-143		60 - 1-1-				B	J,M	01	Z	353	11728		***	9/24/65		
33-143		81 - I-1-			0-1 F00T	B	j	Qi	Z	354	11729		***	9/23/85		
33-144		62 - I-1-			0-1 F00T	B	j	01	1	355	11730		***	9/23/65		
33-145		53 - I-1-			0-1 F00T	B	j	Q1	7	356	11731	DENCH		9/25/65	19243	
33-146		63 - I-1-				5	J.M	Qì	7	357	11732			9/25/85		
33-147		83 - 1-1-			2-3 FEET	8	J,M	Q1	7	358	11733		***	9/25/85		
33-148		84 - I-1-				B	j	Q1	2	359	11734		***	9/25/85		
33-149		84 - 1-1-			1-2 FEET	B	J, M	<u> 0</u> 1	Z	360	11735		***	9/25/85		
33-150		84 - 1-1-	23C CORE	VERTICAL	2-3 FEET	Б	J, M	Q1	7	361	11736		***	9/25/65		
33-151	SOIL LOC.	85 - I-1-	23C CORE	VERTICAL	0-1 F00T	Б	J	Q1	Z	362	11737		***	9/25/85		
33-152	SOIL LOC.	85 - I-1-	23C CORE	VERTICAL	1-2 FEET	B	J, M	81	Z	363	11738		***	9/25/85		
33-153	SOIL LOC.	85 - I-1-	23C CORE	VERTICAL	2-3 FEET	B	J,M	61	7	364	11739		***	9/25/65		
33-154	SOIL LOC.	86 - 1-1-	23C CORE	VERTICAL	0-1 F00T	В	J	Q1	7	365	11740		***	9/25/85		
33~155	SOIL LOC.	86 - I-1-	23C CORE	VERTICAL	1-2 FEET	B	J, Ħ	Qí	7	366	11741	DUPL		9/25/85	19244	
33~156		86 - I-1-			2-3 FEET	Đ	J,M	Q1	7	367	11742			9/25/85		
33~157		87 - I-1-			0-1 F00T	D	J	61	Z		11743		***	9/25/85		
33-158		87 - 1-1-			1-2 FEET	Б	J,M	Ũ1	Z	369	11744		***	9/25/85	•	
33~155		37 - I-1-			2-3 FEET	Ð	J, M	61	Z	370	11745		***	9/25/65		
33-160		68 - 1-1-			0-1 F00T	8	J	G1	1	371	11746		***	9/25/65		
33~161		88 - I-1-			1-2 FEET	B	J, M	Q1	2	372	11747		***	9/25/85		
33-162		88 - 1-1-			2-3 FEET	В	J, M	Q1	1		11748	n (6)		9/25/65	40345	
33-163		89 - 1-1-			0-1 FOOT	Б	J	01	1	374	11749	DOPL	***	9/25/85	19245	
33-164		69 - I-1-i			1-2 FEET	B	J,M	Q1	7	375	11750		###	9/25/65		
33-165		69 - I-1-			2-3 FEET	₽	J, M	G1	1		11751	EGO	***	9/25/85		
33-166		50 - I-1-6 50 - I-1-6			0-1 F007	B	J	Q 1	1 7	377 378	11752 11753	FWS	***	9/25/85 9/25/85		
33-167 33-166		50 - I-1-1			1-2 FEET 2-3 FEET	B	J,M J,M	01 01	7		11754	enve	***	9/25/85	15278	
33-169		51 - I-1-A			0-1 F00T	ь Б	J	Qi	2		11755	OFAL	***	5/25/85	1,767.0	
33-170		51 - I-1-i			1-2 FEET	В	J.M	01	2		11756	enue	***	5/25/65	19279	
33-171	5012 200.	51 - I-1-8			2-3 FEET	B	J,M	Qi	2		11757	ML1/F	***	5/25/85	1 JL 1 J	
33-17£		52 - I-1-A			0-1 F00T	B	J	G1	l	383	11758		***	9/25/65		
33-173		98 - I-1-8			1-c FEET	E.	J,M	ū1	2	334	11759		***	9/25/85		
33-174		52 - 1-1-6			2-3 FEET	ě	J,M	01 01	2	385	11760	DeliDe	***	9/25/85	19246	
33-175		93 - 1-1-3			0-1 FDOT	8	j	Qí	7		11761			9/25/65		
1.0						-	-	~-	-	J. J.				-, -9, 00		

CRAB ORCHARD NATIONAL WILDLIFE REFUGE PHASE I SAMPLING AND ANALYSIS SCHEDULE

! I.D. ! MATRIX! NAME	! TYPE	! DEPTH		.:DEPTH!					REPLICATE			DUPL./SPIKE	NOTES
			SET	_	TION	& NO.	NOS.	NO	LAB FWS		DATE	NUMBERS	
	3C CORE VERTICAL	1-2 FEET	Б	J, M	01	1					9/25/85		
	3C CORE VERTICAL	2-3 FEET	B	J, M	<u>υ</u>)	2	368	11763			9/25/85		
	3C CORE SURFACE	0-1 F00T	B	J	Qi	Z		11764			9/25/85		
	3C COKE SURFACE	0-1 F00T	B	J	Q1	1	330	11765			9/25/85		
	3C CORE VERTICAL	0-1 F00T	5	J	Qí	1	391	11766			9/25/85	19247	
	3C CORE VERTICAL	1-2 FEET	В	J, M	01	2	392	11767			9/25/65		
	3C CORE VERTICAL	2-3 FEET	B	J, M	Q1	Z		11768			9/25/65		
	9 SURFACE COMP.	0-1 F00T	<i>B</i>	J	Q1	X					9/25/85		
	15 SURFACE COMP.	0-1 F00T	Б	J	Q1	X		11770			9/25/85		
	1 SURFACE COMP.	0-1 FOOT	B	J	<u>0</u> 1	X		11771			9/25/65		
33-186 SOIL LOC. 100 - I-1-		0-1 F00T	Б	j	Q1	X					9/25/85		
33-167 SOIL LOC. 101 - I-1-		0-1 FOOT	8	J	D 1	X		11773			9/25/85	19248	
33-188 SOIL LDC. 102 - I-1-	5 SURFACE COMP.	0-1 F00T	B	J	Q1	X		11774	FWS	***	9/25/85		
33-169 SOIL - SPARE NUMBERS			B					11775					
33-190 SUIL - SPARE NUMBERS			ā					11776					
33-191 SOIL - SPARE NUMBERS			B					11777					
33-192 SOIL - SPARE NUMBERS			B					11778					
33-193 SOIL - SPARE NUMBERS			Ď					11779					
33-194 SOIL - SPARE NUMBERS			F					11780					
33-195 SOIL - SPARE NUMBERS			B					11781					
33-196 SOIL - SPARE NUMBERS			В					11782					
33-197 SOIL - SPARE NUMBERS			B					11763					
33-198 SOIL - SPARE NUMBERS			Ē					11784					
33-199 SOIL - SPARE NUMBERS			b					11785					
33-200 SDIL - SPARE NUMBERS			B					11785					
33-201 SULL - SPARE NUMBERS			B				412	11787					
*** 35:AREA 9 EAST	WATERWAY												
35- I SEDIMENT WATERWAY	COMP. 5 GRABS	0-1 FT	A	I	ē	y	548	19208		***	ō/13/65		
35- 1 SEDIMENT WATERWAY	COMP. 5 GRABS	0-1 FT	F	I	<u>F</u>	Y	598	5263		it	11/18/65		
*** #12 34:CRAE DRCHARD	LAKE												
34- 1 WATER REFUGE INTAKE	GRAB	NÃ	Ē	-	ĩ	W	413	3252		***	7/24/85		
34- 2 WATER MARION INTAKE	GRAB	NA	Ė	-	ī	₩	414	3251		***	7/24/85		

! I.D		! MATRIX!	NAME	! TYPE	! DEPTH	! ANAL	.!DEPTH!	LOCA-	!INTRVL!	SAMP!	! LAB	REPLICATE	SAM	PLE	DUPL./SPIKE	NOT	ES
						SET		TION	& NO.	NOS.	NO	LAB FWS	COLL.	DATE	NUMBERS		
34-	3		IARION RESINTAKE		NA	Ε	-	T	₩	415	3253			7/25/85		•	9/24/65
34-	4		EFUGE TREATED H20		NA	Ε	-	T	W	416	3246		***	7/24/85		Resamp.	9/24/85
	5		IARION TREATED HEC		NΑ	Ε	-	T	₩	417	3255		***	7/25/85		Resamp.	9/24/85
34-		WATER	LAKE 1 B	COMP. 3 DEPTHS	SURF-0.8 FT		0	S	W	418	11788		•				
34-		WATER	TAKE 5 C	COMP.3 DEPTHS	SURF-0.8 FT		0	S	¥	419	11789		•				
34-		WATER	LAKE 3 G	COMP. 3 DEPTHS	SURF-0.8 FT		0	S	₩		11790		•				
34-		WATER	LAKE 4 H	COMP. 3 DEPTHS	SURF-0.8 FT		8	S	W		11791		•				
34-		WATER	LAKE 5 A	COMP.3 DEPTHS	SURF-0.8 FT		G	S	W		11792		•				
34-		WATER	LAKE 6 D	COMP. 3 DEPTHS	SURF-0.8 FT		0	ទិ	₩		11793		•				
34-		WATER	LAKE 7 E	COMP.3 DEPTHS	SURF-0.8 FT		0	. S	W		11794		•				
34-		WATER	LAKE 8 F	COMP. 3 DEPTHS	SURF-0.8 FT		0	S	W	425	11795		•				
34 -		WATER	LAKE 9 I	COMP.3 DEPTHS	SURF-0.8 FT		0	S	₩	426	11796		•				
34-		WATER	LAKE 10J	COMP.3 DEPTHS	SURF-0.8 FT		0	S	W	427	19159		•				
		SEDIMENT	LAKE 1 B	GRAB	DREDGE	H	K	S	jú	428	19160		•				
		SEDIMENT	LAKE ≥ C	GRAB	DREDGE	H	K	S	H	429	19161		•				
		SEDIMENT	LAKE 3 G	GRAB	DREDGE	I	K	S	W	430	19162	FWS	•				
		SEDIMENT	LAKE 4 H	GRAB	DREDGE	I	K	S	W	431	19163		•				
		SEDIMENT	LAKE 5 A	GRAB	DREDGE	I	K	S	H		19164		•				
		SEDIMENT	LAKE 6 D	GRAB	DREDGE	1	К	S	W	433	19165		•				
		SEDIMENT	LAKE 7 E	GRAB	DREDGE	I	K	Ş	₩	434	19166		•				
		SEDIMENT	LAKE 8 F	GRAB	DREDGE	I	К	5	W	435	19167		•				
		SEDIMENT	LAKE 9 1	GRAB	DREDGE	I	K	S	W	436	19168		•				
		SEDIMENT	LAKE 10J	GRAB	DREDGE	I				437	19169		•				
34~		FISH	LAKE SITE 1 B	COMP. 5 CARP	NA	I				438	19170			7/23/65			
34-		FISH	LAKE SITE 1 B	COMP. 5 BASS	NA	I				439	19171			7/23/85			
34-		FISH	LAKE SITE 1 B	COMP. 5 BASS	NA	I				440	19172	B. 18		7/23/85			
34-		FISH		COMP. 5 BULLHEAD		I					19192	FWS		7/23/85			
34-		FISH		COMP. 5 BULLHEAD		I					19193			7/23/85		5 4 114	
34-		FISH		COMP. 2 CATFISH	NA	I					19194	54.5		7/23/85		2 paili	head 11/85
34-		FISH	LAKE SITE 2 C	COMP. 5 CARP	NA	Н					19173	FWS		7/23/85			
34-		FISH	LAKE SITE 2 C	COMP. 5 CARP	NA NA	I					19174			7/23/85			
34-		FISH	LAKE SITE 2 C	COMP. 5 BASS	NA	H					19175			7/23/85			
34-		FISH		COMP. 5 BULLHEAD		I				463	19195			7/23/85			
3 4 -		FISH		COMP.5 BULLHEAD		I				464	19196			7/23/85			
34-		FIBH		COMP.5 CATFISH	ΝA	I				465	19197			7/23/85			
34-	3డ	FISH	LAKE SITE 3 6	COMP. 5 CARP	NA	I				444	19176		***	7/23/85			

CRAB ORCHARD NOTIONAL HILDLIFE REFUSE PHASE I SAMPLING AND ANALYSIS SCHEDULE

į	I.D.	į.	MATRIX!	NAME	!	TYPE	!	DEPTH		DEPTH!		!INTRVL!			REPLICATE	SAM		DUPL./SPIKE	NOTES
									SET		TION	€ NO.	NOS.	NO	LAB FWS		DATE	NUMBERS	
	4- 33		FISH	LAKE SITE 3 6		5 CARP		NA	I				445	19177			7/23/85		
	34- 34		FISH	LAKE SITE 3 G		5 Bass		NA	I				446	19178	FWS		7/23/65		FWS 11/85
	i4- 54		FISH	LAKE SITE 3 6		BULLHEA		NA	I				466	19198			7/23/85		
	4- 55		FISH	LAKE SITE 3 G		BULLHEA	D	NA	I				467	19159			7/23/85		
	4- 35		FISH	LAKE SITE 4 H		5 CARP		NÁ	I				447	19179	FWS		7/24/85		
	4- 36		FISH	LAKE SITE 4 H		5 BASS		NA	I				448	19160			7/24/85		
	37 37		FISH	LAKE SITE 4 H		5 Bass		NA	I				449	19181			7/24/85		
3	4- 59	9	FISH	LAKE SITE 4 H		BULLHEA		NA	I					19200			7/24/85		
3	4- 60)	FISH	LAKE SITE 4 H	COMP.5	BULLHEA	D	NÄ	I					19201			7/24/85		
3	4- 61	ì	FISH	LAKE SITE 4 H	COMP. 4	CATFISH	Ì	NA	I								7/24/65		1 bullhead 11/85
3	4- 38	5	FISH	LAKE CONTROL J		5 CARP		NA	I					19182			7/24/65		
3	4- 39	3	FISH	LAKE CONTROL J	COMP.	5 CARP		NA	I				451	19163		***	7/24/85		
3	4- 40	Ĵ	FISH	LAKE CONTROL J		3 BASS		NA	I				452	19184	FWS		7/24/85		1 FWS 11/85
	4- 41		FISH	LAKE CONTROL J	COMP.	5 BASS		NA	I				453	19185			7/24/85		
3	4- 56	5	FISH	LAKE CONTROL J		BULLHEA		NA	1				468	19203	•		7/24/85		
	4- 57		FISH	LAKE CONTROL J		BULLHEA		NA	I					19204			7/24/85		
3	4- 58	5	FISH	LAKE CONTROL J	COMP. 3	CATFISH		NA	I					19205		***	7/24/65		2 bullhead 11/85
3	4- 43	2 T	URTLES	LAKE SITE 1 B	COMP	. OF 2		BOTTOM	I				454	19186			7/24/85		
3	4- 43	3 T	URTLES	LAKE SITE 2 C	COMP	. OF 2		BOTTOM	I				455	19187			7/24/85		
3	4- 44	4 T	URTLES	LAKE SITE 3 G	Comp	. OF 2		BOTTOM	I				456	19188			7/24/85		
3	4- 45	5 CR	AYFISH	LAKE SITE 1 B	COMP. O	F 300gas		SURFACE	I				457	19189			7/24/85		
3	4- 46	S CR	AYF ISH	LAKE SITE 2 C	COMP. O	F 300gms		Surface	I				458	19150			7/24/65		
Ē	4- 47	7 CR	AYFISH	LAKE SITE 3 6	COMP. O	F 300gms		SURFACE	I				459	19191			7/24/85		
ŧ	** .		*13	31:REFUGE CONTRO	L SITE														
3	11- 1	1	SOIL	REFUGE CONTROL	SINGL	E SAMPLE		SURFACE	D		T	W	474	19206		***	8/14/85		Near dead tree
3	1- 1	ì	SOIL	REFUGE CONTROL	SINGL	e sample		SURFACE	G		T	W	599	9284		***	11/19/85		
3	11- 2	2	WATER	REFUGE CONTROL	SINGL	E SAMPLE		BAILER	I		T	W	475	19207		•			
*	hk.		*14	40:DUPLICATES															
4	-û~ 1	1	WATER		DUPLI	CATE			A				476	19215	DUPL	***	8/13/85	9467	
	û- â			SPARE NUMBER	DUPLI				ī					19216	. –				
	ú- 3		WATER		DUFLI				Ī					19217	DUPL				
	Ú- 4		WATER		DUPLI				ì					19218		•			

CRAB DROHARD NATIONAL WILDLIFE REFUGE PHASE I SAMPLING AND ANALYSIS SCHEDULE

! I.D. ! MATRIX! NA	ME ! TYPE ! DEPTH	!ANAL!DEPTH!	LOCA-	!INTRVL!	SAMP!	! LAB	REPLICATE	SAM	IPLE	DUPL./SPIKE	NOTES
		SET	TIÛN	& NO.	NOS.	ИŨ	LAB FWS	COLL.	DATE	NUMBERS	
40- 5 WATER	DUPLICATE-WELL	I				19219		•			
40- 6 WATER	DUPLICATE-WELL	I				15220		•			
40- 7 SBIL	DUPLICATE	Α				19221		***	8/14/85	9402	
40- 8 50IL	DUPLICATE	ŕ			433	19222		***	11/19/65	9251	
40- 9 501L	DUPLICATE	A			464	15223		***	8/15/85	9453	
40- 10 SOIL	DUFLICATE	A			485	15224	DUPL	***	8/14/85	9463	
40- 11 SEDIMENT	DUPLICATE	F				15225		***	11/18/85	9261	
40- 12 SDIL	DUPLICATE	A				19226			8/17/85	9417	
40- 13 SOIL	DUPLICATE	G				19227		***	11/18/65	9270	
40- 14 SOIL	DUPLICATE	Б				19228			9/23/85	10703	
40- 15 SOIL	DUPLICATE	В				19229			9/23/85	10715	
40- 16 SOIL	DUPLICATE	B				19230			9/23/85	10722	
40- 17 SOIL	DUPLICATE	Б				19231			9/23/85	10728	
40- 18 SOIL	DUPLICATE	E.				19232			9/24/85	10738	
40- 19 501L	DUPLICATE	Ď				19233			9/23/85	11642	
40- 20 SBIL	DUPLICATE	В				19234			9/24/85	11651	
40- 21 SDIL	DUPLICATE	В				19235		***	9/24/85	11661	
40- 22 5 07L	DUFLICATE	E				19236		***	9/24/85	11679	
40- 23 SOIL	DUPLICATE	B				19237			9/24/85	11685	
40- 24 SOIL	DUFLICATE	£				19838			9/25/65	11691	
40- 25 BDIL	DUFLICATE	B				15239			9/24/65	11703	
40- 26 SOIL	DUFLICATE	Б				19240			9/25/85	11713	
40- 27 SOIL	DUPLICATE	មិ				15241			9/25/85	11716	
40-23 SOIL	DUPLICATE	Б				19242			9/23/85	11719	
40- 29 SOIL	DUPLICATE	Б				15243			9/25/65	11731	
40- 30 - 50IL	DUFLICATE	Б				19244		***	9/25/85	11741	
40- 31 SOIL	DUPLICATE	Б				19245			9/25/85	11749	
40- 32 SOIL	DUPLICATE	₽				19246			9/25/85	11760	
40- 33 - 501L	DUPLICATE	ā				19247			9/25/65	11766	
40- 34 SOIL	DUFLICATE	₽				19248		***	9/25/65	11773	
40- 35 SOIL	DUFLICATE	£				19249			8/22/65	10654	
40- 36 SOIL	DUFLICATE	C				19250			8/24/85	9500	
40- 37 SOIL	DUPLICATE	C				19251			8/22/85	10660	
40- 3a SOIL	DUFLICATE	Ħ				19252			8/22 /85	10661	
40- 39 SOIL	DUPLICATE	D			514	19253	DUPL	***	8/17/85	9398	
40- 40 SEDIMENT	DUPLICATE	A			515	19254	DUFL	***	8/16/85	9429	

CRAB ORCHARD NATIONAL WILDLIFE REFUGE PHASE I SAMPLING AND ANALYSIS SCHEDULE

! I.D. ! M	MATRIX! NAME	: TYPE	E !	DEPTH	!ANAL!DEPTH!	LOCA-	INTRVL!	SAMP!	! LAB	REPL1	CATE	SA	(PLE	DUPL./SPIKE	NOTES
					SET	TION	i NO.	NOS.	NÜ	LAB	FWS	COLL.	DATE	NUMBERS	
40- 41 SEI		DUPLICATI			A			516	19255	DUPL		***	8/16/65	19210	
40- 42 SEI		DUPLICATE	•		A			517	19256	DUPL		***	8/13/85	9468	
40- 43 SED	DIMENT	DUPLICATE	:		A			518	19257	DUPL		***	8/22/85	10685	
40- 44 SED		DUPLICATE			A			519	19258	DUPL		***	8/23/85	10691	
40- 45 SED		DUPLICATE			6			520	19259	DUPL		***	11/19/85	9262	
40- 46 SED)IMENT	DUFLICATE	Ē		1			521	19260	DUPL					
40- 47 SED		DUPLICATE	•		I			522	19261	DUPL					
	601L	DUPLICATE			A				19287			***	8/13/85	9491	
	301L	DUPLICATE			Ð			551	19269	DUPL		***	8/16/85	9461	
	201F	DUPLICATE			Ð			552	19290	DUPL		***	8/16/85	9443	
	301L	DUPLICATE			D			553	19291	DUPL		***	8/14/65	9473	
	IMENT EXPLOSIVES ANAL.				A			555	9255			***	7/25/85	3387	
40- 53 SED)IMENT	DUPLICATE			н			601	9286	DUPL					
***	41:SPIKES														
***	41.041000														
41- 1 SED	IMENT	SPIKE			F			523	19262	SPKE		***	12/05/85	9278	
41- 2 5	60IL	SPIKE			6			524	19263	SPKE			11/19/85	9261	
41- 3 W	ATER	SPIKE			I			525	19264	SPKE					
41- 4 W	iater	SPIKE	-WELL		I			526	19265	SPKE					
41- 5 5	901F	SPIKE			A			527	19266	SPKE		***	8/14/85	9403	
41- 6 5	501L	SPIKE			A			528	19267	SPKE		***	8/17/85	9436	
	101L	SPIKE			A			529	19268	SPKE		***	8/16/85	9459	
41- 8 5	01L	SPIKE			A			530	19269	SPKE		***	8/14/85	9481	
	OIL	SPIKE			Б			531	19270	SPKE		***	9/23/85	10725	
	SOIL	SPIKE			В			532	15271	SPKE		***	9/23/85	10745	
	ioil	SPIKE			B			533	19272	SPKE		***	9/23/85	11541	
	WIL.	SPIKE			Б			534	19273	SPKE		***	9/24/85	11665	
41- 13 9	01L	SPIKE			В			535	19274	SPKE		***	9/24/85	11680	
41- 14 5	201F	SPIKE			B			536	19275	SPKE		***	9/25/85	11688	
	ioil	SPIKE			B			537	19276	SPKE		***	9/24/85	11706	
	101L	SPIKE			B			538	19277	SPKE		***	9/23/65	11724	
	iði L	SPIKE			Б			539	19278	SPKE		***	9/25/65	11754	
	ØIL	SPIKE			B			540	19279	SPKE		***	9/25/85	11756	
	ŬΙL	SPIKE			C			541	19280	SPKE		***	8/23/85	10666	
41- 20 S	Oil	SPIKE			Н			542	19261	SPKE		***	8/23/65	10665	

CRAB ORCHARD NATIONAL WILDL	IFE REFUGE PHASE	I SAMPLING AND ANALYS	IS SCHEDULE REVIS	ED NOVEMBER 1985
Child Choming Territorial Miles				

! I.D.	! MATRIX	(! NAME	!	TYPE	! DEF	НТФ	!ANAL!DEPTH!	LOCA-!	INTRVL	SAMP!	! LAB	REPLICATE	SAM	PLE	DUPL./SPIKE	NOTES
							SET	TION	a NO.	NOS.	NO	LAB FWS	COLL.	DATE	NUMBERS	
41- 21	SEDIMENT	.	SFIRE				A			543	19282	SPKE	***	8/16/85	9427	
41- 22	FISH	- SPARE	SPIKE				I			544	19283					
41- 23	FI5H	- Spare	SPIKE				I			545	15264					
41- 24	SEDIMENT	•	SPIKE				D			546	19285	SPKE	***	8/23/85	10694	
41- 25	SEDIMENT	•	SPIKE				I			547	19266	SPKE	•			
41- 26	SOIL		SPIKE				A			550	19288	SPKE	***	8/13/85	94 87	
41- 27	SOIL	EXPLOSIVES ANAL.	SPIKE	:			Ð			557	46700	SPKE	***	7/25/85	3385	
41- 28	SOIL		SPIKE				D			561	9256	SPKE	***	7/25/85	45700	
41- 29	SOIL		SPIKE				A			562	85576	SPKE	***	8/13/85	9467	
41- 30	SOIL		SPIKE	Ī			A			569	14138	SPKE	***	8/14/85	9463	
***		42:BLANKS														
***		421BLHNNS														
42- 1	SOIL	FIELD - SAND	BLANK	<u> </u>			D			554	19292	BLNK	***	8/19/85		
42- 2	SOIL	EXPLOSIVES ANAL.	BLANK	(A			556	46699	BLNK	***	8/19/85		
42- 3	SOIL	OB&G LAB	BLANK				A			563	85575	BLNK	***	8/19/85		
42- 4	SOIL	OBAG LAB	BLANK	(A			564	46453	BLNK	***	8/19/65	·	
42- 5	SOIL	OB&G LAB	Blank				A			565	85608	ELNK	***	8/19/85		
42- 6	SOI∟	OB&G LAB	BLANK				A			566	14139	BLNK	***	8/19/65		
42- 7	SOIL	OB&G LAB	BLANK	•			A			567	2994	BLNK	***	8/19/85		
42- 8	SOIL	OB&G LAB	BLANK				A			568	2995	BLNK	***	8/19/85		
42- 9	SOIL	OBAG LAB	BLANK	!			A			570	46508	BLNK	***	8/23/85		
42- 10	SOIL	OB&G LAB	BLANK				A			571	46663	BLNK	***	8/28/85		
42- 11	SOIL	OB&G LAB	BLANK	•			6			600	9285	BLNK	***	11/20/85		
42- 12	SOIL	OBAG LAB	BLANK				6			503	9287	BLNK				
42- 13	SOIL	OB&G LAB	BLANK	1			Н			603	9288	BLNK				
42- 14	SOIL	OBAG LAB	BLANK	L			1			604	9269	BLNK	•			

END

	ATTACHMENT S-68
CRAB ORCHARD NATIONAL WILDLIFE REFUGE ***********************************	ORAB ORCHARD MATIONAL WILDLIFE REFUGE ORGANIZATIONAL MATIONAL WILDLIFE REFUGE PHASE I SAMPLING SAMPLE LADELS ORP: \$1 SIVE: STAREA 11 ACID FOND
DEST SI SIE, DOMEN IL NOID FUND	THE PROPERTY OF THE PROPERTY O
SCHUR SCHER 11 WOID FOND : SAMPLE NO. 9408 WATER - 1- 2 : By FOND WATER COMP. 4 DRAPS SERVICE AMALYSET A WEST-SERVICES FORD SCREWOAR VIAL FILL 1/2WA/	CONWR SCHREA 11 ACID FOND COMPLE NO. 7405 WATER - 1- 2 (8) FOND WATER COMP. A GRADS SURFACE ANALISET A CFLAGEABLES FOND SCREWCAP VIAL FILL 1/2WAY
China Carlos Car	CONNE
DIAFER 11 ACID FOND : BAMPLE NC. 7408 WATER - 1- 2 (STAREA 11 ACTO FOND 1 BAMPLE MG. 9408 WATER - 1- 2 (B) FOND WATER COMP. 4 BRASE BURFACE AMALISET A TOP 1/2PT PLASTIC COMO HAGS
TOTUS STARTA 11 ACID FOND : SAMPLE WG. 9405 WATER - 1- 2 (CORUR 3:ARED 14 AGID POWD : SAMPLE NO. 9408 WATER - 1- 1 (8) FOND WATER COMP. W GRAAS SURFACE AMALIBET A CYANIDE 1FT FLASTIC CAUSTIC
COMUR S.KREM 11 ACID POND : BAMPLE NO. 9408 WATER - 1- 2 (8) FOND WATER COMP. 4 GRADS BURFACE ANAL.SET A GOCYMYF EPT PLASTIC H2804	COMMAR STAREA 11 ACID FOND : SAMPLE NO. 7408 WATER - 1- 2 (8) FOND WATER COMP. 4 GRADE GURFICE AMALISET A TOX 125ML PLASTIC CHICOULFATE
CONAR CONSENTE WORD FOND : SAMPLE WO. 7408 #AFER - 1- 2 (
GOUGE SCREEN 11 ACTO FOND : BAMPLE NO. FACE BOIL - 2- 1 (9) DEAD TREE AREA COMP. 4 GRABS OF1 FT AMALISET A FORSENDLES GOME GROTING VIAL FILL 1/2WAY	CORMA STAREA 11 ACTO FOND THE NOTIFIED ACTOR SOIL - 2- 1 (9) DEAD TREE TAER COMP. 4 BRADS 5-1 FT ANALISET A ACT STREET IFT GLASS JARTTEFLER
COMER SIGNEY 11 ASID FOND : SAMPLE NO. 9409 SOIL - 2- 1 (9) DEAD TREE AREA COMP. A GRADE O-1 FT ANALISE; A CAPLOBIVES BOWL GLASS JAR KEEP MOIST	COMMR Stared in ACID POND : Sample NO. 7409 COIL - 2- 1 (F) DEAD TREE AREA COMP. 4 GRAPS 0-1 FT ANALISET A IOF 1/2FT GLASS JAR
SERWA SEARE: 11 ACTO POND SERVICENT- 3- 3 C 10) FOWD SECTOR OBLE: 4 GRAPS O-1 FT ATALLET A FRANCABLES NOW CREAME MALE FILL 1/2447	CONUM STAREA 11 ACID FORE : BAMFLE NG. 9410 BEDIHENTH SH SK 107 FOND BEL. JOMES OFFRES OHI FU AMALSET A KALL OTHER 1FT BLASS JARSTEFUSH

O. Ship

STUREA 11 ACID FOND : SAMPLE NO. FA10 SEDIMENT- 3- 3 (10) FOND BED. COMP. 4 GRARS O-1 FT ANAL.SET A

1CP 1/CPT GLASS JAR

.One.

Explicatives sawl blass day Keep Moist

O'BRIEN & GERE

ENGINEERS, INC.

Syracuse, New York

CRAB ORCHARB NATIONAL WILDLIFE REFUGE FIELD NOTES

DATE: July 25 1981

GROUP NO. SITE NO.

DESCRIPTION:

SAMPLE NO NOTES 56 Cowater grabs from North 6 sectiments guels from North Like 6 sevate years from South ditch 6 seclement grass from South Likel. 4 Composts Saucks. 2- WATER 2-SEdiunt. 011 IN (14-4) #59 scalement goods.



O'BRIEN & GERE

CHAIN OF CUSTODY RECORD

rof4

roun Sito		Schuia	lar				7/24/	
roup Site		Schwa	Je-					. 10
	Description			D. Ruelle	· ·	<u>Sh</u>	ipped f	edentay
10.		DATE	TIME	SAMPLE TYPE	Samp No.	NO. OF	Anal. Set	Remarks
B 34-18	ly. Intalse	7/24/05	PM	water-	413	4	E	
12 34-2 1	han Intake)	veter	414	4	E	Say 2
12 39-4 R	of treatly			water	416	۵.	E	==
8 22-16	ilel Shap		/	Water	168	9	A	
8 22-2 8	3 d Dup			Sed Cone 2	109	4	1	,
2 20-2 5	E Drawnoge	7/25/85	AM	sed augo/4	36	4	A	2
2 8-1 8	Sw Drainage	*	1	water compr	37	9	A	
2 8-2	11			Ged Cong 4	38	4:	A	1.
2 9-1 1	m drainage	2 /		water	39	9	A	•
2-9-2	Ч			sed	40	4	A	
2 10-1	GW MDrai	1		Svater	41	9.	A	
2-10-2	Ч		J	Sed.	42	4	D	
eiinquished by: ¡sigm	Lafar	•	Recei	ved by: Signature]		•••	.,	Date/Time
Elinquished by: 1544	anrei	-	Recei	ved by: Signowni				Date/Time
efinquished by: (5)gm	enie)		Recei	ved by: (Signature)				Date/Time
Reiinquished by: /san	Morari Martina			ved by Mobile La sis: isignature:	berete	ry for fiel	c	Date/Time
ispatched by: /signor	Nure:	Date	/lime	Received for Lo	borate	ory by:		Date/Time
leinca or Shipment	:	·	•		<u>-:/</u>	1 ~ C.	- i '	· · · · · · · · · · · · · · · · · · ·

TAPL ZSAMPLES.IYER APL CO2 ZSAMPLES SAVED 12:42 AUG 11 '85

CONWR SAMPLING AND ANALYSIS SCHEDULE: AT 12:45 AUG 11, 1985
TAPUT SEQUENCE OF SAMPLE NUMBERS FOR EACH DATE

_ATES SHOULD BE ENTERED AS SAY 08/04/85
SAMPLE NUMBERS SHOULD BE ENTERED WITH A SPACE BETWEEN EACH

NTER SAMPLING DATE : 07/25/85

ENTER SAMPLE NUMBERS :

42 44 2711 3243-3258 3384-3391 9383-9384 9394-9397 19301-19310

O YOU WISH TO RES-ENTER (Y OR N): N
MORE NUMBERS (Y OR N) ? N
SET PAPER TO TOP OF FORM AND HIT RETURN

SCHEDULE FOR SAMPLES FROM CONWR: 12:46 AUG 11, 1985 INFUT DATA STORED IN FILE: CONWRSCH811124685 NUMBER OF SAMPLES = 43

DATE	S.NO.	AS DATE	S.NO.	AS DATE	S.NO.	AS DATE	S.NO.	AS
07/25/85	42	107/25/85	44	A07/25/85	2711	A07/25/85	3243	Α
07/25/85	3244	A07/25/85	3245	A07/25/85	3246	E07/25/85	3247	Α
07/25/85	3248	A07/25/85	3249	A07/25/85	3250	A07/25/85	3251	Ε
07/25/85	3252	E07/25/85	3253	E07/25/85	3254	A07/25/85	3255	Ε
07/25/85	3256	A07/25/85	3257	A07/25/85	3258	A07/25/85	3384	Α
07/25/85	3385	A07/25/85	3386	A07/25/85	3387	A07/25/85	3388	L
07/25/85	3389	A07/25/85	3390	D07/25/85	3391	A07/25/85	9383	Α
07/25/85	9384	A07/25/85	9394	A07/25/85	9395	A07/25/85	9396	Α
07/25/85	9397	A07/25/85	19301	A07/25/85	19302	A07/25/85	19303	Α
07/25/85	19304	A07/25/85	19305	A07/25/85	19306	A07/25/85	19307	Α
07725785	19708	A07725785	19709	A07725705	19710	A		

SCHEDULE FOR SAMPLES FROM CONWR : 12:46 AUG 11, 1985

-	FURGEABL	ACID	BASE		PCBS PCDD/F	TOC	TOH
_		EXT	NEUT'	FCRS			
	42	42	42	42	. 42	40	40
					. 42	42	42
	44	44	44	44		44	44
	2711	2711	2711	2711		2711	2711
	3243	3243	3243	3243		3243	3243
400	3244	3244	3244	3244		3244	3244
	3245	3245	3245	3245		3245	3245
	3247	3247	3247	3247		3247	3247
-	3248	3248	3248	3248		3248	3248
	3249	3249	3249	3249		3249	3249
	3250	3250	3250	3250		3250	3250
₽ď	3230	3230	الاشت	3230	•	الاندت	3230
-	3254	3254	3254	3254		3254	3254
						14 Am W 1	0201
	3256	3256	3256	3256		3256	3256
40	3257	3257	3257	3257		3257	3257
	3258	3258	3258	3258		3258	3258
	3384	3384	3384	3384		3384	3384
	3385	3385	3385	3385		3385	3385
ч	3386	3386	3385	3386		3386	3386
				3387		3387	3387
	3387	3387	3387		7700		
	3388	3388	3388	3388	3388	3388	3388
	3389	3389	3389	3389		3389	3389
	3390	3390	3390	3390	3390	3390	3390
46	,3391	3391	3391	3391_		3391	3391
-14	9383	9383	9383	9383	•	9383	9383
	9384	9384	9384	9384		9384	9384
	9394	9394	9394	9394		9394	9394
撤	9395	9395	9395	9395		9395	9395
	9396	9396	9396	9396		9396	9396
	9397	9397	9397	9397		9397	9397
-	19301	19301	19301	19301		19301	19301
	19302	19302	19302	19302		19302	19302
	19303	19303	19303	19303		19303	19303
				19304		19303	19304
₩/	19304	19304	19304			19305	19305
	19305	19305	19305	19305			
	19306	19306	19306	19306		19306	19306
1 fl ació	19307	19307	19307	19307		19307	19307
	19308	19308	19308	19308		19308	19308
	19309	19309	19309	19309		19309	19309
	19310	19310	19310	19310		19310	19310

SCHEDULE FOR SAMPLES FROM CONWR : 12:46 AUG 11, 1985

							. ,		11/ 1/00
	SP.COND	PН	METAL	HG	СИ	N\$-SER	TOT\$-P	CE\$-CAF	SDWS
			.•						
	42	42		42	42	42	42		
	44 .	44		44	44	44	44		
	2711	2711		2711	2711	2711	2711		
p , .	3243	3243		3243	3243	3243	3243		
	3244	3244		3244	3244	3244	3244		
	3245	3245		3245	3245	3245	3245		
		· -							3246
-	3247	3247		3247	3247	3247	3247		J2.40
	3248	3248		3248	3248	3248	3248		
	3249	3249		3249	3249	3249	3249		
•	3250	3250		3250	3250	3250	3250		•
	0200	0200		0200	9200	0200	0200		3251
									3252
	3254	3254		7051	7054	7054	7054		3253
	ತ≟ವ 4	ವಪ ಾ 4		3254	3254	3254	3254		7055
_	70E (705/		705/	~~~	~ ~ ~ .	705/		3255
	3256	3256		3256	3256	3256	3256		
	3257	3257		3257	3257	3257	3257		
	3258	3258		3258	3258	3258	3258		
-	3384	3384		3384	3384	3384	3384		
	3385	3385		3385	3385	3385	3385		
	3386	3386		3386	3386	3386	3386		
89	3387	3387		3387	3387	3387	3387	`	
	3388	3388		3388	3388	3388	3388		
7	* 3389	3389		3389	3389	3389	3389	•	
	3390	3390		3390	3390	3390	3390		
-	3391	3391		339î	3391	3391	3391		
	9383	9383		9383	9383	9383	9383		
	9384	9384		9384	9384	9384	9384		
ii .	9394	9394		9394	9394	9394	9394		
	9395	9395		9395	9395	9395	9395		
	9396	9396		9396	9396	9396	9396		
.	9397	9397		9397	9397	9397	9397		
	19301	19301		19301	19301	19301	19301		
	39302	19302		19302	19302	19302	19302		
	19303	19303		19303	19303	19303	19303	•	
ii !					19303	19304	19304		
	35704	19304		19304			19305		
	19705	19305		19305	19305	19305			
la k	19306	19306		19306	19306	19306	19306		
	1-507	19307		19307	19307	19307	19307		•
	1 - 108	19308		19309	19308	19309	19308		
	19309	19309		19309	19309	19309	19309		
	1 - 310	19310		19310	19310	19310	19310		

" CHAS ORCHARD NATIONAL WILDLIFE REFUGE REPORT! HOV 13, 1985

PARAMETERS	HOH-AREA 9				NREA 9				PUFLICATES/SPIKES				cum.
•	SOIL	HATER	† liMast	TOTAL	BOIL	WATER	SEDMHT	TOTAL	501L	WATER	SEDMIIT	TOTAL	10101.
1-FURGEARLES_SCREEN	02	. 5	27.	116	0	0	18	18	15	1	7	23	152
2-ACID. EXTRACT, -SCREEN	71	17	29	117	0	0	9	9	15	1	4	20	1.18
3-PASE/HEUTRALS-SCREEN	71	19	27	119	0	0	9	9	15	ŧ	4	20	1.411
A-PESTICIDES-SCREEN	0	15	1	16	0	0	0	0	0	0	0	O	16
5-rces	O	. 0	0	0	0	0	0	0	0	O	0	n	0
6-HETALS-ICAFS	82	20	29	, 131	0	0	10	18	28	3	13	44	101
7-HETALS-AA	0	0	· 0	0	0	0	0	0	0	0	0	O	Ģ
BUMERCURY	80	21	27	1 130	9	0	18	27	15	1	フ	23	180
9-CYNHIDE	40	20	27	87	0	0	0	0	7	1	1	9	76
10-FH	ĦO	14	30	124	36	0	10	54	15	0	7	22	200
11-sr,cone,	82	14	30	126	37	0	18	55	19	n	7	26	207
12-100	82	21	30	133	36	0	18	54	20	1	7	28	215
13-1011	O	16	0	16	0	0	0	0	0	1	0	1	17
14-ERFL051VE5	82	20	27	131	4	0	10	22	30	4	12	46	177
15-HITPOGEN SERIES	82	21	30	133	35	0	18	53	20	1	7	28	214
16-FODD/FODE-SCREEN	. 0	0	. 0	0	0	0	0	0	0	O	0	σ	0
17-CATION EXCH, CAF	0	0	0	0	0	0	0	0	0	0	0	Ø	O
18-101, PHOSPHORUS	73	21	30	124	9	0	18	27	14	1	6	21	172
19-SOWN FORMMETERS	O	5	0	5	0	0	0	0	0	0	0	O	
20-FERCENT TOT, SOLID	81	0	- 29	110	37	0	17	54	20	0	5	25	145
TOTAL AHALISIS	988	251	391	1620	203	0	197	400	233	16	87	336	2356

ATTACHMENT S-7 REVIEW OF AVAILABLE INFORMATION CRAB ORCHARD NATIONAL WILDLIFE REFUGE

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND
SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221 REVIEW OF AVAILABLE INFORMATION

CRAB ORCHARD NATIONAL WILDLIFE REFUGE

March 1985 O'Brien & Gere Engineers, Inc.

TABLE OF CONTENTS

- 1. Introduction
- 2. Location of Crab Orchard N.W.R.
- 3. Crab Orchard Creek Basin
- 4. Crab Orchard Lake
- 5. Site History/Map
- 6. Regional Hydrogeology
- 7. Physical Information about Dump
- 8. Area-9 Landfill Sampling & Analysis
- 9. Building Complex Sampling & Analysis
- 10. Water Tower and Fire Station Sampling & Analysis
- 11. Lake Water Sampling & Analysis
- 12. Lake Sediments Sampling & Analysis
- 13. Fish Sampling & Analysis
- 14. Deer Fat/Tissue Sampling & Analysis
- 15. Surface Water/Sediments Sampling & Analysis
- 16. Groundwater Sampling & Analysis
- 17. Water Supply System
- 18. Biological Sampling
- 19. Department of Interior: Remedial Investigation/Feasibility Study Sampling & Analysis Summary

APPENDIX: AVAILABLE DOCUMENTS LISTING

1. INTRODUCTION


A Scope of Work for a Remedial Investigation/Feasibility Study was developed by the U.S. Fish and Wildlife Service regarding the Crab Orchard National Wildlife Refuge in southern Illinois. The proposed study may be visualized as comprising six geographic elements: 1) Area-9 Landfill, 2) Plant Site (Building Complex), 3) Lake Inlet, adjacent to Area-9, 4) Remainder of Crab Orchard Lake, 5) Water Tower Dump, and 6) Fire Station Dump.

A review of previous data from reports, letters and memos (listed in the Appendix) was conducted. Available documents are listed in the Appendix. There are several documents, including some listed in the Reference Section of the RI/FS scope of work that were not available at the time of this review. These documents should be reviewed prior to developing a final scope of work.

This Review provides a concise overview, in the form of a one-page figure and/or summary, of available information on the various elements of this study.


2. LOCATION

STATE OF ILLINOIS




Location of Crab Orchard National Wildlife Refuge

The Crab Orchard National Wildlife Refuge (C.O.NWR) is located in the southern region of the State of Illinois.



The Crab Orchard National Wildlife Refuge (C.O.NWR) lies primarily within Williamson County and extends into neighboring Jackson, Union and Johnson Counties. There are twelve lakes, including the Crab Orchard Lake, located within the C.O.NWR.



Crab Orchard Lake has a surface area of 6965 acres, a maximum depth of 30 feet, and 635 acre-feet of storage capacity. The watershed drainage area is 109,261 acres. The lake has a retention time of approximately 0.8 years. Water enters the lake through several creeks, including Crab Orchard Creek on the eastern end of the lake and an intermittent creek adjacent to the Area-9 Landfill. Water leaves the lake through Crab Orchard Creek on the western end of the lake. In addition, 280,000 gallons/day of water is used by the Refuge.

The Remedial Investigation/Feasibility Study Scope of Work covers the eastern portion of the Crab Orchard Lake, the Area-9 Landfill, the Building Complex, Water Tower dump and the Fire Station dump.

5. SITE HISTORY

The land which now is within the Crab Orchard National Wildlife Refuge has supported several different uses over the past fifty years. The history of the area is important, because definition of the present contamination problem begins with information about past activities.

In the 1920s and 1930s, the present Crab Orchard National Wildlife Refuge was apparently used for agriculture (Ref 1). It was during that time that the United States began purchasing land in order to create a refuge (Ref 1).

The Illinois EPA reports that in 1940, the impoundment now called <u>Crab</u> <u>Orchard Lake</u> was completed (Ref 44).

The early 1940s were a time of national emergency. With the cooperation of the United States, industries established operations on the Crab Orchard site. Although the United States owned the land, it is unclear which agency was responsible for the administration of the property. From available information, it appears that title was held by the Department of the Interior, but the War Assets Administration may have had decision-making authority over the site (Ref 23).

In the early 1940s, according to former Sangamo employees, a number of industries were active on the Crab Orchard site:

- Sherwyn Williams built a facility and manufactured land mines and bombs. Sherwyn Williams operated its facility under contract with the United States (Ref 1).
- National Radiator located on the site (Ref 1).
- Dynagraph (?) Bradley located on the site; it manufactured printing inks (Ref 1).
- Two transformer companies used the site; one was Kenyon, located near the Fire Station dump. The name of the other company is not known (Ref 1).
- A nearby plant made radio speakers (Ref 1).
- Nearby plants were engaged in metal plating, painting, metal work and electrical work (Ref 1).
- An ammunition plant was operated on the site (Ref 47).

To support the industries, industrial landfills were developed (Ref 37).

There was an explosion and fire at the Crab Orchard site. The U.S. EPA stated that some of the buildings that were involved were lined with lead (Ref 47).

During the early 1940s, too, the Crab Orchard site was repeatedly sprayed with lead arsenate to control insects (Ref 47).

5. SITE HISTORY (cont.)

In 1946, Sangamo Electric Company began manufacturing at the site (Refs 23, 52). The contract between the United States and Sangamo was probably negotiated with the War Assets Administration (Ref 23). Sangamo, during its tenure on the site, manufactured transformers, capacitors, and various other electrical products (Ref 1). The Ordill facility, as it was known, contained the Sangamo Capacitor Division. That division manufactured power factor capacitors, AC motor run capacitors, and a variety of DC capacitors. The components were of various types and included aluminum, electrolytes, mica, and silver and lead foil. The Division also manufactured small transformers that used mineral oil as a dielectric. Former Sangamo employees have indicated that the principal dielectrics used for the capacitors were Aroclors 1254 and 1242 (Ref 1).

After Sangamo was established, but still during 1946, the Crab Orchard site was turned over to the U.S. Fish and Wildlife Service (Ref 47). At the government's direction, Sangamo disposed of certain industrial wastes at a landfill owned by the government. The landfill is northeast of the former Sangamo plant site.

Between 1946 and 1961, Sangamo operated on the Crab Orchard site. It is not clear when Olin Corporation started using industrial facilities at the site from the references available, but Olin manufactured explosives that were used to start jet engines (Ref 1). The company used nitroglycerine in its operation. Also during part of this time, although exact dates are not available from the references used, a vocational college associated with Southern Illinois University used part of the site (Ref 1).

In 1952 or 1953, the original capacitor plant of Sangamo burned. Former Sangamo employees said that the plant burned just before it was scheduled to open (Ref 1). It is unclear, then, whether Sangamo produced capacitors before the early 1950s. The capacitor plant was rebuilt in 1952 or 1953 (Ref 1).

In 1953 or 1954, Olin experienced a massive explosion at its nitrogly-cerine operation (Ref 1).

In 1962, Sangamo closed its capacitor manufacturing plant at the Crab Orchard site (Ref 52).

From 1962 on, a number of other manufacturers moved to the site:

- Tuck Tape moved into a Sangamo building. Tuck Tape had a fire in the same year (Ref 1).
- Hoozier Cardinal used the site to manufacture automobile parts (Ref 1).
- Corrugated boxes were manufactured at the site (Ref 1).
- Fiberglas boats were manufactured at the site (Ref 1).
- Universal Match operated at the Crab Orchard Refuge.

5. SITE HISTORY (cont.)

The landfill used by Sangamo may have been closed by the U.S. Fish and Wildlife Service in 1964 (Ref 48). The wastes were covered with soil. According to the Illinois EPA the cover has eroded in places (Ref 48). The U.S. EPA has reported that, between 1973 and 1983, the U.S. Fish and Wildlife Service removed and disposed of five (5) million pounds of explosives and other refuse from the Crab Orchard site (Ref 47), not limited to the Area 9 Landfill.

From the late 1970s through the present, sampling has been conducted to permit analysis of possible contamination at the Refuge. Until 1981, the main parameters of interest were lead, mercury, and other heavy metals, notably cadmium. After 1981, analyses were conducted also for PCBs, dioxins, and benzo furans (Multiple References).

On 16 May 1984, the Illinois Environmental Protection Agency sealed the Area 9 Landfill stating:

The Agency has determined that the (U.S.) Department (of the Interior) has, through its contract relationship with the former tenant of the Sangamo site, Sangamo Electric Company, deposited... contaminants upon the land in such place and manner so as to create a water pollution hazard.

The Agency has determined that the Department has caused or allowed the open dumping of waste containing the aforementioned contaminants in violation of Section 21 (a) of the (Illinois Environmental Protection) Act, and continues to allow such contaminated waste to be stored or disposed of in violation of Section 12(e) and (f) of the Act and the Resource Conservation and Recovery Act of 1976. (Ref 24)

In July 1984, the U.S. Fish and Wildlife Service circulated a draft scope of work for a Remedial Investigation/Feasibility Study applicable to the Crab Orchard site (Ref 13).

Also in July 1984, Olin restricted access to Building I-1-23 because of high levels of PCBs. Olin leased the building from the U.S. Fish and Wildlife Service. The building formerly had been occupied by Sangamo Electric (Ref 12).

6. SITE HYDROGEOLOGY

On-site land surface elevations range between 410 and 420 feet above mean sea level (msl). The spillway elevation of the lake is at 405 feet msl. The topography in the vicinity of the site slopes gently northward towards the lake.

Available boring logs indicate that the site is underlain by a minimum of 7.5 feet of silty clay. The logs of observation wells (Ref 27) installed around the landfill (COW 1, COW 2 and COW 3) reveal that this silty clay layer is upwards of 30 feet thick north of the site and 25 feet thick to the south of the site. Additionally, the drilling log of the observation well south of the site (COW 1) reveals a silty sand layer from 25 feet to 30.5 feet below the surface. Thin lenses of silt and sand were reported below 14 feet in the other two observation well logs.

Four (4) test borings were drilled within the landfill by Ecology & Environment to determine the thickness of fill and the nature of the subsurface materials underlying the refuse. These borings reportedly revealed that the site consists of a thin layer of loess overlying 4 to 8 feet of fill. It was, however, reported that the actual boundary between the fill and the natural silty clays was difficult to determine due to weathering and leaching processes occuring during the twenty (20) years since the site was abandoned.

Groundwater was reportedly encountered at 24 feet in COW 1, 15 feet in COW 2 and 16 feet in COW 3 during drilling operations. However, groundwater measurements collected by Ecology & Environment on December 8, 1983, subsequent to well installation, show the groundwater to be between 2 and 6 feet below ground level. These groundwater elevation data indicate the silty clay may be saturated throughout.


Although existing data is inadequate to fully characterize the shallow groundwater, flow within the silty clay material is likely toward Crab Orchard Lake. The lake also appears to serve as a shallow groundwater discharge point.

Projection of the groundwater elevations observed in monitor wells adjacent to the fill area suggest the base of the fill may be involved in the groundwater. Insufficent data exist to confirm whether the fill is unsaturated though.

In general, the on-site hydrogeology at the Area-9 Landfill has not been fully characterized. Additional study efforts that should be considered include:

- 1. Re-evaluation of on-site groundwater flow direction and chemistry.
- 2. In-situ hydraulic conductivity tests to assess groundwater flow velocity.
- 3. Additional groundwater monitor wells if Item 1 above suggests inadequacies in the existing monitoring network.

PHYSICAL INFORMATION - LANDFILLS




The Area-9 Landfill is located below the eastern section of Crab Orchard Lake and between the building complex and an intermittent creek. The limits of the landfill are discernable by changes in the topography and vegetation (Ref 47), revealing an area of approximately 2.5 acres with a fill thickness of 8 to 10 feet in the middle and 6 feet at the edges (Ref 31). The landfill is covered by a thick growth of tall grass, except where waste materials are exposed. Aerial photographs taken in August 1983 (Ref 47) and December 1984 have not been obtained yet.

The estimated volume is 16,000 cubic yards according to one report (Ref 48) and 35,000 cubic yards according to another report (Ref 29). Materials visible at the surface appear to be small capacitors, capacitor parts, large chunks of a golden resin, and a large number of 3-inch steel cuplike pieces. The latter are probably not attributable to the Sangamo operation (Ref 47) since they were found at other sites as well.

Waste oil and debris were burned, compacted in a swale and covered. Specific compounds of concern include lead, acetate, PCBs (Aroclor 1254 and 1242), and PCB burning products. Other possible materials from capacitor manufacturing include (Ref 1) mica, silver, cyanide, aluminum hydroxide, aluminum oxide, gold, copper, zinc, hydrochloric acid, styrene, nitric acid, phosphoric acid, and borates. Materials from other companies may include cyanides, printing inks and lead-based explosives. The results of a magnetometer survey (Ref 31) indicate a high concentration of metals on the eastern side of the landfill.

Information on the physical characteristics of the Fire Station landfill and Water Tower landfill has yet to be determined.


AREA-9 LANDFILL SAMPLING & ANALYSIS



- A. In June/July 1982 (Ref 37), surface and 1-foot deep samples from the center and eastern edge of the landfill were analyzed for PCBs (Aroclor 1254 and 1252) and lead (Pb). The data, shown above, indicate highest PCB and Pb concentrations along the edge of the landfill.
- B. In August 1983, samples were analyzed for six isomers of chloro-dibenzo-p-dioxins (CDDs) and chloro-dibenzo furans (CDFs) at the parts/billion (ppb) level by the University of Nebraska. Tetra- and penta-CDDs were not detected (see data above). The detection of hexa-, hepta- and octa-CDDs suggests the use of penta-chlorophenol, while the residues of dibenzo furans are likely from PCBs (Ref 32). In order to obtain more information on the distribution of PCDDs and PCDFs, a parts/trillion (ppt) detection level is suggested by Dr. D. Stalling (Ref 32).
- C. On June 15, 1983, soil samples at 0.5 to 1-feet deep from the center and four corners (NE, SE, SW AND NW) were analyzed for metals. Lead (Pb), barium (Ba), copper (Cu), and Zinc (Zn) concentrations were excessive compared to average Illinois levels. Barium was 47 to 3200 ppm, copper was 7 to 3300 ppm and zinc was 25 to 1000 ppm.
 - Four core samples at soil surface and 2 to 3.5-feet deep (see locations in figure) were collected on August 15 17, 1984 for PCBs and metals analysis. Data are not available.

D.

9. BUILDING COMPLEX - SAMPLING & ANALYSIS



Several soil samples at depths ranging from 0 to 4 feet were collected on July 2-3, 1984 by Olin Corporation from areas near Building I-1-23 for PCB analysis (Ref 12). The building was leased from USFWS and was formerly occupied by Sangamo Weston. High concentrations of PCBs (10,000 to 132,000 ppm) are observed in the immediate vicinity of Building I-1-23 and in the ditches. This may be attributed to spills that were treated with an adsorbant, which was then swept out the door (Ref 1). PCBs in samples from depths of 1.8 to 4 feet ranged from 0.6 to 67 ppm, except one sample (#5), which contained 19,000 ppm PCBs.

10. WATER TOWER AND FIRE STATION DUMPS AND OTHER AREAS

SAMPLING & ANALYSIS

A review of the available information suggests that several other areas, including the Water Tower (WT) dump, Fire Station (FS) dump, Hampton Cemetery (HC) dump, U.S. Powder, Carterville Hunting area and Old Job Corps area, may be sources of contamination.

The above-mentioned sites were tested in June/July 1982 (Ref 41) for lead. The Fire Station, Water Tower and Hampton Cemetary dumps showed elevated levels of lead as given below, while the other sites had lead levels similar to controls (13 - 35 ppm). Carterville Hunting Area and Area-13 have elevated levels of arsenic (4.8 - 23 and 6.1 - 15 ppm, respectively).

Samples	Pb (ppm)			
	F.S.	<u> W.T.</u>	H.C.	
Surface, center	108	86.3	151	
1' depth, center	553	843	11.5	
Surface, edge	70.5	52.3	20.4	
1' depth, edge	141	19.8	30.3	

On June 15, 1983 (Ref 21), surface and 1-foot deep samples from the WT dump, HC dump, U.S. Powder and Area-10 were analyzed for PCBs and metals. PCBs were not detected in the HC dump, while low levels of PCBs were measured in Area-10 (0.07 - 0.24 ppm) and the WT dump (<0.05 - 0.15 ppm). U.S. Powder had higher levels (<00.05 - 2.5 ppm) of PCBs. Heavy metals, including lead and zinc, in soils from WT, HC and Area-10 dumps were within southern Illinois background, and U.S. Powder soils had lead concentrations of 11 to 130 ppm.

Three samples from Area-11 refuse collected September 18, 1984 (Ref 45) had no detectable PCBs or chlorinated pesticides, but appeared to contain some polysulfones.

The limited data on the WT dump, FS dump and other areas suggest that PCBs, lead, zinc and arsenic may be found elsewhere on the C.O.NWR dump sites. Additional data on these sites should be obtained to further assess the extent and cause of contamination.


11. CRAB ORCHARD LAKE WATER

SAMPLING & ANALYSIS

On May 25 - 26, 1983 (Ref 25), fourteen (14) water samples from Crab Orchard Lake (see following page for locations) were analyzed for PCBs, chlorinated pesticides and metals. PCBs (<0.1 ppb), chlorodane (<0.01 ppb), DDT, endrin, mettioxychlor, BHC, hexachlorobenzene and aldrin (<0.02 ppb) were all less than the ppb detection levels, although the presence of dieldrin and chlordane were indicated. While lead (<50 ppb), cadmium (<3 ppb), chromium, copper and cobalt (<5 ppb) were below ppb detection levels, barium and zinc concentrations ranged from 31 to 54 and less than 50 to 101 ppb, respectively.

On May 21, 1984 (Ref 25), supplemental samples (see following page for locations) were analyzed for the same parameters as above. Although the presence of PCBs, dieldrin, chlordane and pentachlorophenol was indicated, the concentration of all these organics were below ppb detection levels, except at location #13 which contained 0.16 ppb PCBs, and at #3 and #10 where 0.018 and 0.011 ppb pentachlorophenol, respectively, were measured.

Of the fourteen (14) sampling locations, five (5) were near the Area-9 Landfill, while the others covered various regions of the lake. The results of the two sampling programs suggest that the lake water is not seriously contaminated.



In the summer of 1979 (Ref 43), sediments from lakes in Illinois were analyzed for metals, PCBs, dieldrin, heptachlorepoxide and DDT. The concentration of metals in Crab Orchard Lake sediments were well within the range of values for all lakes in Illinois, and in most cases below the state-wide averages. PCBs, dieldrin, heptachlorepoxide and DDT were below detection levels (<10, <1, <1 and <5 ppb, respectively) in Crab Orchard Lake sediments.

Analysis of Crab Orchard Lake sediments from fourteen locations (shown above) on May 25 - 26, 1983 (Ref 25) indicated less than 10 to 270 ppb PCBs in the region above the Area-9 Landfill, while at other locations, PCBs were less than the detection level of 10 ppb. Dieldrin, chlordane, DDT and pentachlorophenol were below the corresponding detection levels of 1, 5, 10 and 1 ppb, respectively.

A June 15, 1983 U.S. Fish and Wildlife (USFWS) sampling program showed 0.41 and 0.76 ppm PCBs in Crab Orchard Lake sediments in the bay region off the Area-9 Landfill, while PCBs in three sediments from mid-lake, north of the Landfill, were below 0.05 ppm.

Five sediment samples, collected June 21, 1984 (Refs 10, 11), had 2,3,7,8 TCDD, total tetra-CDD, penta-CDD and hexa-CDD below the ppt detection levels. Hepta-CDD and octa-CDD, which are considerably less toxic than 2,3,7,8 TCDD, were at concentrations ranging from 160 to 1400 and 3400 to 12,000 ppt, respectively. Among the dibenzo furans, only 2,3,7,8 Tetra-CDF was found (210 to 50 ppt). At these concentrations in sediments, these compounds are not expected to pose any problems.

13. CRAB ORCHARD LAKE FISH

SAMPLING & ANALYSIS

A significant amount of data is available on several species of fish in Crab Orchard Lake. The species include largemouth bass, channel catfish, blue gill, white crappie, bullhead and carp. The fish samples collected at several locations in the lake had contaminant concentrations, when detectable, that were well below the FDA limits.

Mercury levels in fish sampled in the summer of 1976 ranged from 0.13 to 0.46 ppm. Mercury levels were lower (<0.05 to 0.39 ppm) in samples collected in September 1982 (Ref 38).

May 15, 1981 results (Ref 46) from fifteen (15) fish samples revealed no mercury, dieldrin, DDT, heptaclor, or PCB contamination in fish.

In September 1982, thirteen (13) channel catfish and fourteen (14) largemouth bass were analyzed for lead and PCBs. Only one channel catfish had 0.14 ppm lead, while all others were less than detectable (<0.1 ppm lead). PCBs in channel catfish ranged from less than 0.2 to 5.2 ppm, and in largemouth bass from 0.84 to 9.3 ppm.

In March 1983 (Ref 35, 53), six (6) species of fish were sampled by the Illinois DOC for PCBs. The concentrations in the edible portions of largemouth bass samples ranged from 0.12 to 0.34 ppm PCBs; in two (2) channel catfish, 0.34 and 1.1 ppm PCBs; while carp had less than 0.01 to 0.02 ppm PCBs. No PCBs were detected in five (5) bluegill, five (5) white crappie and two (2) bullhead samples. These values are well within the previous FDA limit of 5 ppm PCBs and the current FDA limit of 2 ppm.

Fifteen (15) fish samples collected on April 16, 1984 and May 18, 1984 (Ref 21) were well below the FDA limits of 0.5 ppm for mercury (<0.01 to 0.36 ppm), 0.3 ppm for dieldrin (<0.01 to 0.12), 0.3 ppm for heptaclor (<0.01 to 0.16), 5 ppm for DDT (<0.01 ppm), and 2 ppm for PCBs (<0.1 to 1.1 ppm).

Analysis of four (4) largemouth bass, three (3) channel catfish, and three (3) carp samples on June 21, 1984 indicated that the six isomers of dioxins were below ppt detection levels. Tetra-CDF, which is significantly less toxic than 2,3,7,8 TCDD, ranged from 5.3 to 41 ppt. The other isomers of dibenzo furans were below detection levels.

15. SURFACE WATER/SEDIMENTS

SAMPLING & ANALYSIS

Limited data are available on surface water and creek sediments. In July 1982 (Ref 37), low levels of PCBs were found in sediments from five Crab Orchard Lake tributaries. PCB concentrations were 0.12 ppm in Crab Orchard Creek sediment, 0.09 ppm in Grassy Creek (located west of Area-9), 0.04 ppm in Wolf Creek (west of Area-9 Landfill), 0.38 ppm in Pin Oak Creek and 0.20 ppm in Pigeon Creek (west of Area-9 Landfill and north of the lake).

Surface sediments from an intermittent creek opposite the Area 9 Landfill had 44 ppm PCBs (dry weight), and 2.4 to 16 ppm PCBs close to the lake. Soil samples at a 1-foot depth in the intermittent creek opposite the Area 9 Landfill contained 4.4 ppm PCBs.

Water and sediment samples were collected on August 15, 1984 (Ref 8) from Crab Orchard Creek at two locations, one at Crab Orchard Lake and the other upstream of Marion. Data are not available at this time.

16. GROUNDWATER - SAMPLING ANALYSIS

There are few wells within three miles of the Area-9 Landfill that serve private residents or industries, and an estimated population of 75.

The only groundwater data available are from three monitoring wells installed around the Area-9 Landfill in August 1984 (Ref 27). Metals concentrations in well samples were as follows: aluminum 265 - 2330 ppb, iron 104 - 2440 ppb, lead less than 5 - 5.9 ppb, manganese less than 10 - 145 ppb, zinc 80 - 751 ppb, and tin less than 20 - 90 ppb. Of several organic compounds analyzed, PCBs were 1.3 - 3.3 ppb, dieldrin less than 1 ppb, heptachlor 0.005 ppb, chloroform less than 5 - 13 ppb, lindane 0.008 ppb, endosulfate 0.048 ppb, and 1,1,2,2-tetrachloroethane less than 1 ppb.

90 min Catalier?

17. WATER SUPPLY SYSTEM

Refuge

Crab Orchard Lake is the primary water supply for the Refuge, which uses approximately 280,000 gpd (Ref 52). This includes usage by the penitentiary. The water intake is located approximately one mile from the Area 9 Lanfill site. PCBs have not been detected in the lake water (Ref 50), as they are virtually insoluble. Quarterly samples collected from the U.S. Federal Penitentiary (Ref 13) during 1983 and 1984 had trihalomethanes in the range of 0.023 to 0.245 ppb.

Marion

The City of Marion draws water from a reservoir that has an auxiliary intake on the south shore of Crab Orchard Lake (Ref 2). This intake is approximately 1200 feet from the intermittent creek (Ref 52). Two sources stated that this intake is used in the late summer and fall, during periods of peak demand (Ref 17, 24, 50, 52). Another source stated that it has only been used once since 1967 (Ref 2). The reservoir is filling with sediments (Ref 1).

Analysis of the sediments reportedly showed 54 ppb PCBs (Ref 52), but this figure is disputed (Ref 2) since there are no analyses to verify it. PCBs have not been detected in the reservoir (Ref 50).

18. BIOLOGICAL SAMPLING


In 1979 and 1980 (Ref 42), biological water quality sampling programs were conducted to assess the extent of the impact of wastewater discharge from the Marion Wastewater Treatment Plant (WWTP) to Crab Orchard Creek. Sampling points were located on a 5.5 mile stretch from the WWTP to Crab Orchard Lake. Crab Orchard Creek has a drainage area of 82.6 square miles and has a 7-day, 10-year low flow of 0 cfs. According to the July 1981 Report by the Illinois EPA (Ref 42), Crab Orchard Creek remains adversely affected by discharge from the Marion WWTP, with high levels of ammonia, nitrogen and phosphorus, and low dissolved oxygen levels.

In July 1982, lead levels were measured in earthworms, honeysuckle roots and leaves, prairie vole liver, and white-footed mouse liver. The highest lead levels (1.73 and 4.19 ppm) were detected in earthworms from the Fire Station dumps. Earthworms at the Area-9 Landfill, Water Tower dump and U.S. Powder contained less than 0.6, 0.49, less than 0.2 and 0.52 ppm lead, respectively. Honeysuckle roots and leaves had lead levels less than 0.46 ppm, except for one root sample from the Area-9 Landfill, which contained 81.6 ppm lead. Lead was less than 0.28 ppm in prairie vole livers and white-footed mouse livers at all the sampling sites.

19. RI/FS SAMPLING & ANALYSIS SUMMARY

NO. BAYALE TYPE	NG. OF SITES	PER	TETAL NO. GF SAMPLES	FOR AMPLYSIS	ANALYSIS
. 301.3					
A. Amea 9 Landfill					
1. 3 layers	5	3			-Flas.Diekins.Fursns
2. 1 intervals	9	13	117		-Anionity Pollecents. On, 12 Capacity
3. 1 intervals	3	10	30		-Dioxins & Furans
4. transect lines	3	5	5		-F03a
B. Intermittent Orsek	\$	3	18	PRPs perected in camp	-Anionity Robbitants of, 12 Capacity
C. Fire Station					
1. 1' intervals	?	7	7		-Anionity Polletants on.15 Capacity
2. 3 layers	5	3	?		-Priority Pollutants, oH, IE Capacity
D. Water Tower Dump					
1. 1' interval	?	ż	?	PRPs detected in dumo?	-Priority Pollutants. pm.IE Capacity
2. 3 layers	?	3	?	PRPs cerected in sumo	-Priority Pollutants
E. Building Complex					
1. sumface	67	1	67	-	-908s
2. middle, bottom	67	5	134	If detected in surface	-PEBs
3 LAKE SEDIMENTS	9	1	9	PRPs cetected in duma	-Priority Pollutants. Volatile Organics
3 GROLNDWATER					
1. initial	3	1	3	PRPs detected in sums	-Priority Pollutants, Dickins, Furans
2. additional	?	1	3	ii	n
3. second quarter	3+?	1	3+?	u	и
4 FIEH ~ LAKE	4	38	128	PRPs cetected in dumo	-Priority Pollutants.
(4 scecies, 8 comp)					Dioxins. Furans
5 TURTLES - LAKE	4	1	4	PRPs cetected in dumb	-Priority Pollutants, Dioxins, Furans, FCBs, Enlorinated HCs
S DRAYFISH - LAKE	4	i	4	PRPs detected in camp	-Priority Pollutants. Dioxins. Furans
7 S-REX - DUMP	٤	į	٤	PAPs detected in dump	-Priority Pollutants, Dioxins, Furans
8 EENTROL ARER	7	?	5	ARPs cevected in owns	-Priority Polletants, Dioxins. Furans


AREA-9 LANDFILL AND INTERMITTENT CREEK



LANDFILL: Cores from depths of 0 to 12 feet to be sampled at nine (9) locations on the landfill.

INTERMITTENT CREEK: Six (6) sediment samples, one downstream of landfill, two adjacent to landfill and three (3) upstream by the lake.


GROUNDWATER: Three (3) existing wells and any additional wells, if necessary.



67 sites to be sampled at depths of 0 to 4 feet

EASTERN SECTION OF CRAB ORCHARD LAKE

SITE MAP



Lake sediments from nine (9) locations and fish samples from four (4) locations.

-	
-	
ladd	
••	APPENDIX
	
■ i	
· ··	
t in-1	
	
•••	

SAMBAYO ELECTRIS - REVIEW OF RAEVICUS INFERMATION

₹2 % ,	-	JATE	TITLE	BESCRIPTION
3222	= = =	<u> </u>		
i	L	Dec. 18.1984	From John Hanson to Br.C.B.Murchy RE: Meeting with employees on 12-7-84	Summary of meeting with present and former employees of th Capacitor Division on site history.
£	b	ටිසට. 14, 19 3 4	From John Hanson, Beveridge & Diamond to Russel H.Wyer, USEPA, Wash.D.C. RE: Ammendment to Nat. Oil & Haz. Sub. Echt. Plan: The Nat. Prior. List; Prodosed Rule	Comments on behalf of Sangamo Weston. Inc. re. the Haz. Ranking Score for the site.
.3	:	Dec. 5.1984	From John V. Hanson to Christian Lipfert RE: List of information to be sought.	A four page list of information to de sought from Sançamo employees - including activities, nature of site, Din Corporation.
4	ÿ	îso. 5,1984	From Paul Boorb to Sancamo File 98: Names of persons at Chap Orchand	A list of Government personnel, diin personnel at C.D. facility and Govt. personnel in War Assets AdmiSt.Louis
6.9	~	-	From D26G to Beveringe & Diamond RE: List of Guestions	A two page list of questions on Production and waste bandling issues.
Ę	X	Cet.83.1994	MEXB from Paul Schond to Sampamo File Re: Maps of Chap Brohard Site	Macs of S. Illinois and Drab Brohand (C.D) Lake, C.D. National Wildlife Refuge (NWR), Refuge & C.in Area, Dump magnetometer survey, Slin Plant Property, C.D. Creek Basin, Extended Site Mao.
7	म संग	Sep. 24, 1984	MERO from Dr. David Stalling, Columbia M. Fish. (COSTAL) to Dick Rushl, Reg. III. ACA Specialist RE: EA/DC Assurance Statement for C.D. REP	Procedures for Sampling and Analysis, and $0A/0C$. Specified detention levels: $90B = 0.1$ ppb as Anoplor 1254 in tissue and soil; $90DDs$ & $9DDFs = (=3.0)$ ppt in tissue & 100 ppt in soil for poth $2.3.7.8 \pm 70DB$ and $2.3.7.8 \pm 70DF$. Note: The above levels are 0.001 times lower than the values selected earlier, probably by Region III.
45.	ı	Sep. 18, 1984	From Jim Hickins, USDBD-FWB to wayre Acams,CCVAR RE: Results of C.C. Sample Analysis from Area 11	Three samples, 2D1, 2D2 & 2003, analyzed. (No data attached) The three samples appear to contain polymeric silfones, with or without water. No 2003 or destinings beterted.
45	**	8ug.81.1984	From Les Frankland.III.DOS to fatt Rice, FWS RB: Brad Gronand Lake Symposis	A symbosis of 111.000's involvement, animarily as a fish collection agency.

SAMBAYB ELECTRIC - REVIEW OF PREVIOUS INFORMATION

725 2002 :		DATE exerces reas	TIVLÉ	DEBORIATION
				Memorandum of Agreement for Fish Dontaminant included.
8	ø.	<u> მაგ. 21.1954</u>	From Wayne Adams, USDCI to Dr.D.Stalling, ENFRL Re: Soil & Water Saxoles - Sangamo, Marion	Transmittal memo for 9 water, sediment are soil samples numbered CROO1 to CROO9 collected on August 15 & 16, 1984.
Ğ	' F	Aug. 15. 1984	From Michael D'Toole, USEPA, Dhicapo to File RE: Sampling effort at Dump Site on Aug. 15, 1984	Effort to collect 4 composite core samples from Dumo site. Transmitted to Dr.D.Stalling per Memo of 8/20/84.
10	•	Aug. 3.1984	From Charles R. Bell. USEPA,FGS-DPAS, Scrinpfield to Joseph E. Stuart, CSEPA,FGS-DPWS, Marich RE: Williamson Enty -C.D. Refuse PWS; Fac.Ac. 1997037	Results & news release by LSEPA & USEWS on dioxin & furan analysis of fish & sediment samples at put detection levels. No 2,3,7,8-TCDD found in fish or sediments ((25 ppt safe) 2,3,7,8-TCDF at 5.3-41 ppt in fish ((5 ppt safe) Hepta & octa cloxins at 160-12000 ppt in sediments (these are considerably less toxic than 2.3,7.8-TCDD)
11	Ĺ	Jul. 17, 1984	From Michael & Toole, USEPA, Chicago Yo Dr. D. Stalling, DNFRL RE: Transmittal of Fish & Seciment analysis	Results of Fish & Sediment analysis for Dioxins and Furans sy California Analytical Laboratories.Inc. on Jun.21,1994.
12	*(Jul. 17, 1984	From w. Adama, uBDGI to John Ellis, Twin Cities, MN RE: Slin's Testing for PCBs in Plant Area	Results of analysis of soil samples from a few isolated areas rear Blog. I-1-23 for ADDs. The Blog. was leased from LBFWB and was formerly occupied by Bangamo Electric. Analysis was conducted by ENVIRODYNE ENBINEERS. Reported accuracy at 100 ppp (mg/Kg). Total ADDs range from 0.095 to 132000 ppp.
13	*	Jun 11. 1984	Arch Dick Ruelle.USFWS to LIST RE: RIVES Drap Brohand NAR	Draft RI/FS circulated for review by those on LIST. Basis for soil sampling & analysis for priority pollutants, tetra thru! octa series of cloxins & furans, oH & lon-exchange capacity. At 1 or 2 ft. intervals: soils analyzed starting at too, and contaminants not found at too not to be analyzed at next cepth. DR/GC to be done by Dr. D.Stalling and Dr. Jim Petty. IDR- & FDA to send details on Fish.
49	5	001, P.1984	Prom Genald updake to John Ellis, C.C.NWR RE: haz. waste Site Eleando Neeting Notes	Technical meeting at 0.0.NWA called by J. Britman, USEPA to discuss Sangaro dumb site clearup. Avtended by USEWS, USEPA, TM.DPH, INL.DDG, INL.EPA and political representatives.

SANDAMO ELECTRIC - REVIEW OF PREVIOUS INFORMATION

REF. 1925	DATE	717LS	DESCRIPTIEN
CEEE DIES			RIFS (PCGs), funding, study areas discussed.
;4 ā	Jul. 1984	BY 9. Ruelle, Rock Isi. & 8. Acams, Carterville.III USFS - Survey for Matals in Beer Livers, and in Aschdoned Industrial Dumps on E.O. NWR.	A survey of published information on metals analyses in Ceer, and Sangamo, Fire Station, Water Tower and Hambton Demetery dumos. A prief site background included. Sangamo started in 1946 and left site in 1982 Data from June 15 & 16, 1983 and Dec. 1983. Deer - Mean Pb level of 5.6 ppm. Plants - As: 4.8 - 23 ppm in soils. Po: 0.21-1.3 in Sangamo Dumo; 0.25-0.65 in FS Dumo; 0.17-0.95 in WT Dump; and 0.0.31 to 2.10 in HC Dumo Soils at Sangamo Dumo (ppm) - Ba: 850-3200; Du: 700-3400; Fe: 42000; Pb: 1800-9500; Zn: 1900-10000. Soils at HC dumo (ppm, max.) - Ba: 140; Cu: 81; Fe: 19500; Pb: 61; Zn: 143. Soils at WT cumo (ppm, max.) - Ba: 140; Cu: 36: Fe: 25000; Pb: 37; Zn: 64.
. 5	Jun. 85. 1984	From margid J. O'Bonnon, USFWS.Wash.DC. To D. Rosenbenger, USFWS/RCA RE: Lead Contamination of White-Tailed Deer at the C.C. AWR, Illinois	Summary of 1980 S. Illinois Univ., Carbondale sampling of liver tissues from deer in 15 illinois counties. Results indicate Pb range from not detectable to 13 pam (dry weight) and averaged 4.4 ppm. Samples from the dicsed larea of C.D. NWR (which includes Sangamo cump site) averaged 5.53 pam. USFWS survey indicates (1 to 3.3 ppm wet weight. Also refer to July 1584 Survey by R. Ruelle & R. Adams.
3 5 T	Jun, 15, 1984	From Leanne Forbis, Dolumbia Aral, Bit-Dhem. Lab, Inc To Blen Dlarica, USSPA-DL92, Marion, Ill. AE: PCB Analysis in Catfish	Six datfish samples were enalyzed for PLBs; 0.47-3.84 dom.
_7 · 4.	Jan. 25, 1984	Snoot USEPA/Rem. Res. Prognam RE: Haga: cous Waste Listing Endem DERGLA	Summary of information on Sangamo Electric Bumb Site covers 2 - 3 acres; uSDGI owns property; Dumb used for by-products from manufacture of electrical components and capacitors; lanofill is close to and drains into D.D. Lake. Soil at edge of lanofill contains around 12000 bom 2008, and Po in the range 7000 bgs. Soil samples between fill and lake snow lower concentrations.

SANGAMO ELECTRIC - REVIEW OF PREVIOUS INFORMATION

REF. T		51 AG	TITLE	DESCRIPTION
n=== =:	===	23222222222		
				Dity of Marion draws water from lake Guring beak demands; buty pap. 1400. (In Reference # , oop. is 1403:).
18	-	Jun. 1,1984	From James C. Britman, USDBI-FWS, Twin Cities, *n To Valdas V. Adamkus, USEAA, Chicago, Ill RE: Hazardous Waste Site at C.D. NWR	Provides a brief summary of the situation at the C.O. Nw9 site. Summary of PD and POB levels at Sangamo dumb site and in fish; refers to 9/21/83 and 4/5/84 contract studies; and to TH. EPA's 5/15/84 Enforcement letter to Interior Secretary Clark which outlines several demands comerning steps to remedy the C.O. problem.
î	7	May 31,1384	From - To BBEAR-DLAG, illinois RE:Proposed sampling of public water supplies	Memo on conference telephone call to descuss proposed sampling programs for dioxins and benzo furams in public water supplies.
30	ir .	Yay 21,1984	From Greg Wolf, USFWG to Files RE: Historical Summary of Contaminants on CG NWR -	Fist investigations by Ill. E3A in 1975-76; Mg & FOB levels below FDA limits; some catfish and carp had 2 - 4 ppm PDB levels (5 ppm limit). Lake sediments (E3A, 1979) did not show elevated PDB levels. Analysis for lead in soil, veg., worms and mammals in Jun.27 to Jul. 1,1982 (Recort in Feb.1983). Fo levels in deer (Dec. 1983, reported in Apm.1984) significantly lower than 1981 report from 8.711. Univ. PDB in first samples (IDB-/IDBC, Mar.83) less than 1.1 com Sangano cumo soils (Dniv.of Nebraska, Det. 1983) had 250 obb furans and 19.2 obb stoxins.
91	ÿ	*ay 30,1984	From wayne Acams, ESDG1 to John Ellis, Twin Dities RE: PCB analysis - Fish Samples in C.C. NWR	Results of PCB analysis on fish collected 4/16/64 & 5/16/84 Concentrations well below FDA limits of 0.5 pan for mg. 0.3 ppm for Dielorin, 0.3 ppm for heptacolor, 5 apm for DOT & analogs, and 5 ppm for PCBs.
3.5	Ŧ	osy 25.1584	Prom Charles A. Bell. III.EPA to Ira Yarxkood RB: Chao Cronaro Lake Sampling	Memo on commercial laboratories (wright 5t. Lab. Unio & California Anal. Lab.) for blokin & denso furan analysis in water samples.
23	Ħ	7ay 24.1984	From: waywe Acads, USDDI to James Gritman, USEPA RE: Sangado Eleptric - 8.5. NWK	Memo on oceration at demo site: Sangaro was fist tenant on C.D. AWK in 1946, before area was terred to FwE.

SPRIGAND SUBDIFICE - REV. DW OF PREVUBLE EMPCAMATION

KEF. GYB	E DALE	TTTLE	DESCRIPTION
3233 55 5		27902028887788488 PBB87858788888888	######################################
			seposit move mono-monomeasterly; water table 15 - 17 ft. Metals in well samples (ppm) - A1 865-2330; Fe 108-2440; Mm (10-145; 7m 80-751; Sn (20-90. Grganics (ppm) - Endosulfate 0.048; lindame 0.008; chloroform (5-13; TCE 7; PSB 1254; heptaclor 0.005
29 7	Aer. 1984	From R. Ruelle & R.Acads to Refuçe Manager, C.D.AWR SUB: Survey for POBs in Some Abondoned Inc. Dumbs and Lake Sediments on C.D.AWR	Site background, review of reported PCB levels at dumpsite & fish. PCB (Arcdior,ppm) in sites – WT Bump: $(0.05\pm0.15;$ HC Dump: $(0.05;$ Area 10 soils: $(0.05\pm0.07;$ U.S. Powder soils: $(0.05\pm0.24;$ Cheek below Sangamo Dump: $2.4\pm4;$ and Lake sectments: $(0.05\pm0.78.$
25 >	36t. 17, 1983	From Wayne Acams, DOI to Dr. James Edler, HWS Doord. RE: Haz. Waste Sites on Service Lands	Identifies 4 sites on C.D. which may constitute a hazard. 1. Sangamb (35000 cu.yd.) Pb. acetate, PCBs, Dioxins & furans 2. Fire Station Dump - Ap 3. Water Tower Dump - Ap 4. Supreme Flating - Ap, Ec
ઉંઇ ને	5ct. 7.1963	From Michael Gross,L.Df Nebraska to A.Ruelle,FwS SUB: Amalysis of RCDS & FCDF in Soil Bamples	SC/MS Procedures, results of analysis (im pob) - Tetra-CDD (m.d.). Pensa-CCD (m.d.), Hexa-CDD (1.5). Hepta-CDD(1.5-3.8), Ceta-CDD(7.1-19.8), Tetra-CDF (1.5-850), Pensa-CDF(5.8-15.4), Hexa-CDF(2.8 & 12.8), Hepta-CDF(0.32 & 2.6), and Octa-CDF(1.8).
46 C	Set. C.1983	BY: N. 6* Toole & S. Bynam, Ecology & Environment RG: Pot.Haz.waste Site - Site Inspection Record	A 10 Part STE INSPECTION REPORT on S.E. NWR/Sences a Done consected on Sed. 16,1963. Soil surface heavily contaminated with Polarsenate, Arction 1254, Arction 1242, Onthochronopisenzons-clokin, Tetrachloropisenzofuran, Pentachloropisenzofuran, Hexachloropisenzofuran, Contamination along swale downstream of dump. Waste dumped in a swale, Dunned & covered with soil. Lover has ences since Sangamo & USFAS covered baterial. Frovices estimates of permeability, nainfall.etc.
21 · *	Ben. 31. 1983	From Scott Byram to File RB: C.O.WWR - Sangawa Duso	Rend on site visit & geodhysical work - magnetometer survey to locate duried metal, & seismo refraction to determine

SANDAMO ELECTRIC - REVIEW OF PREVIOUS INFORMATION

REP. TYRE	2726	717LE ====================================	0EGCM19710V
			Dumo site established in cooperation with FWG: waste oil and other debris trucked to cump site, and purned with refuge fire trucks and firemen standing by. Ascredoned in late 50's, early 60's without fill cirt or cap
50 L	Xay 22,1984	From J.Draig Potter, ESFWS to Senator Alan Dixon RE: Presence of PCBs in Crao Orchard Lake Ecosystem	Background of situation and results of sampling program.
24 _	may 15,1984	From Richard Carlson, ILL. EPA to Wayne Adams, FWS RE: Notice of Sealing of Site	Notice provides site background; site used as an ammunition handling facility; powerful explosion at site may account for high Pb levels; site leased by Sangamo from LSDDI from 1946 to 1962; 20000 dom PCS levels and 7000 dom PD levels.
έ <u>δ</u> ₹	Mav 8,1984	From Robert dite, EPA-DW9C to Richard Ruella, FwS Sub: PCB donitoring in C.D. Lake	Concentrations of PCEs & selected organochloride compounds at 16 sites in C.O. Lake and C.O. Erbek ubstream of Lake. Water samples: PCEs, dielorim, chlordane, DDT, Emerin, methoxychlor, 8HC, hexachloropenzene and algrin less than detection limits (0.02 pob for chlordane, 0.01 pob for others); pentachlorophenol (0.01 at 8 sites (0.018 max.) Secument samples: PCEs (10 to 270 pob; dielorim (1; chlordane (5;total DOT (10; and heptachlor-esoxice (1 pob.
Si D	7ay 8,∶984	Prom [11.59A, DAWS to UB Fed.Periterbiary RE: THX Analysis Report	Suanterly samples from Refuge Fire Debt., Roads & Brounds. Safety Office, Industrial Blog. On 4/84/84, This ranged from 0.023 - 0.240 ppm, with 0.132 ppm average; on 1/27/84, 0.139 - 0.190 ppm, with 0.175 average; on 11/9/83, 0.120 - 0.150, with 0.138 average; and on 7/88/83, 0.137 - 0.245, with 0.139 average.
26 (fay 4,1564	Frum Bob Thumas Dw2G to Clm Trans. 2690 RE: PCBs in C.S. Lake/Sangamo Dumb Bite	8.3. Lake one of 17 lakes constored as part of Fish Contaminant Monstoring program; there are no excursions of the 5.0 pew FDB action level for PDBs.
27 3	Apr. 5.1584	From Aschael Bifford, Edology & Envisonment, Inc. BuB: 111/300 RE-8309-06A: D.C. NAR/Sampado Dumo	Three production maintaining wells sampled ser lect. Direction Doc. Ill/700 R3-8308-06A, and four outside cominds Drilling logs, hyprogeo background - D.B. Lake Manthace; fed exclusively by surface numboff; proundwater in placial

SANGANO EUSITRIO - HEVIEW UF PHENTODE UNFURRATION

955, 7752	1812	71°1£	DEBCRISTION
#### ####			
36 :	Apr. 4,1983	From III.EOA to les FFraxiend, TIV.EOD RE: Texteology Report on Fish	Composite fish samples for PCBs (no pate).
37 र	Man 1963	From 9. Augile,FWS to Refuse Wanaser SUB: Survey for PDBs on C.D. AwR	Review of 90% toxicity to first & manuals. 7/27/62 PCEs cata(osm) in Electric dump soils (12 - 20054) & sectiment (0.2 - 3.32); Jame/Sep (82 first data $1.0.02$ - 9.3); and Dec. (82 data on deem fat ((0.27) & tissue ((0.10)
38 A	Pen 1983	From R. Ruelle, FWS to Refuge Manager SOB: Mercury Levels in D.C. Lake Langemouth Bass	Review of Hg data: for 1978, $0.13-0.46$ spa; for 1988, $(0.05-0.39$ ppm. Sep. 82 PDB $((0.2-9.3~{\rm spa}))$ and PD $((0.1-0.14))$ includes.
33 A	Feb 1983	Snow R. Ruesie, SWS to Refuge Manager SuB: Survey for Lead on E.G. Awk	Background on study area, methods & results. Soil samples from top & 1 ft depth, earthworms, mide, etc. June 27 & July 1, 1982 samples consected from 10 sites ~ Greenomian Johnson, Jamonia Neck Control, Sangamo Demo, Jobs Comps, U.S. Fowber, PS Dumo, wT Dump, HD Dumo, Danterville Hunting Area, and Area 13 Ordnard.
AÇ S	lan 1993	57 A. Woolf, et al in Thems. IlliSt.Anabety of Bos. SUB: Rejional Variation in Majals in Livens of Anits-Tailed Desmith Illimous	1980-31 data for nine heavy netals in livers of 441 white-tailed deer in 25 livings counties. In 0.0, NAS, sean concentrations (in 59%) were - LC 0.48, So 0.88, Dr 3.1, Ou 118, Ng 211, Nh 6.4, Nh 4.5, Po 8.6 & Zh 83.
wj s	Bes, 13, 1982	Firen R. Acade, FAB to IDRAR Project Managem RB: Enemical Contamination on D.B. Refuçe	Summany of data pattered over bast year - 1952 Records by R. Ruelle, and 1981 t.l. DAH sampling data. ADBs only on Bangamo Dumo, POBS & Po in all 12 sites. Bangamo cumb - Po 210000 dom, and 2085 250000 dom.
54 0	lec. :38:	Frint III.DCA to FWB RB: Repulse from Dean Sampled at D.G. AWR	Orlonimated desticites analyzed in teem fat; desection limits were (.01 to 0.1) down Nore detected, exhebt dielomin (0.02-0.03 down) & restablish edoxide (0.005-0.03) in the sample.
4Ë 7	3al 1981	Prom Staff, Menitering Lnit, 111.59A, 83B: Boologapal & Wat. Blas. Salvey of 1.8. Greek	Backbround on Dity of Varion treatment clans - 500, 12000; NATS has southwest algors for tempisterale, 510-0.2009

BANGAND ELECTADO - REVIEW OF PREVIOUS INFORNATION

137, TYAS	942 342	:2105	6:80x1271un 20100122200120012001200120010012220012220012111111
			deoths. Lansfill area 2.2 acres; deoths 6 - 10 ft.
32 N	Sea. 5,1983	From David Stalling, FWS to R. Ruelle RB: Review of PCDD & PCDF Redort from M.Gross	Interpretation of data in hebort (8/26/83). Discusses relation of FODDs & PODPs to POB levels in soils & toxicity.
33 L	Aug. 26, 1983	From Aichael Gross, D. of Repressa to A.Auelle,F.S AE: FCDDs & FCDFs Data	See Report dated Dot.7, 1983 from M. Gross
41 ×	Aug. 11, 1983	From walter Redmon, USEPA Reg.V to Kenneth Fenner RE: Trio Recort - Keeting at C.B.AwR	Meeting on contamination of the Refuge with ACBs, Po, etc. Reviewed 3 FWS Reports on ACBs, Po & hg levels by R. Ruelle, Aerial photos, history of occupants, & mass with M.C. Toole. Items collected on site include capacitors with Sangamo USA on them, and other pieces that have been found at other old disposal sites and suspected to have originated from world war II munitions plants. In the past 10 yrs, Refuge has disposed 5,000,000 sounds of stored explosives, widespread problem appears to be lead.
34 3.	8uş, 1,1962	From Berevo Lpcike,FWS to Files RBs Meestho at 8.80 on Haz. Dong Site	Synopsis of meeting on 7/21/83 attended by FWS, III.EPA, III.BDB and pageA at Hafuge HD.
5,3 v	āu. , 81, 1983 	From 7. DiTocue, 1559A to Russel Dieferbach RE: Dhao Chemant, Manier Thio Redont	Meeting at 2.8. NWR stienced by USAWS, 111.8FR, 1.1.018 & 111.8FR to discuss discovery of POB dump leadning into 8.8. take. See also Memo of Rug. 11,1583 by Walter Recmon. 2.5 acre Sangamo Dump is on base end of 8.8. take. City of Marion pop. 13,178 take water for refuge: 880,000 gpz 1975 111.8FR: 11-87 ppp POB inlake septments: June 1988 18-48: 1238-20594 ppm POBs in soil: May 1988 8PR: 12-170 ppp POB in septments: 1899: 54 ppp POBs in Marion Reservation.
E3 _	Pan. 16. 1581	From David Renney, 11.000 to 3. Britman, FwS RS: Pian Basade Analysis Racons for C.C. Lake	Fish flesh emalyzed by 1.1.35A. Highest RCB level 1.10 pp See Memo of 4/11/83 by F. Paladino
33 x	Park 11, 1583	From Seter Relacino, III. DOS to mike Santem RE: Conteminant Sepoling of SUS. Lake	Results of PCE (Arcolor 1254, in dom/ analysis in large mouth bass (0.12 - 0.34), channel day $10.34 - 1.17$, bluegill (n.c.), w.crapp.e(n.c.),cu)lasso(n.c.), and card (0.01-0.06)

GANGAMA BLECTAID - REVIEW OF PREVIOUS INFORGATION

₹₹₹.	73,53	BAFE	711.2	
====	.===	***********	5510 ARBET165ATF2881F588EF5354F8AXD54V8A551V8A4FV8EESSE	
			in Vicinity of Marion Wastewater Treatment Plant. Marion, ILL. 1975-1960.	Tables of water quality data for 1979-80 included. C.D. Creek downstream of WWTP remains adversely affected with high ammonia-N and phosphorus. Tow dissolved daygen. Considerable organic enrichment of east arm of Lake.
43	7	1381	By: M.H.Kelly & R.L.Fite, Monitoring Unit, Ill.EPA BuB: Chemical Analysis of Surficel Sectments from B3 Illinois Lakes, Summer 1975	273 sediment samples collected from 63 Illinois lakes in Summer 1979 were analyzed for v8, 600, nutrients, heavy metals, and organocolorine compounds. 2.0. Lake: 6965 agre area. 30 ft. max. depth. 109261 abre watershed craimage area. 63511 agre. ft stomage departty. 2.789 yr retention time. Two sides & 2 samples/side reported. 177 Hite & Hing: v8 5%, Total N 0.16 ppm, Total 9 0.13 ppm. Tables of values included.
1, 4	î	Ron 1977	Bil A.L. tite & N. Kung. III.EPA SuB: Biological investigation of the CuC. Greek Basin Paerk - Burner 1975	70 stream locations in williamson & Jackson counties, and 15 locations in C.S. Lake for dentitic microinverteenates. Good water quality generally found in streams in the southern portion of the basin where C.S. NWR & Shawnee Semi-polluted conditions evident in Little D.B. Eneck & Files Fork from Carbondale to confidence with C.S. Lake. Bottom sections at 2 sites in C.B. Eneck cownstream from Marion had elevated levels of neavy metal & describes. POBs notably higher in C.Z. Dreek sectments. Selected contaminants in fish filesh below FDA limits.

ATTACHMENT S-8 FIELD RECONNAISSANCE SKETCHES CRAB ORCHARD NATIONAL WILDLIFE REFUGE

U.S. FISH AND WILDLIFE SERVICE
DEPARTMENT OF THE INTERIOR
AND
SANGAMO-WESTON, INC.

O'BRIEN & GERE ENGINEERS, INC. 1304 BUCKLEY ROAD SYRACUSE, NEW YORK 13221



SUBJECT	,		SHEET 29	ВУ	DATE . 3/28/85	JOB NO.
#3 AREA 11 SOUTH	LANDFILL					
						
such to lift		Serie Se	tores Stars			
3 soil compos, fusciono	7	Meets)	W Kee's	1970	f"st.str plae	
		1	Tren	**(**)	7	
	(Jasen)	- 1	2"600	3		
two le stones few chanks black tec.		los de la companya de	(8) - S	mar P		
motalcons (deing?)	6013		e /		Sticom Sticom	- drums water flowing into
Re toxx				Metal, masin		
flask				24" P.		rete mute /veters/p.
Pumice blocks) do	Shal of		metal ¢ canis	Gully my downs
	debris olsses matal				duit/#"stl. p or ash in sto	
	lead? casing (Osin on bof?) 	······································	olishe debris	along strom	
fone		NAC NAC	o" & calver	.	X	fence



II .	JECT							SHEET BY			DATE		JOB NO.		
ł									31		3/	20/35			
·										· · · · · ·		<u> </u>			
·		1 :	- - 		1	 			T			1			
#4	AREA	tr 17	orth u	NAEIL	<u> </u>				+-+						
	- 										R	DC >0	magnesia	spece	سر (۱۱ معد من
!	!	! !									. !			ì	
											;		i		
				-		1	+	7			·	+			
	c/	umps af	Se Limph			+			-			+ 1			
		show la	400 + wh.	te over	300	 					+ +				
1 100	() \	\				1	- -		·	ر م	: ! 	! 	·		
				i 1						Lemy		i	:		
	4-1)		/ /				1			220		-			***
							1 -			3		-			
		/								V			:	<u> </u>	=
	-	4-+	-/		 			-		7-1			. 	<u>;-</u> ,	
			-/		 				. <u></u>		\				
1					<u> </u>	<u> </u>					1				
1	$A \setminus$, (c>	Earlie					,					
	1	,	K.10	63.00	3.100)	(!				1			any a stranger wante to go		
- /		1	5 m 3 "	- 144	, 145 E	-1		r 			 	ļ			Buck
			-\ -	165g C,0;),		· ·	P.ece.	10/00	' روي	 	ļ -			35
 : : /		· · ·	1	:	200	-	\ 	C. D.	٤ - ره	1 Kr 69		\ .			
		2 1		c.	,o (°	· · · · · · · · · · · · · · · · · · ·				·	<u> </u>	ļ. 		.	
<u> </u>	Live Luce	,,,0		1	Swaret		f , 				11	1			
	(18)		1	7	SH20045			,			1 7	1			
×	*	ا مٰدر ا		£	+				/ \		+ +	<u> </u>			
-	ζ:ν»γο		- 	\ 	. 1		· • • • • • • • • • • • • • • • • • • •	/	·	-		 -		<u></u>	
···	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		/,2	k		-		;/				ļ			
	<u>×</u>	 i-	-=					; <u>/</u>				Ŋ			
		- 1	- ; !		·			·				 			
 ;	5		Dam?	1	:										
	<u> </u>		concrete	Nock.								(
/	· Y								•			<u> </u>			-
F- Strem	-5+	- 17										11			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	الر		= 1									1 1			
			·		re 1	bed						٦ ' _			

7 COMODZIES


- 1 bare patenes
- 1 Subapy Sediments



UBJECT		SHEET 24	BY	3/2-1/07	JOB NO.
		·	<u> </u>	<u> </u>	<u>. 1</u>
#5 AREA II ACT POND					
1438	40005				· · · · · · · · · · · · · · · · · · ·
	Fince (beer P	-00F)			·· ·············
	fince (out				· · · · · · · · · · · · · · · · · · ·
	4	1 150	أ أحر ي اد		
Elas Ost Ost Ost Ost Ost Ost Ost Ost Ost Os	/ /	1	*		dike
res with the	/ c.6				6051
	t the contract of the contract	300' ~			
e Pe	12 ×	· · · · · · · · · · · · · · · · ·	×		
3 in pipe					
13/00			·		
				p	
				/	
	1/1 T				
	1				make seminar a tak a ti miningakan jiri
					
	:				
			······································		
preset					
+ spots on boug: majors +	seds - connection				
The state of the s		*****			
3 soils of composite from d	sy the 209				
>> No walls &			to a section .	- ///	//
110 MX 12	may and the second of the seco	=		<u> </u>	



UBJECT					SHEET BY	3/27/85	JOB NO.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·	<u>~</u>			OVERCAST &	t windy
:#-7A	D-ARE	A NORTH	רשטא	parrels ou	ptied on the ground		
			+	+++++	•		
			†				· · · · · · · · · · · · · · · · · · ·
2- Low	, surui	42 40	34. (1	- 5 oft Specks) = 2			
اوالما	h pretty	- }		+ + + + + +			
4. Gei	ه – ا	VA screen					X/
			each - t			-	Wate
- :	Jeoms		+ , 2,3				C630
	!		+ - :			<u> </u>	Colvert
			1 : :				1/2=-
 -;-			1		- +		77.
······································		1_					
						Ø	Moist
		1	1				//
		-	0				1
		(: 		/ M.	ist
						D //~	······································
		ļi			40	· 	1/1/00
				= nu		<u>- </u>	· · · · · · · · · · · · ·
· K	7 10			Office Property	9	Ji-S	· · · · · · · · · · · · · · · · · · ·
<u></u>				100	700 250 3	do'	The second secon
				ditch by road w	Some water	· ····· · · · · · · · · · · · · · · ·	
				:			tti ni gerige i 141 til 11 til degeler og gilliger
					de la confessionamente que april des maios en la constant de la constant de la constant de la constant de la c		
			:				
			in Committee of the committee	······································		D depressed bo	ion patches
			75 MF (** * *)		-	OVA (N	g. (cgs.)





SUBJECT			SHEE 2:		3/27/85	JOB NO.
井12	AREA 14 LANDS	ine.				
 -						
						.
- 					—	<u> </u>
					24	
			· · · · · · · · · · · · · · · · · · ·		1	-
						+
			0.114 (2.9)			
	Park Pivos		* = =			
·	300 6 6 6 2 2	1 1 1	X	N 100' \$		
			8-10" \$	trees governing in	vide	
. e-tere amod				~20-30 ys +1d?		
		Bad pattes				
;		- black second				
		<u>'</u>			· · · · · · · · · · · · · · · · · · ·	
	-					
						·
			·			
. 107 - 1 - 1000101.0050						
	6		0			
	+ +	<u></u>	gare i en e paramenta e e e este con encontrata que la constitución de	. Le		
	<u></u>		[hose I water go	abs t compa	
		, (3)		2 seds	amposited	<u> </u>
	X		all and the second of the seco			side 4 composi
				1.76504	01	
				-		
	The second secon					



SUBJECT		/				SHEET Z (BY	DATE 3/21/85	JOB NO.
L							<u> </u>	3/21/87	
ر مر شد		1.							1
42	- HKEN		LANDEN	- 1					
43	GKEH	14	CHANGE	HOUSE	SME				<u></u>
		<u> </u>							. 4
	!	į							
									and the second s
					 				
	-+ }								
					ow				
			a sile	حمر,۱	01840				
				-	+				na-mani
	+								1
		1							·
	1	+>						•	
,		1	4	1	1 1 1 0	ble	,		4
	13th	, to			bar			 ,,	
	+		Bx5		De 1	·			
1:		: '	 					- 6 comp	isite lines
3									
	<i>13</i> }' −							ه ا	o samples / line - 1 ft compos -
!									
		$\overline{\overline{}}$							
	/	+	4			<u> </u>			
+	$\overline{1}$	1	<u> </u>			ς ξ *			
ال معال	1-1-		<u> </u>		-		;		
معاون	;								A .
Cr.		 }	94						Q6.
	· · · · · · · · · · · · · · · · · · ·	 }-	/						Jrv, <u>t</u> t,
			1			<u> </u>			3PV, 7 SUCURY >
	1	 /+	\				and the second of the second o		
	6%	0	1/1			Ψ			
	1		1)	Description of the property				
			+ > 7			3256	1		
	· · · · · · · · · · · · · · · · · · ·					>7			
		}							
1		\			212-7,				and the second second
		1	(- 1	20 8+ ->				



DATE 3/27/85 20 #14 AREA 14 SOWENT STORAGE compressed got standpipe (where bibling if) Sample the ditch Stacked barrels (~ 200) Spill containment dike open.



1 control bldg. - Soside only

		23A		3/27/35	<u> </u>
			· · · · · · · · · · · · · · · · · · ·		
HIL APER					
HIG AREA 7 THOUSTR	INC OUR				+
\$15 AREA 7 POND				16149	<u> </u>
	 - - - - - - - - - -	-		1201 PL-7	
					<u> </u>
1-1	2-1 3-1 4-1	5 1 4	/		+
· · · · · · · · · · · · · · · · · · ·	The state of the s				-
4		1 1		_ _ _	Top of 1
		$\Rightarrow \parallel$;		~ 5f4
		- H			wale
	Ninge /5	1)///	Black &	إعلانه	
	Project Control of the Control of th	[/	1 3cx	1	
	() () () () () () () () () ()		well-	1115	2011
	45) 50ft
		<i>y</i> /	Ţ	- 30	
				1 1	
3	8	+ [[]	-		Fence
	1 31 axik	h .	\ \		\i
E/			platform		
	(first)			ก	Standpipe
!	35				O Approx
		1	· —— · · · · · · · · · · · · · · · · ·	111.	deap M
	too lo		<u> </u>	7	
	20				
Aluch Ch. DI	**************************************				
,	Mest 83				take sed near stani
	- Lucias -	- [<u> </u>	<u>-</u>	
		-∦	twe-		imposite 4 sids
		5-6	down		11 4 waters,
		11_			
	1			· · · · · · · · · · · · · · · · · · ·	
تنسخ دد مستشدد بایا ساز را را دیا در از این این از		· · ·- · · · · ·			
Cleak: 4 stations - 1	95gm + 12tg @ 65cf				
4 buildings - 2 co	mpostos por bidy (Front + back)				a offer la
/	sof to 1 A composite - and of a	paste.		D- Nels	Hale pro)
,			م الم	<i>V</i> -	



UBJECT	SHEET 14	BY .	3/27/	JOB NO.	
16.5-					
1517 JOB CORPS LANDFILL				-	
					
		+			
1956 Illinois Lic # 2069482		 			
other dobris goes down souther inches		 		- j	• • • -
Do bris widely scattered on soften				1	
				A	
					
		. j			fic
				·	
			<u> </u>		****
		i Turnin i A		fence	
$\frac{1}{\sqrt{1+\frac{1}{2}}}$					
	- Mica	·			
\\P\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	- Elactro conta	cts			
			Ĺ	3	
*	7			·· · · · · · · · · · · · · · · ·	
1					
4		ф:			
	7	- 	,		
		×	······································		
1- Megy Surviay					•
			ال المالية	. with trower : fou	ma
2. Coras: suff and/or depth.			a 6,7	s only on suffece	_
- 2 bace spots					
5 590×05					
- 5 squares - suff. composites within - deeper if	(2011.50 ys 50 m				
the control of the co					
3. 4 Shallow wells }/ Indiretous Phase I/	/ an al	·	c · 1		



SUBJECT		2 SHE		3/28/35	JOB NO.
			- 		
#18 AREA 13 LOADING PL	HTFORM	+			
					<u> </u>
					.
R			اِخَ اللَّهِ	arn proist compos.	sample
, 3				4 1 1	ft compos. Truette
	3				4 Jun 1 805+5 (4 3 F4
	4			Fill longton	compasie exansid
	*			Con't collec	+ rodes)
	1		· · · · · · · · · · · · · · · · · · ·	of mes A:	s for analysis
				<u>_</u>	
()					
		-	· · · · · · · · · · · · · · · · · · ·		
		[/ J	}		
					
		717			
	3	(5)	13	-/	
Le prigo.	7	11 6 1	1,7	1 1508 to	::
Store (1) 01	1	No un sovat	>
				on th	5
		1/6		•	
		1 180			
		000	ļ		
			<u> </u>		
	· · · · · · · · · · · · · · · · · · ·				
ا الله الله الله الله الله الله الله ال	1 22 1	(0,0)			
T		60,00	horse	2'\	
		9 4 26			
			} }	~ PR	
	235		سد لا	P. West	



some what became marks for the state of the	DATE 3/28/35	
Some what bera major lawlying wat cost. **Some what bera wat cost. **Soft ** **X**** **X**** **X***		
Some what bera major lawlying wat cost. **Some what bera wat cost. **Soft ** **X**** **X**** **X***		
Some what bera major lawlying wat cost. **Some what bera wat cost. **Soft ** **X**** **X**** **X***		
Some what became the solution of the solution		
Some what became the solution of the solution	0	
Some what became the solution of the solution		
Some what became the solution of the solution		
Some what became the solution of the solution		-
Some what became the solution of the solution		
Some what became the solution of the solution		1
Some what became was spot. Some what became was spot. Some was a	a	
Some what became was spot. Some what became was spot. Some was a	0	1
Some what because spot. My Soft X Soft S		
Some what because spot. My Soft X Soft S		.
Some what became wat spat. I said to the	(1, 1	
Some what became wat spat. I said to the	ソトル・トー	
Some what became wat spat. I said to the		
Some what became wat spot. A the sound was spot. Soft Soft Soft A map of the S: 2 5.665 5 out to part The soft The so		
major lowly mag what spot. A this work X X X X X X X X X X X X X X X X X X X	(x x	1
major lowly mag what spot. A this work X X X X X X X X X X X X X X X X X X X	x x //	
Soft X X X X X X X X X X X X X X X X X X X		
Mposites: 2 5. des from to the second state of the second state o	1 ×	
Mposites: 2 5. des from to the second state of the second state o		· · · · · · · · · · · · · · · · · · ·
Myosites: 2 5. des from the same of the s]×	
Myosites: 2 5. des from the same of the s	(x x)	
Soft X X X X X X X X X X X X X X X X X X X		
Soft X X X X X X X X X X X X X X X X X X X	k x	
Soft X X X X X X X X X X X X X X X X X X X		
mposites: 2 sides Friends		
mposites: 2 5.625 4019 164.	- L Dark brow	10 10ss
mposites: 2 5.des 401/1 hr. Friend 1/4.	H	<u> </u>
2 5.625 South Face		
2 5.625 South Face		
2 5. de 5 } 40. 1 fer.		
2 5. de 5 50.5 to 1 fd.	_	
2 5. de 5 50.5 to 1 fd.		
Friend		
3.000		- ·
l .		
pown begins		
\$ 53-1/45	- 	
7 / 5 / 1		



SUBJECT		SHEET 16	BY		3/27/85	JOB NO.
		1.0			-161135	<u> </u>
					 	
# 20 D AREA SOUTH						
			1			
	+ + +	h				
			3	·+	 - - -	·
	++		— <u>-</u>		 	1
			3	<u>+</u>	ee tie	
	+		_چ	.		
	_	k		- K	11 11 11	
			d. 18.3	46,12		
Ribota (c	La port		7	75		
67,000				/		
						· · · · · · · · · · · · · · · · · · ·
			(Z)		CULVA	post (stight show
		<u></u>	A K	5 ()	COMA.	<u> </u>
· · · · · · · · · · · · · · · · · · ·		- (· · · · · · · · · · · · · · · · · ·			}	<u> </u>
	× ×		<u></u>		\ <u>'</u>	
1	· . <u> </u>	¥			<u> </u>	in a graduation of the same of
A Committee of the comm						
						manananan mananan an an an
	•		- \		//	
		7	Aca .			
			3		//	
						e de manuel para e e e e e e e e e e e e e e e e e e
			·		·	
Entit	·	+				
4 seds & composite)
a sole of composite						4
The state of the s					· /-	<i>j</i>
						<i>,</i>
						/
						,
						,



DEUECT													SHEE		BY			DAT	= 21	a٩	JOB NO.
													12	3	<u> </u>			3	(21/	, , 	
·	······································					·		,	·	,	·	-									د الله و الله الا الله الله الها الها اله
# 21	Sou	THEAST	CoR	NER	- E	EU	D		! !					_							
				!	<u> </u>				ļ !							!	:		!	:	
																	- 1		1		
					T													- !-		Mi	a traps in past
	!							 	 					····-		1			†		- 15 4628 1 4 th
: 							/		-	-			<u>-</u> -				· 		1	- +	and the second s
				-	+				 	 -	50%	me7		-		+					
	-	+		_	+-	1			-	-==				\checkmark			!				
	-			-	-	1				Ţ	<u></u>				- براد ما ا		\	<u>-</u>			
	 				1-1		-	-	-		<u> </u>		*				-	-			
	<u>-</u>				7	<u> </u>		<u> </u>					/ <u>-</u> -		1	_		<u>:</u>	-		
	<u>}</u>	-	-0		1/-	0			0	ا			Ø			े	val.		-	-6 -	ditch
				_	سسند					 					·i	:	:-	_/	- - -	- : ·	(wol) -Thuning
 	 				\leq			ļ	<u>i</u>	$\left\{ -\right\}$	ļ ··				-				\ <u></u>	· -	clases
-			0	1/			<u> </u>			<u> </u>	<u> </u>	<u>د</u> ک	2		<u> </u>	;					
	}			-	- 7	2	 		>-C	}	-		24"	Ø Fa	-	E) <u>-</u> ;	, 	-	\ \partial \(\partial \)	
				/		-	-	<u></u>	/ _		<u> </u>	ļ 	<u> </u>	60 -	io ys	016			- -		
			/-	<u> </u>			<u> </u>	1/		ļ				·+			+	-			- ()
		125	X			· •——-	1/				· 			_						Du	
···			_/:				1	 -	0-		:)==			· · · ·) <u>.</u>				W 2
			<u>.</u>	: - -	· 		· •	: - ;	, 	-	<u> </u>	ļ 	<u>-</u>	: :	······						
				:	Le		:	: 	1 . ·	-			<u>-</u>		: 1	· ·			· -		
		1					7	و										سا	, 	=	
		Y /.	; /	<u> </u>		2					1	ļ									
-7		- From		۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔	/	•	-	 -			-						- :-				
	feu a	H	7	/	:					و	!			;							1
	-		/		4	50	*	ete c	hvuk	5		; ;		:							
	- (-	1		-						1	·	-									<u></u>
		-0-						-		ć.										₩ 30	off.
		69/2	····· >	se						Fenc	<u></u>									7,5 7,55 -	in the second

4 Magnetic transacts

4 composites of (6 slang each transact - suff to 1ft)



				SHEET 17	BY	3/27/35	JOB NO.
考22 010	REFJOE	SHOP					, , , , , , , , , , , , , , , , , , ,
· 							<u> </u>
i							$I\!\!\!\!/$
			-				7
							1
-							
					: 1		1
:						At A Pool	Cossen-yallow scur
					121		the second of many and
:						RT	
						-	7
				1			1
, « — , , , , , , , , , , , , , , , , ,					(19	1	}
	. <u> </u>						April 11.00 21 11.15 1 1 1 1 1
ran in a real contact.	e and and a responsible management of the					1	
				_ : -		1	
man ga san mananan sambat manan Sananan			\\\				
			1		ditch	Country	· ~ -
					!	· ·J ··	· - · · · · · · · · · · · · · · · · · ·
			<u></u>		بليسيسا (إا سلمه لله الم		
			•				*** ===
phasi							
I was	w from po	<i>o</i> (
- composite	2 1 seds	downsteam.	· · · · · · · · · · · · · · · · · · ·		e e e e e e e e e e e e e e e e e e e		
•					- AC - AC - THE		
Phose It							— · · · · · · · · · · · · · · · · · · ·
Forther	derpen, if	~ NESSM			a the same and are		
· · · · · · · ·	1						

					_	_	



,	**************************************			
# 23 PEPSI FAST				
# 24 PEPSI WEST				· · · · · · · · · · · · · · · · · · ·
443	 -			
			1 teras	دود وليدهم سالد د را
N			//	1 /
		AIN ST.	- OV 1	
/ C840 RR)	PERS	C
7		/ (
+	284			
	** ** * * * * * * * *		7/7 7/	771
	5 5			
	7			
	\sim			
				- 2 th -s
			·	}
	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
			·	
	and the second s			
	alayanin saamiin ahaa ahaa ahaa ahaa ahaa ahaa ahaa a			
Sample ditch by the ro	à.			




	**************************************		- 32	3/23/95	
4	000	2			
. त. 25 (LOC MARKE	AT MARION LA	NDFILL		1
·	-		 		/
· · · · · · · · · · · · · · · · · · ·				W-	1
				, ₺	
;		(25	ban	g Ac. Porc	
		1, 19 ⁵	bpen Field		
		P COOT			1/-
	0.			87	Ŧż
		41-1-1-			
1		Ste visible t	rash	1	$\int_{\mathbb{R}^{3}}$
		11/1/	OLD FALL LAND FALL	trish	1
·——— ;—			LAND, EA	Scrub Control	#
			i		l.];.
			shrogmites)		<u></u>
en en la			5		
			in	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
				A service of the serv	
		//		1	. <u>.</u>
		desirano Libet	With the		
		draining ditety	- Win 2		
erra errana e		(ruming-clear water)	to the	es /	
		ws., goob		///	
				//	
			7/CD+		
			· · · · · · · · · · · · · · · · · · ·	e and a first terminal and a second a second and a second a second and	
			//\	· · · · · · · · · · · · · · · · · · ·	
**************************************				1	
	1			The second control of	
مردخ :	onstream (Widt	h composite well			
د ده	onstream (Swidt	in composite water			
	1.	h composite weller 16 Sebinent			
ach ····	1.	in composite water 11 sediment			



SUEJECT							33	BY		DATE 3/2 8 /35	JOB NO.
# 26	Coc	THE SE	BELOW LA	MARIA	N Grp				· · · · · · · · · · · · · · · · · · ·		
						++					
					_	ļ	-	; 			
										ļ <u> </u>	· - p. · · · · · · · · · · · · · · · · · ·
										,	
						 		<u> </u>			
								; +		· 	
			<u> </u>		- ! - !			***		g - w - warmen fan i	· , · · - · . · . · . · . · . · . · . · . · .
	· · · · · · · · · · · · · · · · · · ·		<u> </u>		-		 	<u></u>	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
				,	-		<u> </u>	.			
						1 :					
				. 	• 			<u>, </u>		\.	
						·		-		-	
			: : : : : : : : : : : : : : : : : : :		- -	· · · · · · · · · · · · · · · · · · ·					- ··· · · · · · · · · · · · · · · · · ·
			· 	:			· { MA	PION	}	f	
								570		<u> </u>	
			, , ,		· · · · · · · · · · · · · · · · · · ·	·			/ 		
				· · · · · · ·					<i>\</i>		
k nana	water tree as well the	·		_ · · · · · · ·							
· · · · · · · · · · · · · · · · · · ·			1 1 .								Appendix 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
ξ,											
		·	·								
58 J			<u></u>					·	- }		
	A _										
1		- you can per made.								··· ··· · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·							* * .				
							±				







# 28	Wa	TER	-TOU	JER	LA	NDE	ILL		-	ļ	-					!								· · · · · · · · · · · · · · · · · · ·
1	· k	19		i .	4						İ					İ	i L						i L	
	·	٠.					ļ ——		ļ	<u> </u>	1		ļ				<u> </u>	!		805	2.00	m P	<u>.</u>	
		<u> </u>	ļ		 					<u> </u>								<u>.</u>	-		. •	!	1	
1		į		ļ •		: -}	·								Dru:	(۱۹			Ĺ		! !		ļ	
	i 	ļ		1	KI	1	, 50 °				1	<u> </u>				\ 		ļ.,	ال	.51 	can:	ect	5	
	.;	ļ	ļ			` 				ļ	ļ	· -	+				70	Mas	1	a) n23 (/	لم	Ì f	1
		 	 	ļ		<u> </u>		-	<u> </u>	-	1	ļ	<u>.</u> 	A P	<u> </u>				<u>.</u>		.	1		
		ļ	<u> </u>			 			1	1	Scale		3				1		! !	Y			X A	Course Const
			<u> </u>			<u>.</u>	-	-	-	1			3 4		 	<u>ا</u>	ン		<u> </u>		-	ļ		2 Junes
	· 	-		_		1	<u>.</u>	-	-	×	No. No.		'	1				/.	4/	<u> </u>	 -	سيأ		4/
				 	ļ	; — ;—		+	+		<u> </u>	سلح		1	1	; 	<u> </u>		1	;/_}		نستنه	-	
	·	- ا	-	+			-	 	!				· 			!	Γ,		4	ŢŢ	· ·	7-	· /	EN THE
-/-	1	1_	ļ	 		·			·		\-			· \		بنيب	77	·	:	T.	}	/	ر) ن	**
<i>‡</i> ‡	/	<u> </u>		-	-5	<u>~</u>	-	 	-	/	+	<u> </u>				·		Η.	<u>G</u> V)	14	*	_	Men	X
-	[· 	÷	1 →	-		Mon	nd	/	≟.		- -				Trask	8	14		لتكسير	7	. (-3	han I do
	ļ	· 		:	-				, 	+		1-		:			\simeq	7	1		<u> </u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	المستنا	
			·	:	 			<u></u>	· 		_,	÷	499	4 PCE	سرو	_ *	Bully 1	ا لغو	₩.		X	+	/	* /
				!	<u>:</u>								.`		7				7		{	1	17	7 f
				· -	74	•									<u> </u>	فسيشت		<u></u>	<i>}</i> -	-	-	/	1/	ر
		· • · - · · · ·		-/				۲	. .	-	· · · - ·	;		/_				.E.		·		1	4	Country
						,		-,: -	·									<u> </u>	7	<u></u>	1	+/	·	
· · ·				-/-	tr.	+		-		}							-	/			4/	/		
				-					<u>-</u>	7	~		10	_==	<u>G</u> u		/	1-		-1	t/-			
								. 				1	_ 	7		4		7	سېچ ر	·	7			
										+		0	Took land		(ā	^ ()_	-			- <i>f</i>				
	· · · · · · · · · · · · · · · · · · ·											ļ · · · -		۔۔۔۔۔۔						/		·-	Ē	
		· 									ţ												`\	
		<i>f</i>	-					-4			 					- ~	w						7	The second secon
i? 5) ያል ተሳ	ti. =	Trong	 وطح							- 	1				**					· †·	-	/-	
19 11	. ي.		1.03				حسريان					ļ				***					· '	· ·		
Ն .	2 b	عدااح				·						i				•						<u> </u>		**************************************
•											4.	-	,			_						1		



	- 							SHEET 18	BY		DATE 3	27/35	JOB NO.	
#29	FIRE	STATION) LAN	FILL									1	
	<u> </u>						-	_	*		<u> </u>			
; ' 	: i +					[19	*	 .		il Najagaran and a salah salah salah salah salah salah salah salah salah salah salah salah salah salah salah salah	
			!					1 -	7	→		1	ي الما وعددة	
			ļ :		1			100 40					i praise i	
·				<u> </u>		\				<u> </u>		W		A
					-				!				get drow Mayor a cab hop	not in to
				I		₩ -	1	,	· · · · · · · · · · · · · · · · · · ·					
							· ·		1015 6	Leigree	1	\		
					. (,		(ro	7000	,		
				1										
			-				. !				rasio of	_		
	-			+ -	1	<u>ر</u>	4			Suspect	Fill	રાવ્યુ આવ્યુ		
						<u></u>			- B	\	(7	ا سے	了不
						3 hom	ps w) nt blacks			\	7			
		! - 				Csme	nt blaks		,	1	<u>+</u>	:		71
		i	,	-1						1	5 - 5 m	in late	·····	J 750
	+	1	1 :				· · · · · · · · · · · · · · · · · · ·	oneti oneks	1	13	}		shown in submp.	· · · · · · · · · · · · · · · · · · ·
		1		+				- V		4	<u> </u>			
	j	T :								-	(**		1
			i .						t)	\- T			7
		1:		·- 	i	· · · · · · ·	/-			و،	}		 	7 "
	-··· 	1	F	+					<u></u>	. :		:		
		 						*						~
		\												
		+		:	د بنسری :									,
					_									
				da(?)							و, ۱۱٥	umped	heavy here	# fs
Na S. T.			19	<u> </u>					.		Very	hot fir	e once.	•
<u> </u>	1.) .Ma	ignatics_			*	· · · › ـ ·							in Magnesiam	ملندون
	2) 4	·byis Ens byxes N	stope ?	7 10"	ms es	(suf	+ (ft))			,	.,		C-2""E
	3	N. saked.	510 pe		·								-	



SUBJECT	SHEET BY	DATE JOB NO 3/29/85	
#30 MUNITIONS CONTRAL SITE			
			!
			!
N	1-14		:
7	1-13		
7	Her Kees		_
	- Hay	Access to	
	en ander a communication and a second	NSAL1	
	[
	- 1-12 **	<u>:</u>	
	4,7		
	- 		_
			 \
	Low spot in field	(Low spot is not farmed))
10 Ft 5:05			
1 soilsquare of 4			
ا) يعدر ا			